

Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 57.

List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Metastatic Breast Cancer formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus crinitus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus esculentus* (L.) MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus manihot* (L.) MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus moschatus* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abies densa* W. Griff. ex. Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abies pindrow* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abies spectabilis* (D.DON) SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abies webbiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abrus fruticulosus* WALL. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abrus precatorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abrus pulchellus* WALL. EX THWAITES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon asiaticum* (L.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon avicennae* GAETR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon glaucum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon graveolens* (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon hirtum* (LAM.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon indicum* (L.) SWEET and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon persicum* (BURM.F.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon theophrasti* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia arabica* SENSU BAKER vadiana COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia arabica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia caesia* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia catechu* (L.F.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia concinna* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia dealbata* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia decurrens* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia eburnea* (L.F.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia farnesiana* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia ferruginea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia indica* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia intsia* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia jacquemontii* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia leucophloea* (ROXB.) WILLD. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia melonoxylon* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia modesta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia nilotica* (L.) WILLD. EX DEL. indica (BENTH.) BRENNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia pennata* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia planifrons* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia polyacantha* WILLD. *polyacantha* BRENNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia polyantha* SPRENG EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia pseudo-eburnea* DRUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia pycnantha* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia rugata* (LAM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia senegal* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia sinuata* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia speciosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia suma* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia tomentosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia torta* (ROXB) CRAIB NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha alnifolia* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha betulina* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha ciliata* FORSK. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha fruticosa* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha hispida* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha paniculata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha racemosa* WALL. EX BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acampe carinata* (GRIFF) PANIGR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acampe papillosa* (LINDL.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acampe wightiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acanthopanax trifoliatum* (LINN.) VOSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acanthus ilicifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer caesium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer cappadocicum* GLEDITSCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer laevigatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer mono* MAXIM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer oblongum* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer pentapomicum* STEWART.EX BRAND NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer pictum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achillea millefolium* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achillea santolina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achras zapota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes aquatica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes aspera* L. *rubrofusca* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes bidentata* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes lanata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes porphyristachya* WALL. EX MOQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum atrox* (BRUHL) MUK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum balfourii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum bisma* (HAM.) RAPAICS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum chasmanthum* STAPF EX HOLMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum deinorrhizum* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum elwesii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum falconeri* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum ferox* WALL. EX SERINGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum heterophyllum* WALL. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum kashmiricum* STAPF EX COVENTRY NULL and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum laciniatum* (BRUEHL) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum laeve* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum lethale* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum luridum* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum moschatum* (BRUEHL) STAPF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum napellus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum palmatum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum rotundifolium* KAR. & KIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum soonoricum* STAPF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum spicatum* (BRUHL) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconitum violaceum* JACQ. EX STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aconogonum tortuosum* (D.DON)HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acorus calamus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acorus gramineus* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acronychia laurifolia* BLUME and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acronychia pedunculata* (L.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acroptilon repens* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrostichum aureum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrotrema arnottianum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actaea racemosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actaea spicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actiniopteris australis* (L.F.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actiniopteris dichotoma* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actiniopteris radiata* (SW.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne angustifolia* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne dichotoma* FLORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne hookeri* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne obovata* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adansonia digitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenantha pavonina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenema hyssopifolium* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenia heterophylla* (BLUME) KOORD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenia hondala* (GAERTN.) W.J.DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenia nicobarica* KING and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenia palmata* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenia penangiana* (DON) DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenosma capitatum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenosma indianum* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenosma indicum* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenostemma lavenia* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adhatoda beddomei* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adhatoda vasica* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adhatoda zeylanica* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum aethiopicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum capillus-veneris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum caudatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum flabellulatum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum incisum* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum lunulatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum melanacaulon* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum pedatum* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum peruvianum* A.BR.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum philippense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum tinetum* MOORE F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum trapiziforme* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adiantum venustum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adina cordifolia* BENTH. & HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adinobotrys atropurpureus* DUNN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adonis aestivalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adonis majus* GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adonis scrobiculata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adonis vernalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aegiceras corniculatum* (L.) BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeginetia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides crispum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides fieldingii* WILLMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides multiflorum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides odorata* LOUR. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides rosea* LINDL. & PAXT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides williamsii* WARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva lanata* (L.) JUSS. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva monsonia* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva pseudotomentosa* BLATT. & HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva sanguinolenta* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva tomentosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva wightii* HOOK .F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynanthus hookerii* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynanthus maculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynomene aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynomene indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aesculus assamica* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aesculus hippocastanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aesculus indica* COLEBR. EX CAMBESS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aganosma calycina* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aganosma caryophyllata* G.DON and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aganosma cymosa* (ROXB.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aganosma dichotoma* (ROTH) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aganosma marginata* G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aganosma wallichii* G.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agapanthus africanus* (L.)HOFFMANN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agathis robusta* F.M.BAILEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agati grandiflora* (L.) DEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave angustifolia* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave cantala* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave sisalana* PERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave vera-cruz* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave vivipara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ageratina adenophora* (SPR.) KING & ROB., NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ageratum conyzoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ageratum houstonianum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia diepenhorstii* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia elaeagoidea* (JUSS.) BENTH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia lawii* (WIGHT.) SALDANHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia minutiflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia odorata* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia odoratissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia roxburghiana* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agni-jwalamonia eupatoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agni-jwalamonia pilosa* LEDEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agropyron repens* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostemma githago* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostis linearis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostistachys meeboldii* PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ailanthus altissima* SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ailanthus excelsa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ailanthus glandulosa* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ailanthus malabarica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ailanthus triphysa* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ainsliaea aptera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ainsliaea pteropoda* DC. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aisandra butyracea* (ROXB.) BAEHNI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ajuga bracteosa* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ajuga macrocarpa* WALL EX. BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ajuga macrosperma* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ajuga parviflora* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alangium begonifolium* MARM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alangium decapetalum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alangium hexapetalum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alangium kurzii* CRAIB NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alangium lamarckii* THWAITES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alangium salvifolium* (L.F.) WANG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia amara* (ROXB.) BOIVIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia chinensis* (OSBECK) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia julibrissin* DURASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia lebbeck* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia lucida* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia lucidior* (STEND.) NIELSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia marginata* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia myriophylla* BENTH. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia odoratissima* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia procera* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia stipulata* BOIVIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alcornoja javensis* MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alcornoja rugosa* (LOUR) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alcea rosea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alchornea tiliaceifolia* MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alectra parasitica* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alectra parasitica* A. RICH. *chitrakutensis* RAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aleurites moluccana* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alhagi camelorum* FISCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alhagi maurorum* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alhagi pseudalhagi* (BIEB.) DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alisma plantago* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alisma plantago-aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alisma plantagoauatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alkanna tinctoria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *AllamKalam cathartica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alliaria officinalis* ANDRZEJ and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium ampeloprasum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium ascalonicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium carolinianum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium cepa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium chinense* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium consanguineum* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium hookeri* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium humile* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium leptophyllum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium macleani* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium porrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium rubellum* M.BIEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium schoenoprasum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium stracheyi* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium tuberosum* ROTTL. EX SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium victorialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium wallichii* KUNTH and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allmania nodiflora* (L.) R.BR. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allophylus cobbe* (L.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allophylus rheedii* (WIGHT.) RADLK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allophylus serratus* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alloterospis cimicina* (L.) STAPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alnus nepalensis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alnus nitida* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alocasia cucullata* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alocasia denudata* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alocasia fornicata* (ROXB.) SCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alocasia indica* (LOUR.) SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alocasia macrorrhiza* (L.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alocasia montana* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alocasia odora* (ROXB.) C.KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe abyssinica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe barbadensis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe ferox* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe indica* (SCHOTT) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe littoralis* KOEN. EX. BAKER and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe perryi* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe spicata* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe succotrina* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe vera* L. *chinensis* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe vera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe vera* L. *littoralis* KOEING EX BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe vera*(typica) (L.) BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloysia triphylla* (L'HER.) BRITT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia allhugas* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia calcarata* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia chinensis* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia conchigera* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia galanga* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia khulanjan* M. SHERIFF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia malaccensis* (BURM.F.) ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia nigra* (GAERTN.) BURTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia nutans* ROSCOE and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia officinarum* HANCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia speciosa* K.SCHWM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia zerumbet* BURTT & R.M. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alseodaphne semicarpifolia* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstonia constricta* F MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstonia kurzii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstonia macrophylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstonia scholaris* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstonia spectabilis* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstonia venenata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera ficoidea* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera philoxeroides* (MAR.) GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera pungens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera sessilis* (L.) R.BR.EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera triandra* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Althaea ludwigii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Althaea officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Althaea rosea* (L.) CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Altingia excelsa* NORONHA and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus bupleurifolius* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus longifolius* WIGHT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus monilifer* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus vaginalis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alyxia reinwartii* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alyxia stellata* ROEM. & SCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus atropurpureus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus blitum* L. oleracea DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus blitum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus campestris* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus caudatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus dubius* E.H.L.KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus fasciatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus gangeticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus gangeticus* LINN. *tristis* PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus gracilis* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus graecizans* AUCT. HISP. EX CUT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus hybridus* L. *hybridus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus hybridus* L. *paniculatus* THELL. *cruentus* and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus hypochondriacus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus lividus* L. *polygonoides* (MIQ.) THELL. EX PROBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus lividus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus mangostanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus paniculatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus polygamus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus polygonoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus spinosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus tenuifolius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus tristis* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaryllis belladonna* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amberboa divaricata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amberboa hookeri* (HASSK.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amberboa ramosa* (ROXB.) JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amblyanthus glandulosus* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ambroma augusta* (L.) L.f. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amentotaxus assamica* D.K.Ferguson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amischophacelus axillaris* ROLLA RAO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amischotolype hookeri* (HASSK.) HARA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammannia auriculata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammannia baccifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammannia senegalensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammannia vesicatoria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammi majus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum aromaticum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum costatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum dealbatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum fenzlii* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum granum-paradisi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum kepulaga* SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum melegueta* ROSC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum racemosum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum subulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum xanthioides* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum zingiber* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amoora cucullata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amoora rohituka* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorpha fruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus bulbifer* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus campanulatus* BLUME EX DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus commutatus* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus dubius* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus prainii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus sylvaticus* (ROXB.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus arnottiana* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus barbata* (WALL.) PLANCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus indica* (L.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus latifolia* (ROXB.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus tomentosa* (ROTH.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amphicome emodi* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amphilophis odorata* CAMUS and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amphineuron extensus* (BL.) HOLTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amyris gileadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anacardium occidentale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anacolosia densiflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anacyclus pyrethrum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anagallis arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anamirta cocculus* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ananas comosus* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ananas sativus* SCHULT.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis adnata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis brevifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis cinnamomea* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis contorta* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis cuneifolia* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis neelgerriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis nubigena* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis sarmentosa* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis semepervivoides* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis triplinervis* CL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anastatica hierochuntica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anchusa strigosa* LABILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ancistrocladus heyneanus* WALL. EX GRAHAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ancistrocladus tectorius* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andira araroba* AGUIAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrachne cadishaw* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrachne cordifolia* MUELL. ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis echiodides* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis lineata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis macrobotrys* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis serpyllifolia* (ROTTL. EX VAHL)WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon citratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon contortus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon halepensis* BROT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon jwarancusa* JONES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon laniger* DUTHIE NON DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon martini* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon muricatus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon nardus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon odoratus* DNA LISBOA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum phlomidis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum serratum* (L.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum thomsonae* Balf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum waiiichii* Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Duranta erecta* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gmelina arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gmelina asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gmelina philippensis* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holmskioldia sanguinea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana camara* L. var. *aculeata* (L.) Mold. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana camara* L. var. *splendens* (Medic.) Mold. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana indica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana trifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana veronicifolia* Hayek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lippia citriodora* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lippia javanica* (Burm.f.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petrea volubilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyla nodiflora* (L.) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna balakrishnanii* Rajendran & P.Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna coriacea* Clarke var. *coriacea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna glaberrima* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna herbacea* Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna latifolia* Roxb. var. *latifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna latifolia* Roxb. var. *henryi* D. Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna latifolia* Roxb. var. *mollissima* (Roth) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna latifolia* Roxb. var. *viburnoides* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna mundanthuraiensis* Rajendran & P.Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna paucinervis* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna serratifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna tomentosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna wightiana* Schauers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Priva cordifolia* (L.f.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachytarpheta jamaicensis* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachytarpheta mutabilis* (Jacq.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachytarpheta urticaefolia* (Salisb.) Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tectona grandis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbena bipinnatifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbena bonariensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbena x hybrida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbena rigida* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex altissima* L.f. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex leucoxydon* L.f. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex negundo* L. var. *negundo* and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex peduncularis* Wall. ex Schauert and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex pinnata* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex trifolia* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Congea tomentosa* Roxb. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphenodesme paniculata* Clarke and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symphorema involucratum* Roxb. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avicennia alba* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avicennia marina* (Forssk.) Vierh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avicennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrocephalus palniensis* Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus argenteus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus eriocephalus* Benth. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus henryi* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus paniculatus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus robustus* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus scaber* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus sericeus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus suffruticosus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisomeles heyneana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisomeles indica* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisomeles malabarica* (L.) R. Br. ex Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Basilicum polystachyon* (L.) Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Becium filamentosum* (Forssk.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clinopodium umbrosum* (M. Bieb.) K. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colebrookea oppositifolia* J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elsholtzia ciliata* (Thunb.) Hyland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Endostemon viscosus* (Roth) M. Ashby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eusteralis cruciata* (Benth.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eusteralis deccanensis* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eusteralis quadrifolia* (Benth.) Panigrahi and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geniosporum elongatum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geniosporum menthoides* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphostemma eriocarpon* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphostemma strobilinum* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyptis suaveolens* (L.) Poit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isodon coetsa* (D. Don) Kudo and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isodon nigrescens* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isodon nilgherricus* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isodon walkeri* (Arn.) H.Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isodon wightii* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lavendula angustifolia* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lavandula lawii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonotis leonurus* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonotis nepetifolia* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonurus sibiricus* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas anKalamraoana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas angularis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas aspera* (Willd.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas biflora* (Vahl) R.Br. var. *biflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas cephalotes* (Roth) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas chinensis* (Retz.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas ciliata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas diffusa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas eriostoma* Hook.f. var. *eriostoma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas helianthemifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas hirta* (Heyne ex Roth) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas indica* (L.) R.Br. ex Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas lamifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas lanata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas lanceaefolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas marrubioides* Desf. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas martinicensis* (Jacq.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas montana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas nutans* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas prostrata* (Hook.f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas rosmarinifolia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas stelligera* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas stricta* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas suffruticosa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas ternifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas urticaefolia* (Vahl) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas vestita* Benth. var. *vestita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas wightiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas zeylanica* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha canadensis* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha x piperita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meriandra bengalensis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micromeria capitellata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta hindostana* (Roth) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum americanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. var. *basilicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. var. *pilosum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. var. *purpurascens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. var. *thyrsiflorum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum gratissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum tenuiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Origanum hortensis* Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon aristatus* (Blume) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon comosus* Wight ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon pallidus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon thymiflorus* (Roth) Sleensen and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus amboinicus* (Lour.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus barbatus* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus bishopianus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus caninus* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus coleoides* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus deccanicus* Briq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus malabaricus* (Benth.) Willemse and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus mollis* (Ait.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus rivularis* Wight ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus rotundifolius* (Poir.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus scutellarioides* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus stocksii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus subincisus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus urticifolius* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon atropurpureus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon auricularius* (L.) Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon benghalensis* (Burm.f.) Kuntze and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon cablin* (Blanco) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon gardneri* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon hedgei* V.S. Kumar & B. Sharma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon heyneanus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon mollis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon nilagiricus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon paludosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon paniculatus* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon purpurascens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon rotundatus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon speciosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon wightii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunella vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosmarinus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia coccinea* Buc'hoz ex Etlinger and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia farinacea* Benth. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia grahamii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia involucrata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia leucantha* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia patens* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia rutilans* Carr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia splendens* Sell. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia uliginosa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia verbenacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Satureja umbrosa* (Bieb.) Scheele and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria colebrookiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria rivularis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria violacea* Heyne ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria wightiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetradenia riparia* (Hochst.) Codd and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teucrium fruticans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teucrium plectranthoides* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teucrium tomentosum* Heyne ex Benth. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teucrium wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thymus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago afra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago erosa* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago exigua* Juss.ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago lanceolata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago ovata* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commicarpus chinensis* (L.) Heimerl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia crispa* Heyne ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wild Boerhavia diffusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia helenae* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bougainvillea glabra* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bougainvillea spectabilis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mirabilis jalapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mirabilis longiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisonia grandis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes aspera* L. var. *aspera* and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achyranthes bidentata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva lanata* (L.) Juss. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva persica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva sanguinolenta* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerva wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allmania nodiflora* (L.) R. Br. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera paronychioides* A.St. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera philoxeroides* (C. Martiu) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera pungens* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera sessilis* (L.) R.Br. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera tenella* Colla. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus blitum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus caudatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus spinosus* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaranthus viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celosia argentea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celosia polygonoides* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celosia pulchella* Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathula prostrata* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digera muricata* (L.) Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphrena globosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphrena serrata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indobanalia thyrsiflora* (Moq.) Henry & Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iresine herbstii* Hook.f. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothosaerva brachiata* (L.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psilotrichum elliotii* Baker & Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pupalia lappacea* (L.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichuriella monsoniae* (L.f.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthrocnemum indicum* (Willd.) Moq. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atriplex repens* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atriplex stockesii* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beta vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium ambrosioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium carinatum* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium giganteum* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium murale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium pumilo* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haloxylon recurvum* (Moq.) Bunge and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kochia indica* Wight. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salicornia brachiata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spinacia oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suaeda maritima* (L.) Dumort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suaeda monoica* Forssk. ex Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Basella rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ercilla spicata* Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petiveria alliacea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phytolacca dioica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phytolacca octandra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rivina humilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antigonon leptopus* Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coccoloba uvifera* (L.) L. Syst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emex spinosus* (L.) Campdera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagopyrum esculentum* Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Muehlenbeckia gracillima* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume) K.L.Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria barbata* (L.) Hara var. *gracilis* (Danser) H.Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria barbata* (L.) Hara var. *stagnina* (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria capitata* (Buch.-Ham. ex D.Don) H.Gross and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria chinensis* (L.) H.Gross and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria dichotoma* (Blume) S.K.Dixit B.Datt & G.P.Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria hydropiper* (L.) Spach var. *hydropiper* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria hydropiper* (L.) Spach subsp. *flaccida* (Meisn.) Munshi & Javeid and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria lapathifolia* (L.) Gray var. *lanigera* (R.Br.) Chantar. & Tubtimtong and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria nepalensis* (Meisn.) H.Gross and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persicaria peduncularis* (Meissner) Nemato and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum glabrum* Willd. var. *glabrum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum minus* Huds. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum molle* D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum plebeium* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum sphaerocephalum* Wall.ex Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum rhaponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex nepalensis* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex vesicarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalzellia zeylanica* (Gard.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Farmeria indica* Willis and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indotristicha ramosissima* (Wight) Royen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podostemon barberi* Willis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podostemon subulatus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polypleurum dichotomum* (Gard.) Hall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polypleurum stylosum* (Wight) Hall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Willisia selaginoides* (Bedd.) Warm. ex Willis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zeylanidium lichenoides* (Kurz) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zeylanidium olivaceum* (Gard.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia bracteolata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia cymbifera* Mart. & Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia grandiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia ringens* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia tagala* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thottea barberi* (Gamble) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thottea siliquosa* (Lam.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepianthes umbellata* (L.) Rafin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq.)

Huber and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia heyneana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia pellucida* (L.) H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia candolleana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia pseudo - rhombi* C. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia wightiana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper argyrophyllum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper betle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper galeatum* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper glaberrhache* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper hapnium* Buch.-Ham. ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper hymenophyllum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper longum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper mullesua* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper obtusistigmum* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper ootacamunbense* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper opacilimum* C.DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper ovatostemon* C.DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper pykarahense* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper schmidtii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper trichostachyon* (Miq.) C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper trioicum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper wightii* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcandra chloranthoides* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica dactyloides* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica fragrans* Houtt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne campanulata* Hook.f. var. *campanulata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne lanata* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne malabarica* Balakr. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne salicina* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actinodaphne tadulingamii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apollonias arnottii* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beilschmiedia bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beilschmiedia gammieana* King ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beilschmiedia wightii* (Nees) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassytha capillaris* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassytha filiformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum camphora* (L.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum filipedicellatum* Kosterm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum keralaense* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum macrocarpum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum malabattrum* (Burm.f.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum multiflorum* (Roxb.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum nitidum* Blume and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum perrottetii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum riparium* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum sulphuratum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum verum* Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum walaiwarensense* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum wightii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocarya anamalayana* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocarya beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocarya bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocarya lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocarya neilgherrensis* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocarya stocksii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laurus nobilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea deccanensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea floribunda* (Blume) Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea glabrata* (Wall. ex Nees) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea glutinosa* (Lour.) C. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea hookeriana* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea insignis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea laevigata* (Nees) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea monopetala* (Roxb.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea nigrescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea oleoides* (Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea quinqueflora* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea travancorica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea venulosa* (Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea cassia* (L.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea fischeri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea scrobiculata* (Meisner) Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persea americana* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persea macrantha* (Nees) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoebe lanceolata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoebe paniculata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoebe wightii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gyrocarpus asiaticus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Banksia marginata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grevillea banksii* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grevillea bipinnatifida* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grevillea hilliana* F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grevillea punicea* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grevillea robusta* A. Cunn. ex R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hakea laurina* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hakea salicifolia* (Vent.) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hakea sericea* Schrader and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicia nilagirica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicia robusta* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucadendron argenteum* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macadamia ternifolia* F.v. Muell. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petrophile pulchella* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenocarpus salignus* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gyrinops walla* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ovidia humboldtia* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wikstroemia indica* (L.) C. Meyer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus conferta* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus indica* Servettaz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus kologa* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicanthus elastica* (Desr.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helixanthera hookeriana* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helixanthera intermedia* (Wight) Danser and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helixanthera lepidophylla* (Walp.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helixanthera obtusata* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helixanthera wallichiana* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrosolen capitellatus* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrosolen parasiticus* (L.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scurrula cordifolia* (Wall.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scurrula parasitica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxillus courtallensis* (Gamble) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxillus cuneatus* (Heyne ex Roth) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxillus heyneanus* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxillus recurvus* (Wall. ex DC.) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxillus sclerophyllus* (Thw.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Korthalsella japonica* (Thunb.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum angulatum* Heyne ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum articulatum* Burm.f. var. *articulatum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum capitellatum* J.E. Smith and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum heyneanum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum monoicum* Roxb.ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum orientale* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum ramosissimum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum trilobatum* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Santalum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleropyrum pentandrum* (Dennst.) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thesium wightianum* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveli*ensis Viswanathan Prem Kumar & Ramesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha alnifolia* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha brachystachya* Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha ciliata* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha fruticosa* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha hispida* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha lanceolata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha malabarica* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha racemosa* Heyne ex Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Actephila excelsa* (Dalz.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostistachys borneensis* Becc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostistachys indica* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aleurites moluccana* (L.) Willd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma acidum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma alexiteria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma buniis* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma ghaesembilla* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma walkeri* (Tul.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aporosa acuminata* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aporosa fusiformis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aporosa lindleyana* (Wight) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baccaurea courtallensis* (Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baliospermum montanum* (Willd.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bischofia javanica* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blachia calycina* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blachia reflexa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blachia umbellata* (Willd.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Breynia retusa* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Breynia vitis-idaea* (Burm.f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia cinerascens* Gehrm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia crenulata* Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia retusa* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia scandens* (Roxb.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrozophora prostrata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrozophora rottleri* (Geiseler) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Claoxylon anomalum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleidion spiciflorum* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleistanthus travancorensis* Jablonszky and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Codiaeum variegatum* (L.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelodepas calycinum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton bonplandianum* Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton caudatus* Geiseler var. *caudatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton hirtus* L'Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton klotzchianus* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton laccifer* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton malabaricus* Bedd. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton oblongifolius* Roxb. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton tiglium* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton zeylanicus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalechampia indica* Wight and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimorphocalyx glabellus* Thw. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drypetes elata* (Bedd.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drypetes longifolia* (Blume) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drypetes porteri* (Gamble) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drypetes roxburghii* (Wall.) Hurusawa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drypetes venusta* (Wight) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia agowensis* Hochst. ex Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia antiquorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia balakrishnanii* Binojk. & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia barnhartii* Croizat and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia chamaesyce* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia corrigioloides* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia cristata* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia cyathophora* Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia dracunculoides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia heterophylla* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia helioscopia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia heyneana* Spreng. subsp. *heyneana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia hirta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia indica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia laciniata* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia longistyla* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia neriifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia milii* Des and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia nivulia* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia pulcherrima* Willd.ex Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia pycnostegia* Boiss. var. *zornii* (Boiss.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia rosea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia rothiana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia santapau* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia serpens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia thymifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia tirucalli* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia trigona* Mill. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia tortilis* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia vajravelui* Binojk. & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Excoecaria agallocha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Excoecaria cochinchinensis* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Excoecaria crenulata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Excoecaria robusta* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flueggea leucopyrus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flueggea virosa* (Willd) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Givotia rottleriformis* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion arboreum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion candolleanum* (Wight & Arn.) Chakrab. & Gangop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion ellipticum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion fagifolium* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion malabaricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion neilgherrense* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion pauciflorum* Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion tomentosum* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion velutinum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion zeylanicum* (Gaertn.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homonoia riparia* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hura crepitans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha curcas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha glandulifera* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha gossypifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha heynei* Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha integerrima* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha maheshwarii* Subram. & Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha tanjorensis* Ellis & Saroja and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha villosa* Wight var. *villosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga flexuosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga indica* Wight and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga peltata* (Roxb.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus atrovirens* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus distans* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus repandus* (Willd.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus resinusus* (Blanco) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus rhamnifolius* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus stenanthus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus subramanyamii* Ellis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus tetracoccus* (Roxb.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manihot esculenta* Crantz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manihot glaziovii* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Margaritaria indica* (Dalz.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meineckia longipes* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meineckia parvifolia* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micrococca beddomei* (Hook.f.) Prain and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micrococca mercurialis* (L.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micrococca wightii* (Hook.f.) prain var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mischodon zeylanicus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedilanthus tithymaloides* (L.) Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus acidus* (L.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus amarus* Schum. & Thonn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus baillonianus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus beddomei* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus chandrasei* Govaerts & Radcl. - Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus debilis* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus emblica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus gageana* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus gardnerianus* (Wight) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus indofischeri* Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus kozhikodianus* Sivar. & Manilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus lawii* Graham ex Muell.-Arg. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus leschenaultii* Muell. Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus longiflorus* Heyne ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus macrocalyx* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus maderaspatensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus myrtifolius* Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus pinnatus* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus polyphyllus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus reticulatus* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus rotundifolius* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus speciosus* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus urinaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus virgatus* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudoglochidion anomalayanum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ricinus communis* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapium insigne* (Royle) Benth. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapium sebiferum* (Michaux) Roxb. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sauropus androgynus* (L.) Merr. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sauropus bacciformis* (L.) Airy Shaw and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sebastiania chamaelea* (L.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suregada lanceolata* (Willd.) Kuntze and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Synadenium grantii* Hook.f. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia bicolor* Miq. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia involucrata* L. var. *involucrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia involucrata* L. var. *angustifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia muelleriana* Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia plukenetii* R. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trewia nudiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trewia polycarpa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonostemon nemoralis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernicia montana* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buxus sempervirens* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcococca saligna* (D. Don.) Muell. Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boehmeria glomerulifera* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boehmeria macrophylla* Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boehmeria nivea* (L.) Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamabaina cuspidata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Debregeasia ceylanica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Debregeasia longifolia* (Burm.f.) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Debregeasia wallichiana* (Wedd.) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrocide sinuata* (Blume) Chew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) friis & Wilmot- Dear and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema acuminatum* (Poir.) Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema cuneatum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema lineolatum* Wight var. *lineolatum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema lineolatum* Wight var. *falcigera* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema lineolatum* Wight var. *linearis* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema lineolatum* Wight var. *setosum* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema sessile* Forst. var. *sessile* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema surculosum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Girardinia diversifolia* (Link) Friis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laportea interrupta* (L.) Chew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oreocnide frutescens* (Thunb.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parietaria micrantha* Ledeb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pellionia heyneana* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pilea angulata* (Blume) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pilea kingii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pilea melastomoides* (Poir.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pilea microphylla* (L.) Liebm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pilea wightii* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia auriculata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* Wight var. *bennettiana* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia cymosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia hirta* (Blume) Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia pentandra* (Roxb.) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia wightii* Benn. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia zeylanica* (L.) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Procris crenata* Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urtica hyperborea* Jacq. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urtica parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aphananthe cuspidata* (Blume) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis australis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis tetrandra* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis timorensis* Spanoghe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holoptelea integrifolia* (Roxb.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trema orientalis* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cannabis sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antiaris toxicaria* (Pers.) Lesch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus incisus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus gomezianus* Wall. ex Trec. subsp. *zeylanicus* Jarrett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus heterophyllus* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus hirsutus* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Broussonetia papyrifera* Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dorstenia indica* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus albipila* (Miq.) King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus amplissima* J.E. Smith and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus amplocarpa* Govindarajulu & Masilamoney and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus angladei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus arnottiana* (Miq.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus auriculata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus beddomei* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus benghalensis* L. var. *benghalensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus benghalensis* L. var. *krishnae* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus benjamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus callosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus carica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus dalhousiae* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus elastica* Roxb. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus exasperata* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus glaberrima* Blume var. *bracteata* Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus guttata* (Wight) Kurz ex King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus heterophylla* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus hispida* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus hookeriana* Corner and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus microcarpa* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus mollis* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus nervosa* Heyne ex Roth var. *nervosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus nervosa* Roth var. *minor* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus palmata* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus pumila* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus religiosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus talbotii* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus tinctoria* Forst.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus tsjahela* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus virens* Ait. var. *virens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus australis* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plecosperrum spinosum* Trec. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Streblus asper* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Streblus taxoides* (Heyne ex Roth) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Platanus orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juglans regia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casuarina glauca* Sieber. ex A.Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casuarina equisetifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casuarina junghuhniana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casuarina stricta* Dryand. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casuarina suberosa* Otto & Dietr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casuarina torulosa* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alnus nepalensis* D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Betula alnoides* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanea crenata* Sieb. & Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanea sativa* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanopsis indica* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanopsis roxburghiana* S.N. Biswas and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagus sylvatica* L. var. *sylvatica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagus sylvatica* L. var. *cuprea* Loud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus baloot* Griff. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus coccifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus leucotrichophora* A. Camus ex Bahadur and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus robur* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus serrata* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix babylonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix tetrasperma* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceratophyllum demersum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blyxa octandra* (Roxb.) Planch ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enhalus acoroides* (L. f.) Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halophila beccarii* Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halophila decipiens* Ostenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halophila ovata* Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halophila stipulacea* (Forssk.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrilla verticillata* (L. f.) Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nechamandra alternifolia* (Roxb.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ottelia alismoides* (L.) Pers. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalassia hemprichii* (Ehrenb.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vallisneria natans* (Lour.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Burmannia candelabrum* Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Burmannia coelestis* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Burmannia wallichii* (Miers) Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acampe praemorsa* (Roxb.) Blatter & McCann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acanthephippium bicolor* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides crispa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides maculosum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aerides ringens* (Lindl.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anoectochilus elatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anoectochilus rotundifolius* (Blatter) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aphyllorchis montana* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundina graminifolia* (D. Don) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachycorythis iantha* (Wight) Summerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachycorythis splendida* Summerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum acutiflorum* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum albidum* (Wight) Hook. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum fischeri* Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum fuscopurpureum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum kaitiense* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum sterile* (Lam) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum tremulum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum xylophyllum* Par. & Reichb. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calanthe sylvatica* (Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calanthe triplicata* (Willem.) Ames and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calanthe vestita* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheirostylis flabellata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheirostylis parvifolia* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chiloschista fasciata*(F. Muell.) Seidenf. & Ormerod and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysoglossum hallbergii* Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysoglossum maculatum* (Thw.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne breviscapa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne mossiae* Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne nervosa* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne odoratissima* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne ovalis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne prolifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne uniflora* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corymborkis veratrifolia* (Reinw.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cottonia peduncularis* (Lindl.) Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crepidium purpureum*(Lindl.) Szlach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbidium aloifolium* (L.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbidium bicolor* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium aqueum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium barbatulum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium haemoglossum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium herbaceum* Lindl. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium heterocarpum* Wall. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium heyneanum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium macrostachyum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium microbulbon* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium nanum* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium nutantiflorum* Hawkes & Heller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium wightii* A. Hawkers & A. H. Heller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymoplexis pallens* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diplocentrum congestum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diplocentrum recurvum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Disperis neilgherrensis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epidendrum radicans* Pav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epipactis veratrifolia* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epipogium roseum* (D. Don) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria albiflora* Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria dalzellii* (Hook. ex Dalz) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria microchilos* (Dalz.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria mysorensis* Lindl. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria nana* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria pauciflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria polystachya* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria pseudoclavicaulis* Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria reticosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia cullenii* (Wight) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia epidendrea* (Koen.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia graminea* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia pulchra* (Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia pratensis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia spectabilis* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flickingeria nodosa* (Dalz.) Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gastrochilus acaulis* (Lindl.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geodorum densiflorum* (Lam.) Schlte and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goodyera fumata* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goodyera procera* (Ker-Gawl) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria acuminata* (Thw.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria barnesii* Summerh. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria cephalotes* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria crassifolia* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria crinifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria decipens* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria denticulata* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria digitata* Lindl. var. *digitata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria elliptica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria elwesii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria furcifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria grandifloriformis* Blatter & McCann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria heyneana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria hollandiana* Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria longicorniculata* Granham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria longicornu* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria macrostachya* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria marginata* Coleb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria multicaudata* Sedgw. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria pallideviridis* Seidenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria perrottetiana* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria plantaginea* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria polyodon* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria rariflora* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria richardiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria roxburghii* Nicolson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria virens* (Lindl.) Abeyw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hetaeria ovalifolia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kingidium deliciosum* (Reichb.f.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis atropurpurea* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis beddomei* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis biloba* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis caespitosa* (Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis duthiei* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis elliptica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis nervosa* (Sw.) Lindl. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis platyphylla* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis prazeri* King & Pantl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis resupinata* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis viridiflora* (Blume) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis walkeriae* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis wightiana* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luisia birchea* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luisia zeylanica* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malleola gracilis* (Lindl.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nervilia aragoana* Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nervilia carinata* (Roxb.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nervilia plicata* (Andr.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia anamalayana* Joseph and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia balakrishnanii* R. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia brunoniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia ensiformis* (J. E. Smith) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia iridifolia* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia platycaulon* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia proudlockii* King & Pantl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia santapau* Kapadia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia sebastiana* Shetty & Vivek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia seidenfadeniana* Joseph & Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia tenuis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia verticillata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia wightiana* Lindl. var. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia wightiana* Lindl. var. *nilgirienis* R. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oberonia zeylanica* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pachystoma senile* (Lindl.) Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paphiopedilum druryi* (Bedd.) Pfitz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papilionanthe cylindrica* (Lindl.) Seidenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pecteilis gigantea* (J. E. Smith) Rafin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus aristatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus brachyphyllus* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus densus* (Lindl.) Sant. & Kapadia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus goodyeroides* (D. Don) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus lawii* Wight and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus plantagineus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus richardianus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus secundus* (Lindl.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus spiralis* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus stocksii* (Hook. f.) Kraenzl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pholidota pallida* Lindl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podochilus falcatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polystachya concreta* (Jacq.) Garay & Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Porpax jerdoniana* (Wight) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Porpax reticulata* Lindl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Proteroceras leopadianum* (Par. Reichb.f.) Seidenf. & Smitin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchostylis retusa* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhytionanthos nodosus* (Rolfe) Garay Hamer & Siegerist and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Robiquetia josephiana* Manilal & Satish Kumar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Satyrium nepalense* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schoenorchis jerdoniana* (Wight) Garay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Seidenfia densiflora* (A. Rich.) Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Seidenfia intermedia* (A. Rich.) Szlach. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Seidenfia rheedii* (Sw.) Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sirhookera lanceolata* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sirhookera latifolia* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithsonia maculata* (Dalz.) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spathoglottis plicata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taeniophyllum alwisii* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tainia bicornis* (Lindl.) Reichb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thelasis pygmaea* (Griff.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trias stocksii* Benth ex Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichoglottis tenera* (Lindl.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tropidia angulosa* (Lindl.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tropidia curculigoides* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam spathulata* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam tessellata* (Roxb.) Hook ex. G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam testaceae* (Lindl.) Reichb and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam wightii* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vanilla planifolia* Andrews and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vanilla walkeriae* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vanilla wightiana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zeuxine gracilis* (Breda) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia abundiflora* Burt & Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia calcarata* Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia galanga* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia malaccensis* (Burm.f.) Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia nigra* (Gaertn.) B. L. Brutt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alpinia zerumbet* (Pers.) B. L. Burt & R. M.Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum cannicarpum* (Wight) Benth. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum hypoleucum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum masticatorium* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum muricatum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amomum pterocarpum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma amada* Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma aromatica* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma neilgherrensis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma pseudomontana* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma zedoaria* (Christm.) Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Globba marantina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Globba ophioglossa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium coronarium* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium flavescens* Carey ex Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium venustum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kaempferia galanga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber nimmonii* (J. Graham) Dalzell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber officinale* Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber roseum* (Roxb.) Roscoe and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber wightianum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber zerumbet* (L.) J. E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Costus pictus* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Costus speciosus* (Koen.) J. E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maranta arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phrynium pubinerve* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schumannianthus virgatus* (Roxb.) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ensete superbum* (Roxb.) Cheesman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ensete ventricosum* (Welw.) Cheesman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliconia psittacorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa acuminata* Colla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa balbisiana* Colla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa parasidiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ravenala madagascarensis* Sonner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strelitzia reginae* Aiton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canna indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ananas comosus* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anigozanthos flavidus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Disporum leschenaultianum* D. Don var. *leschenaultianum* and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lilium trigrinum* Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiopogon intermedius* D. Don var. *intermedius* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peliosanthes teta* Andr. subsp. *humilis* (Andr.) Jessop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristea ecklonii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Babiana stricta* (Aiton) Ker Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Babiana villosa* Ker Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crocasmia pottsii* (Baker) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dierama pulcherrima* (Hook. F.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleutherine palmifolia* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Freesia refracta* Klatt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gladiolus primulinus* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris germanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris japonica* Thunb. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris unguicularis* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moraea iridioides* L. Mant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Watsonia rosea* Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amaryllis belladonna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum asiaticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum latifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum moorei* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucharis x grandiflora* Planch. & Linden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eurycles sylvestris* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haemanthus coccineus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haemanthus matalensis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hippeastrum x johnsonii* (Hort.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hippeastrum reginae* Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hippeastrum vittatum* (L'Her.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenocallis littoralis* (Jacq.) Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucojum aestivum* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucojum pulchellum* Salisb. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Narcissus tazetta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerine flexuosa* (Jacq.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerine undulata* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pancreatium triflorum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaedranassa dubia* (Kunth) J. F. Macbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sprekelia formosissima* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenomesson coccineum* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zephyranthes carinata* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zephyranthes grandiflora* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zephyranthes tubispatha* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave angustifolia* Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave sisalana* Perrine ex Engelm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agave vera-cruz* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordyline australis* (Forst. F.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Furcraea foetida* (L.) Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polianthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Yucca gloriosa* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dianella ensifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phormium tenax* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracaena fruticosa* (L.) A. Chev. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracaena terniflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria roxburghiana* Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria trifasciata* Hort. ex Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria thyridiflora* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria varians* N.E.Br and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria zeylanica* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstroemeria aurea* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bomarea caldasiana* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bomarea oligantha* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curculigo orchioides* Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypoxis aurea* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Molineria trichocarpa* (Wight) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tacca leontopetaloides* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea belophylla* Voigt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea bulbifera* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea esculenta* (Lour.) Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea hamiltonii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea hispida* Dennst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea kalkapershadii* Prain & Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea oppositifolia* L. var. *oppositifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea spicata* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea tomentosa* Koen ex Spreng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea wallichii* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea wightii* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichopus zeylanicus* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stemona tuberosa* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucomis autumnalis* (Miller) Chitt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucomis punctata* L'Herit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ornithogalum arabicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ornithogalum conicum* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scilla hyacinthina* (Roth) Mecbr. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urginea congesta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urginea indica* (Roxb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urginea polyantha* Blatter & Mc Cann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asphodelus tenuifolius* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloe vera* (L.) Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kniphofia uvaria* (L.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus asiaticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus fysonii* Macbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus gonocladus* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus laevis* Steud. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus setaceus* (Kunth) Jessop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus racemosus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum acaule* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum arundinaceum* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum attenuatum* (Wight) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum heynei* Rottl. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum laxum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum malabaricum* Baker and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum nimmonii* (Graham) Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum tuberosum* (Roxb.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gloriosa rothschildiana* O'Brien and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gloriosa superba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iphigenia indica* (L.) A. Gray ex Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iphigenia magnifica* Ansari & R. S. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemerocallis aurantiaca* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agapanthus praecox* Willd. var. *albus* Hort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium cepa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium porrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruscus aculeatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax perfoliata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax wightii* A. DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eichhornia crassipes* (Mart.) Solms-Laub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monochoria hastata* (L.) Solms-Laub. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monochoria vaginalis* (Burm. F.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xyris pauciflora* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aclisia secundiflora* (Blume) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aneilema montana* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aneilema ovalifolia* (Wight) Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Belosynapsis kewensis* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Belosynapsis vivipara* (Dalz.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina attenuata* Koen var. *Vahl* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina benghalensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina clavata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina diffusa* Burm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina ensifolia* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina erecta* L. var. *erecta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina forskalaei* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina hirsuta* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina imberbis* Ehrenb. ex Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina indehiscens* Barnes and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina longifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina paleata* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina paludosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina subulata* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina tricolor* Barnes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina wightii* R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis adscendens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammaty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis arcotensis* R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis axillaris* (L.) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis burmanniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis concanensis* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis cristata* (L.) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis cucullata* (Roth) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis obtusa* Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis papilionacea* (L.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis pilosa* Schultes & Schultes and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis villosa* (Spreng.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Floscopa scandens* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia dimorpha* (Dalz.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia edulis* (Stokes) Faden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mudannia gigantea* (Vahl.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia glauca* (Thw. ex Clarke) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia japonica* (Thunb.) Faden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia juncooides* (Wight) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia lanceolata* (Wight) Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia lanuginosa* (Wall ex Clarke) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia nudiflora* (L.) Brenan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia pauciflora* Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia semiteres* (Dalz.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia simplex* (Vahl.) Brenan and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia spirata* (L.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia vaginata* (L.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhoeo discolor* Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setcreasea purpurea* Boom and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zebrina pendula* Schnitzl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flagellaria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juncus bufonius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juncus effusus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juncus inflexus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juncus leschenaultii* J. Gay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luzula indica* Kirschner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Areca catechu* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arenga wightii* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bentinckia condapanna* Berry ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Borassus flabellifer* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus brandisii* Beccari ex Beccari & Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus gamblei* Beccari ex Beccari & Hook. var.

sphaerocarpa Beccari ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus huegelianus* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus rheedii* Griff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus rotang* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus travancoricus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caryota urens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corypha umbraculifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corypha macropoda* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Livistona chinensis* (Jacq.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Livistona rotundifolia* (Lam.) Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix canariensis* Hort ex Chabaud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix loureirii* Kunth var. *loureirii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix pusilla* Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix rupicola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix sylvestris* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinanga dicksonii* (Roxb.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Roystonea regia* (Kunth) O. F. Cook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sabal mauritiiformis* (Karsten) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachycarpus fortunei* (Hook.) Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Washingtonia robusta* Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus amaryllifolius* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus canaranus* Warb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus odoratissimus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus tectorius* Parkinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus thwaitesii* Martelli and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typha angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acorus calamus* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alocasia indica* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amorphophallus sylvaticus* (Roxb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphyllum beddomei* Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphyllum wightii* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthurium spathiphyllum* N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema auriculatum* Barnes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema leschenaultii* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema murrayi* (Graham) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema tortuosum* (Wall.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema translucens* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema tuberculatum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema tylophorum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema wightii* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caladium bicolor* (Ait.) Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colocasia esculenta* (L.) Schott and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocoryne ciliata* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocoryne consobrina* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocoryne spiralis* (Retz.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epipremnum pinnatum* cv aureum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagenandra meeboldii* (Engler) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monstera deliciosa* Liebm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistia stratiotes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plesmonium margaritifera* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pothos armatus* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pothos scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pothos thomsonianus* Schott. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Remusatia vivipara* (Lodd.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhaphidophora pertusa* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Theriophonum fischeri* Sivadasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Theriophonum minutum* (Willd.) Baillon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthosoma sagittifolium* (L.) Schott and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zantedeschia aethiopica* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lemna gibba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lemna perpusilla* Torrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spirodela polyrhiza* (L.) Schleiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyalisma janthina* Champ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caldesia parnassiifolia* (L.) Parl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophyton obtusifolium* (L.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sagittaria sagittifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Najas graminea* Del. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Najas indica* (Willd.) Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Najas malesiana* Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Najas marina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Najas minor* All. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruppia maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aponogeton appendiculatus* Bruggen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aponogeton echinatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aponogeton natans* (L.) Engler and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aponogeton undulatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halodule pinifolia* (Miki) Hartog and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halodule uninervis* (Forssk.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halodule wrightii* Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potamogeton crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potamogeton nodosus* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potamogeton pectinatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potamogeton perfoliatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syringodium isoetifolium* (Asch.) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon brownianum* Martius ex Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon cinereum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon conica* (Fyson) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon elenorae* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon ensiforme* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon leucomelas* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon longicuspis* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon nairii* Chandrabose & Chandrasekaran and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon nepalense* Prescott ex Bongard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon odoratum* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon panagudianum* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon pectinatum* Ruhl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon quinquangulare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon ramnadense* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon ritchieanum* Ruhl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon robusto-brownianum* Ruhland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon robustum* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon talbotii* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon thwaitesii* Koern. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon xeranthemum* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ascopholis gamblei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbostylis barbata* (Rottb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbostylis densa* (Wall.) Hand.-Mazz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis*

C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex baccans* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex breviculmis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex brunnea* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex christii* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex eluta* Nelmes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex foliosa* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex filicina* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex glaucina* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex lateralis* Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex lenta* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex leucantha* Arn. ex Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex lindleyana* Nees var. *lindleyana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex longicruris* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex longipes* D. Don var. *longipes* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex longipes* D. Don var. *dissitiflora* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex maculata* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex myosurus* Nees and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex nubigena* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex phacota* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex pseudoaperta* Boeckeler ex Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex raphidocarpa* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex rara* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex speciosa* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex vicinalis* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex walkeri* Arn. ex Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex wallichiana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus alopecuroides* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus arenarius* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus bulbosus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus castaneus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus cephalotes* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus compressus* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus corymbosus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus curvibracteatus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus cuspidatus* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus difformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus diffusus* Vahl. var. *diffusus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus digitatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus distans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus distans* L. var. *pseudonutans* Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus elatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus exaltatus* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus halpan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus imbricatus* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus iria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus laevigatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus latovaginata* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus lurida* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.)

Asch. & Graebn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus nutans* Vahl var. *nutans* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus pangorei* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus pilosus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus platyphyllus* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus platystylis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus plumbeonucea* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus polyanthelus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus procerus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus pygmaeus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus rotundus* L. subsp. *rotundus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus rubicundus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus rubriglomosus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus sphacelatus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus stoloniferous* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus strictulmis* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus sulcinus* Clarke and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus tenuiculmis* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus tenuispica* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis acutangula* (Roxb.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis atropurpurea* (Retz.) Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis congesta* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis dulcis* (Burm.f.) Henschel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis geniculata* (L.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis tetraquetra* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis aestivalis* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis aggregata* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis amplocarpa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis aphylla* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis argentea* (Rottb.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis bisumbellata* (Forssk.) Bubani and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis cinnamometorum* (Vahl) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis complanata* (Retz.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis consanguinea* Kunth and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis contorta* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis crystallina* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis dichotoma* (L.) Vahl subsp. *glaucia* (Vahl) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis dipsacea* (Rottb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis falcata* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis ferruginea* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis kingii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis latiglumifera* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis latinucifera* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis longistigmata* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis miliacea* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis monospicula* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis monticola* Hochst. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis narayanii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis nutans* (Retz.) Vahl and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis ovata* (Burm. F.) Kern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis paupercula* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis pentaptera* (Nees) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis pierotii* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis polytrichoides* (Retz.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis pustulosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis rectifolia* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis rigidiuscula* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis rugosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis salbundia* (Nees) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis scabrisquama* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis schoenoides* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis semidisticha* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis sieberiana* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis strigosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis tenera* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis tetragona* R. Br. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis tortifolia* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis triflora* (L.) Schum. ex Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis tristachya* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis uliginosa* Hochst. ex Steud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis woodrowii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuirena ciliaris* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuirena pubescens* (Lam.) Kunth var. *pergamantacea* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuirena trilobites* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuirena umbellata* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuirena uncinata* (Willd.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuirena wallichiana* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypolytrum nemorum* (Vahl) Spreng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kylinga brevifolius* Rottboell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kylinga bulbosa* P. Beavu. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kylinga hyalina* (Vahl) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kylingia nemoralis* (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kylingia malanosperma* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lipocarpha chinensis* (Osbeck.) Kern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lipocarpha raynaleana* Govindarajalu and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lipocarpha sphacelata* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus clarkei* (Cooke) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus compactus* (Retz.) Bolding and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus cyperinus* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus paniceus* (Rottboell.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus squarrosus* (L.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus sumaterensis* (Retz.) A. Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycnus flavescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycneus flavidus* (Retz.) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycneus polystachyos* (Rottboell) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycneus pumilus* (L.) Nees ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycneus puncticulatus* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycneus sanguinolentus* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycneus stramineus* (Nees) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycneus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchospora corymbosa* (L.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchospora gracillima* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchospora rubra* (Lour.) Makino and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchospora rugosa* (Vahl.) Gale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rikliella squarrosa* (L.) Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schoenoplectus articulatus* (L.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schoenoplectus grossus* (L. f.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schoenoplectus juncoideus* (Roxb) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schoenoplectus littoralis* (Schrader.) Palla subsp. *subulatus* (Vahl) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schoenoplectus mucronatus* (L.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus fluitans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus subcapitatus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria caricnia* (R. Br.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria corymbosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria levis* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria mikawana* Makino and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria parvula* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria terrestris* (L.) Fassett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrachne henrardiana* (Bor) Phillips and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrachne racemosa* (Heyne ex Roth) Ohwi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrachne sundararajii* Umamahesw. et al and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeluropus lagopoides* (L.) Trin ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostis micrantha* Stue. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostis peninsularis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostis pilosula* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostis schmidii* (Hook. f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostis stolonifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostis zenkeri* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alloteropsis cimicina* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon hallii* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon lividus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon longipes* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon polytychus* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon pumilus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthoxanthum borii* Jain & Pal and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthoxanthum odoratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apluda mutica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apocopsis courtallumensis* (Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apocopsis vaginata* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida adscensionis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida funiculata* Trin & Rupr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida hystrix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida mutabilis* Trin. & Rupr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida setacea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthraxon depressus* Stapf ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthraxon lanceolatus* (Roxb.) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthraxon micans* (Nees) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthraxon prionodes* (Steud.) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthraxon quartinianus* (A. Rich) Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinaria walkeriana* Munro and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinaria wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella ciliata* (Roxb.) Nees ex Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella hookeri* Munro ex Keng and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella leptochloa* (Nees ex Steud.) Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella mesophylla* Nees ex Steud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella nepalensis* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella setosa* Trin. var. *setosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella vaginata* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundo conspicua* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundo donax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avena byzantina* K. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avena fatua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avena sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Axonopus compressus* (Sw.) P. Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa bambos* Voss and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bothriochloa bladhii* (Retz.) S. T. Blake and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bothriochloa foulkesii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bothriochloa kuntzeana* (Hack.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bothriochloa pertusa* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria distachya* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria eruciformis* (J. E. Smith) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria kurzii* (Hook. f.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria miliiformis* (J. S. Presl) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria muna* Basappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria mutica* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria nilagirica* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria ramosa* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria remota* (Retz.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria reptans* (L.) Gard. & Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria Semiverticillata* (Rottl.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria setigera* (Retz.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachypodium distachyon* (L.) P. Beauv. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachypodium sylvaticum* (Huds.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Briza maxima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Briza media* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Briza minor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bromus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bromus catharticus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bromus diandrus* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bromus ramosus* Huds. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capillipedium filiculme* (Hook. f.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capillipedium huegelii* (Hack.) Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capillipedium parviflorum* (R. Br.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cenchrus biflorus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cenchrus ciliaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cenchrus glaucus* Mudaliar & Sundararaj and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cenchrus setigerus* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centotheca lappacea* (L.) Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionachne koenigii* (Spreng.) THw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionachne Semiteres* (Benth. ex Hook. f.) Henrard and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris barbata* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris bournei* Rang. & Tatl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris dolichostachya* Lagasca and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris gayana* Kunth ex Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris pycnothrix* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris roxburghiana* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris virgata* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris wightiana* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon aciculatus* (Retz.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon copei* Mohanan et Ravi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon fulvus* (Spreng) Choiv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon hackelii* (Hook.f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon orientalis* (Desv.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex

Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelachyropsis lagopoides* (Burm.f.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coix aquatica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coix gigantea* Koen. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coix lacryma-jobi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cortaderia selloana* (Schultes) Asch. & Graebn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon citratus* (DC.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon coloratus* (Hook. f.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon martinii* (Roxb.) Wats. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon nardus* (L.) Rendle var. *nardus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon polyneuros* (Steud.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon travancorensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynodon arcuatus* J. S. Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynodon barberi* Rang & Tad. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynodon dactylon* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynodon plectostachyus* (Schum ex Engler) Pilger and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtococcum deccanense* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtococcum muricatum* (Retz.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtococcum patens* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtococcum sparsicomum* (Nees ex Steud.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtococcum trigonum* (Retz.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dactylis glomerata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dactyloctenium aegyptium* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrocalamus strictus* (Roxb.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmostachya bipinnata* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichanthium annulatum* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichanthium aristatum* (Poir) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichanthium caricosum* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichanthium foveolatum* (Del.) Roberty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichaetaria wightii* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria abludens* (Roem. & Schultes) Veldk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria ciliaris* (Retz.) Koeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria duthieana* Henr. ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria griffithii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria longiflora* (Retz.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria microbachne* (Presl) Henr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria radicata* (Presl) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria setigera* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria stricta* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria ternata* (A. Rich) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria tomentosa* (Koen ex Willd.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria violascens* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria acutipes* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria avenacea* (Retz.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria fuscescens* Trin. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria kollimalayana* Mohanan & Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria lehmanii* (Nees ex Steud.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria orissae* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria ornithopoda* Trin. var. *ornithopoda* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimeria ornithopoda* Trin. var. *khasiana* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dinebra retroflexa* (Vahl) Panzer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diplachne malabarica* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa colona* (L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetata* (Doll) Neilr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa frumentacea* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa oryzoides* (Ard.) Fritsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa picta* (J. Koen) Michael and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa stagnina* (Retz.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehrharta abyssinica* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleusine coracana* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleusine indica* (L.) Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elytrophorus spicatus* (Willd.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enteropogon monostachyos* (Vahl) Schum ex Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostiella bifaria* (Vahl) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostiella brachyphylla* (Stapf.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis aspera* (Jacq.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis cilianensis* (Al.) Vign. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis ciliaris* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis ciliata* (Roxb.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis coarctata* Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis curvula* (Schrader) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis dayanKalamnii* P. Ravichandran S.Krishnan N.P. Samson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis deccanensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis gangetica* (Roxb.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis japonica* (Thunb.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis kiwuelsis* Jedwabn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis macilenta* (A. Rich) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis maderaspatana* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis minor* Host and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis nigra* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis nutans* (Retz.) Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis pilosa* P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis riparia* (Willd.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis rottleri* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis schweinfurthii* Chioe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis superba* Peyr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis tef* (Zucc.) Trotter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis tenella* (L.) P. Beauv ex Roem. & Schultes var. *tenella* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis tenuifolia* (A. Rich) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis tremula* (Lam.) Hochst ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis unioloides* (Retz.) Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis viscosa* (Retz.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eremochloa muricata* (Retz.) Hack and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eremopogon foveolatus* (Del.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriochloa procera* (Retz.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriochrysis rangacharii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euchlaena mexicana* Fischer and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulalia phaeothrix* (Hack.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulalia trispicata* (Schultes) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulalia wightii* (Hook. f.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulaliopsis binata* (Retz.) C.E. Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Festuca ovina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Festuca undata* Stapf var. *aristata* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garnotia arundinacea* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garnotia courtallensis* (Arn. & Nees) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garnotia elata* (Arn. Ex Miq.) Janowski and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garnotia exaristata* Gould and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garnotia fergusonii* Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garnotia schmidii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garnotia tenella* (Arn. ex Miq.) Janowski and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glyceria spicata* Guss and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halopyrum mucronatum* (L.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helictotrichon polyneurum* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helictotrichon schmidii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helictotrichon virescens* (Nees ex Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemarthria compressa* (L.f.) R. Br. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heteropogon contortus* (L.) P Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heteropogon fischerianus* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heteropogon polystachyos* (Roxb.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hordeum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygroryza aristata* (Retz.) Nees ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenachne acutigluma* (Steud.) Gilliland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ichnanthus vicinus* (Bailey) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Imperata cylindrica* (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne angladei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne bourneorum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne deccanensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne dispar* Trin. var. *dispar* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne elegans* Dalz ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne globosa* (Thunb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne miliacea* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne oreades* (Domin) Bor. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne pulchella* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum commutatum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum flumineum* Bor. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum indicum* (Houtt.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum nilagiricum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum pilosum* (Klein ex Willd.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum rangacharianum* Ficher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum rugosum* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum tadulingamii* Nair & Sreekumar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum timorense* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum zeylanicum* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iseilema antheophoroides* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iseilema jainiana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iseilema laxum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iseilema prostratum* (L.) Andersson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jansenella griffithiana* (C. Muell.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leersia hexandra* Sw. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptochloa chinensis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptochloa neesii* (Thw.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptochloa obtusiflora* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptochloa panicea* (Retz.) Ohwl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptochloa uniflora* Hochst ex A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lolium perenne* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lolium temulentum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lophatherum gracile* Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lopholepis ornithocephala* (Hook.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lophopogon tridentatus* (Roxb.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manisuris myuros* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanocenchris jacquemontii* Jaub. & Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanocenchris monoica* (Rottl.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melica scaberrima* (Nees ex Steud.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microchloa indica* (L.f.) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microchloa kunthii* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microchloa kunthii* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microstegium ciliatum* (Trin.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microstegium nudum* (Trin.) A. Camus and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Miscanthus nepalensis* (Trin.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mnesithea granularis* (L.) de Koning & Sosef and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mnesithea laevis* (Retz.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myriostachya wightiana* (Nees ex Steud.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oclandra beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochlandra setigera* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochlandra travancorica* Benth ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiuros bombaiensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiuros exaltatus* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oplismenus burmannii* (Retz.) P. Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oplismenus compositus* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oropetium thomaeum* (L.f.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza barthii* A. Chevali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza minuta* J. S. Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza officinalis* Wall ex Watt subsp. *malampuzhaensis* (Krishnaswami & and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Chandrasekaran) Tateoka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza rufipogon* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ottochloa nodosa* (Kunth) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxytenanthera monadelph*(Thw.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxytenanthera ritcheyi* (Munro) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum antidotale* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum brevifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum fischeri* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum gardneri* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum maximum* Jacq. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum miliaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum notatum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum paludosum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum psilopodium* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum sparsicomum* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum sumatrense* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum trypheron* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalidium flavidum* (Retz.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalidium geminatum* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalidium punctatum* (Burm.f.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum canarae* (Steud.) Veldk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum conjugatum* Berg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum dilatatum* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum distichum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum longifolium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum scrobiculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum vaginatum* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum americanum* (L.) Leeke. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum clandestinum* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum hohenackeri* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum pedicellatum* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum polystachyon* (L.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum purpureum* Schum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum villosum* R. Br. ex Fresen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Perotis indica* (L.) Kuntze var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phalaris aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phalaris arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phalaris minor* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phragmites karka* (Retz.) Trin ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poa annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poa gamblei* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poa trivialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogonatherum crinitum* (Thunb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogonatherum paniceum* (Lam.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polypogon fugax* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pommereulla cornucopiae* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudanthistiria heteroclita* (Roxb.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudanthistiria umbellata* (Hack.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudechinolaena polystachya* (H.B.K.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudobrachiaria deflexa* (Schum.) Launert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudoraphis spinescens* (R. Br.) Veickery and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudosorghum fasciculare* (Roxb.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchelytrum repens* (Willd.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rottboellia cochinchinensis* (Lour.) Clayton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum arundinaceum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum narenga* (Nees ex Steud.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum officinarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum spontaneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sacciolepis curvata* (L.) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sacciolepis indica* (L.) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sacciolepis interrupta* (Willd.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sacciolepis myosuroides* (R. Br.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sehima nervosum* (Rottl.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sehima sulcatum* (Hack.) A. Camus and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria homonyma* (Steud.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria intermedia* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria italica* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria palmifolia* (Koen.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria plicata* (Lam.) Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria poiretiana* (Schultes) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria pumila* (Poir.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria sphacelata* (Schum.) Stapf & Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria verticillata* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum arundinaceum* (Desv.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum bicolor* (L.) Moench. Meth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum cernuum* Host var. *orbiculatum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum cernuum* Host var. *truchmenorum* (C.Koch) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum conspicuum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum coriaceum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum dimidiatum* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.)

Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum durra* (Forssk.) Stapf var. *coimbatoricum* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum guineense* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum halepense* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum laxiflorum* F.M. Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum nitidum* (Vahl.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum roxburghii* Stapf var. *hians* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum versicolor* Anderss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spinifex littoreus* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spodiopogon rhizophorus* (Steud.) Pilger and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus capillaris* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus coromandelianus* (Retz.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus hajrae* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet &

Guedes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus maderaspatanus* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus piliferus* (Trin.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus spicatus* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus tenuissimus* (Schrank) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus tremulus* (Willd.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus virginicus* (L.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sporobolus wallichii* Munro ex Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenotaphrum dimidiatum* (L.) Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teinostachyum wightii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Themeda cymbaria* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Themeda quadrivalvis* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Themeda tremula* (Nees ex Steud.) hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Themeda triandra* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thysanolaena maxima* (Roxb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachys muricata* (L.) Pers ex Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragus roxburghii* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tripogon bromoides* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tripogon jacquemontii* Stapf and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tripogon lisboae* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tripogon pungens* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tripogon wightii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tripsacum laxum* Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum aestivum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum dicoccum* Schubler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urochloa panicoides* P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vetiveria zizanioides* (L.) Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vulpia bromoides* (L.) Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vulpia megalura* (Nutt.) Rydb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vulpia myuros* (L.) Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zea mays* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zenkeria elegans* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zenkeria sebastinei* Henry & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zenkeria stapfii* Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zoysia matrella* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zoysia pungens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon schoenanthus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon sorghum* BROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andropogon squarrosus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Androsace rotundifolia* HARDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aneilema conspicuum* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aneilema lineolatum* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aneilema nudiflorum* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aneilema scapiflorum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aneilema tuberosum* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemarrhena asphodeloides* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone falconeri* THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone narcissiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone obtusiloba* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone rivularis* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone rupicola* CAMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone tetrasepala* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone vitifolia* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anethum foeniculum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anethum graveolens* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anethum sowa* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angelica archangelica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angelica archangelica* L. *himalayana* (C.B.CLARKE)BADHWAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angelica glauca* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angelica polymorpha* MAXIM. *SINENSIS OLIV.* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angelonia salicariaefolia* HUMB. & BONPL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angiopteris evecta* (FORST.) HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aniseia martinicensis* (JACQ.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus carnosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus carnosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisochilus eriocephalus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisomeles indica* (L.) O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisomeles malabarica* R.BR. EX SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisomeles ovata* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anisonema multiflorum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Annona cherimola* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Annona muricata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Annona reticulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Annona squamosa* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anodendron paniculatum* A.DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anoetochilus regalis* BL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anoetochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anoetochilus setaceus* (BLUME) LINDL. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anogeissus acuminata* WALL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anogeissus pendula* EDGEW. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anotis foetida* (DALZ.) BENTH.& HOOK.F. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anplectrum assamicum* CL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthemis cotula* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthemis gayana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthemis nobilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthemis odontostephana* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthemis pyrethrum* GOUAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthocephalus cadamba* MIQ.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthocephalus indicus* A. RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthoxanthum odoratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthriscus cerefolium* (L.) HOFFM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthriscus sylvestris* HOFFM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anthyrium filix-femina* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antiaris innoxia* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antiaris saccidora* DALZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antiaris toxicaria* (PERS.) LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anticharis glandulosa* ASCHERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma acidum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma buniis* (L.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma diandrum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma menasu* (TULASNE) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antidesma zeylanicum* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antirrhinum majus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antirrhinum orantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apama siliquosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apama tomentosa* (BL.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aphanamixis polystachya* (WALL.) PARKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aphananthe cuspidata* (BL.) PLANCH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apium graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apium leptophyllum* F.MUELL. EX.BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aplotaxis auriculata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apluda mutica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apluda varia* HACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apocynum foetidum* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apollonias arnottii* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aponogeton monostachyon* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aponogeton natans* (L.) ENGL. & KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aporosa dioica* (ROXB.) MUELL.- ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aporosa lindleyana* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aporosa octandra* (BUCH.- HAM. EX D. DON) VICK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aquilaria agallocha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aquilaria malaccensis* LAM., NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aquilaria ovata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aquilegia fragrans* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aquilegia vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arabidopsis thaliana* (L.) HEYNH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arabis chinensis* ROTTLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arabis recta* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arabis tribetica* HK. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arachis hypogaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arachne cordifolia* (DECNE) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aralia armata* SEEM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aralia cachemirica* DECNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aralia pseudo-ginseng* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aralia quinquefolia* DECNE. & PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aralia racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arbutus unedo* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arceuthobium minutissimum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Archangelica himalaica* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Archangelica officinalis* HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Archidendron clypearia* (JACK) NIELSEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Archidendron monadelphum* (ROXB.) NIELSEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arctium lappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arctostaphylos uva ursi* SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia colorata* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia humilis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia odontophylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia oxyphylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia solanacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Areca catechu* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Areca concinna* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Areca nagensis* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Areca triandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arenaria serpyllifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arenga obtusifolia* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arenga pinnata* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arenga saccharifera* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arenga wightii* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argemone alba* LESTIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argemone mexicana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyrea aggregata* (ROXB.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyrea argentea* ARN. EX CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyrea cuneata* KER-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyrea daltonii* CLARKE IN HOOK.F. FL. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia fulgens* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia imbricata* (ROTH) SANT. & PATEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia involucrata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia malabarica* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia nervosa* (BURM.F.) BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia petaloidea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia pomacea* (ROXB.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia sericea* Dalz. & Gib. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyrea setosa* (ROXB.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyrea speciosa* SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aricennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arikuryroba schizophylla* BECC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema alba* N. E. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema curvatum* KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema decipiens* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema flavum* (FORSK.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema jacquemontii* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema leschenaultii* BLUME and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema murrayi* (GRAHAM) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema speciosum* (WALL.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema tortuosum* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema triphyllum* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arisaema wallichianum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida adscensionis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida depressa* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida humilis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristida setacea* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia bracteata* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia bracteolata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia labiosa* KER.-GAWL.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia reticulata* NUTTAL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia rotunda* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia roxburghiana* KLOTZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia saccata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia serpentaria* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aristolochia tagala* CHAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arnebia euchroma* (ROYLE) JOHN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arnebia guttata* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arnica montana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artabotrys odoratissimus* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artabotrys suaveolens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artanema longifolia* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artanema longifolium* (L.) VATAKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artanema sesamoides* (VAHL) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia abrotanum* SAVI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia absinthium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia austriaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia biennis* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia brevifolia* WALL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia capillaris* THUNB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia cina* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia dracunculus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia gmelinii* WEBER EX. STECHM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia indica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia japonica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia macrocephala* JACQ. EX BESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia maderaspatana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia moorcroftiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia nilagirica* (CLARKE) PAMP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia pallens* WALL. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia persica* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia roxburghiana* BESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia sacrorum* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia scoparia* WALDST.& KIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia sieversiana* EHRH. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia vestita* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia vulgaris* AUCT.NON L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthraxon nudus* (STEUD.) HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthrocnemum indicum* MOQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arthrophyllum blumeum* ZOLL. & MOR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus chaplasha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus communis* J. & G. FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus gomezianus* WALL. EX TREC. zeylanicus JANET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus heterophyllus* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus hirsutus* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus integra* (THUNB.) MERRILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus integrifolia* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artocarpus lakoocha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arum campanulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arum colocasia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arum macrorhizon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arum numphaeifolium* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aruncus dioicus* (WALTER) FERNALD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundina graminifolia* (D.DON) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundinella nepalensis* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundo donax* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arundo karka* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asagraea officinalis* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asarum europaeum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asclepias asthmatica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asclepias curassavica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asclepias gigantea* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asclepias lactifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asclepias prolifera* ROTTLER EX W. AINSLIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asclepias volubilis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asclepias vomitoria* KOEN. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asechynanthus gracilis* PARISH EX CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aspalathus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus adscendens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus curillus* BUCH .-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus filicinus* BUCH .-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus gonoclados* BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus laevis* STEND. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus officinalis* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus punjabensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus racemosus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus rottleri* BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asparagus sarmentosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asperugo procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asphodelus fistulosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asphodelus tenuifolius* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aspidium polymorphum* (WALL.); BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium adiantoides* (L.) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium adiantum-nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium alternans* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium ceterach* L. *ceterach* Khullar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium dalhousiae* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium falcatum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium furcatum* THUMB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium laciniatum* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium nidus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium parasiticum* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium polyodon* G. FORSTER and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium ruta-muraria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium septentrionale* HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium trichomanes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asplenium viride* HUDSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster amellus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster asteroides* (DC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster falconeri* HUTCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster indamellus* GRIERSON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster tibeticus* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster trinervius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asteracantha longifolia* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asteriastigma macrocarpa* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astilbe rivularis* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astraeus hygrometricus* (PERS.) MORG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus aegacanthoides* PARKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus candolleanus* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus ciliolatus* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus graveolens* BUCH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus hamosus* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus heratensis* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus himalayanus* KLOTZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus jacquemontii* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus multiceps* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus munori* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus nivalis* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus psilocentrus* FISCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus rhizanthus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus sarcocolla* DYMOCK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus strobiliferus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus tribuloides* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Astragalus verus* OSKIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia coromandeliana* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia dalzelliana* SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia gangetica* (L.) T. ANDERSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia violacea* DALZ. EX CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atalantia monophylla* CORR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atalantia racemosa* WIGHT & ARN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Athyrium filix-femina* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Athyrium hohenackerianum* BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Athyrium puncticaule* (BL.) MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Athyrium schimperi* (FEE) MOUG. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atriplex hortensis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atropa acuminata* ROYLE EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atropa belladonna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atylosia barbata* (BENTH.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atylosia candollei* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atylosia goensis* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atylosia lineata* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atylosia mollis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atylosia platycarpa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atylosia scarabeoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atylosia volubilis* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Auricularia sambucina* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avena fatua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avena sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Averrhoa acida* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Averrhoa bilimbi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Averrhoa carambola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avicennia alba* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avicennia marina* (FORSK.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avicennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Avicennia tomentosa* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Azanza lampas* (CAV.) ALEF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Azima tetracantha* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baccaurea ramiflora* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanites aegyptiaca* (L.) DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanites roxburghii* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanocarpus utilis* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanophora dioica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanophora involucrata* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanophora polyandra* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baliospermum axillare* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baliospermum calycinum* MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baliospermum montanum* (WILLD.) MUELL.-ARG. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baliospermum sinuatum* MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baliospermum solanifolium* (J.BURM.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balsamodendron agallocha* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balsamodendron katarif* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balsamodendron mukul* HOOK. EX STOCKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balsamodendron myrrha* N.& E. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balsamodendron stocksiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa arundinacea* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa balcooa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa bambos* DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa nana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa nutans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa oSkiniana* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa tulda* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bambusa vulgaris* SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barbarea vulgaris* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria acanthoides* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria acuminata* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria buxifolia* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria courtallica* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria cuspidata* HEYNE EX. NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria involucrata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria longiflora* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria longifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria lupulina* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria montana* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria mysorensis* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria noctiflora* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria prattensis* SANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria prionitis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria strigosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barringtonia acutangula* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barringtonia asiatica* (L.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barringtonia racemosa* (L.) K.SPENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barringtonia speciosa* FORST. CHAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Basella alba* L. rubra (L.) STEWART and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Basella alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Basella cordifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Basella rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Basilicum polystachyon* (L.) MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bassia butyracea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bassia latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bassia longifolia* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bassia malabarica* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia acuminata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia candida* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia diphylla* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia macrostachya* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia malabarica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia phenicea* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia phenicea* HEYNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia racemosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia retusa* HAM. EX. ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia roxburghiana* VOIGT and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia rufescens* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia tenuiflora* WATT EX CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia vahlii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia wallichii* MACBRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia cathcartii* J.D. HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia hatacoa* BUCH.-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia inflata* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia josephii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia laciniata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia luxurians* SCHEIDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia malabarica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia palmata* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia picta* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia rex* PUTZEYS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia rubro-venia* HK. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia thomsonii* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nripatimckalam chinensis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Benincasa cerifera* SAVI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Benincasa hispida* (THUNB.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Benkara malabarica* (LAM.) TIRVENGADUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bentinckia condapanna* BERRY EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis aristata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis asiatica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis chitria* EDWARDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis insignis* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis jaeschkeana* SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis kashmiriana* AHRENDT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis kumaoensis* SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis lamberti* PARKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis lycium* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis nepalensis* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis pachyacantha* JAFRI *zabeliana* JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis petiolaris* WALL. EX G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis pseudumbellata* PARKER. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis tinctoria* LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis ulicina* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis umbellata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis wallichiana* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berchemia lineata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergenia ciliata* (HOW.) STERN. *fa ligulata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergenia ciliata* (HOW.) STERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergenia ligulata* SENSU BAILEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergenia purpurascens* (HOOK.F. & TH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergenia stracheyi* (HOOK.F.& THOMS.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergera koenigii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergia capensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergia odorata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergia suffruticosa* (DEL.) FENZL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beta benghalensis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beta maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beta vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Betula alnoides* BUCH.-HAM. EX DON and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Betula bhojpatra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Betula utilis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bidens biternata* (LOUR.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bidens cernua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bidens pilosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bidens tripartita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biebersteinia odora* STEPH. EX FISH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bignonia chelonoides* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bignonia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia longifolia* (WILLD.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum apodisciac* TUREZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum candolleianum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum nervifolium* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum petersianum* KLOTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum sensitivum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bischofia javanica* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bistorta amplexicaulis* GREENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bixa orellana* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blastania garcini* COG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blechnum orientale* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blechnum spicant* (L.) WITH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharis boerhaviifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharis edulis* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharis linariaefolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharis persica* (BURM.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharispermum subsessile* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharistemma serratum* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blighia sapida* KOEN. & SIMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea aurita* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea balsamifera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea densiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea eriantha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea fistulosa* (ROXB.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea hieracifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea lacera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea laciniata* (ROXB.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea lanceolaria* (ROXB.) DRUCE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea membranacea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea mollis* (D.DON) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea myriocephala* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea obliqua* DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea oxyodonta* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea pubigeru* (L.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea riparia* (BLUME) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea sessiliflora* DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea wightiana* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumeopsis falcata* (D.DON) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumeopsis flava* (DC.) GAGNEP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bocagea dalzellii* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boehmeria macrophylla* HORN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boehmeria nivea* (L.) GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boehmeria repens* NEES & MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX

MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia diffusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia repKalam* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boerhavia verticillata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boesenbergia rotunda* (L.) MANSF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boletus crocatus* BATSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bombax ceiba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bombax cibaricum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bombax insigne* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bombax malabaricum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bombax pentandrum* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bongardia chrysogonum* (L.) SPACH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bongardia rauwolfii* C.A.MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bonnaya oppositifolia* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bonnaya reptans* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Borago officinalis* L. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Borassus flabellifer* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Borassus flabelliformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Borreria articularis* (L.F.) WILLIAMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Borreria hispida* (L.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Borreria pusilla* (WALL) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bosea amherstiana* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boswellia carteri* BIRDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boswellia frereana* BIRDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boswellia glabra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boswellia ovalifoliolata* BAL & HENRY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boswellia serrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boswellia thurifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Botrychium lunaria* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Botrychium ternatum* (THUNB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Botrychium virginianum* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boucerosia aucheriana* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bougainvillea spectabilis* WILLD. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria ramosa* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachyactis roylei* WEND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bragantia tomentosa* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bragantia wallichii* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brasenia sachreberi* J.F. GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brasenia schreberi* J.F. GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassaiopsis glomerulata* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica alba* (L.) RABENH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica campestris* L. *glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica campestris* L. *rapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica campestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica integrifolia* (WEST) SCHULZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica juncea* (L.) CZERN. SSP. *JUNCEA* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica napus* L. glauca (ROXB.) SCHULZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica nigra* (L.) KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica nigra* (L.) KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica oleracea* L. capitata L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica oleracea* L. gongylodes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica rapa* L. campestris (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica tournefortii* GOUAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Breca arvensis* (L.) LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Breynia patens* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Breynia retusa* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Breynia rhamnoides* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Breynia vitis-idaea* (BURM.F.) FISCHER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia crenulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia montana* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia retusa* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia scandens* (ROXB.) WILLD, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia squamosa* (LAM.) GEHRM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia stipularis* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bridelia tomentosa* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bromelia ananas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bromus unioloides* H.B.N.NOV. GEN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Broussonetia papyrifera* (L.) VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brucea javanica* (L.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brucea mollis* WALL. EX KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bruguiera cylindrica* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bruguiera gymnorrhiza* (L.) SOVIGY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brunfelsia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brunfelsia calycina* BENTH. *MACRANTHA RAFFILL* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bruxanellia indica* DENNST. EX KOSTEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryonia epigoea* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryonia grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryonia laciniata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryonia rostrata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryonia scabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryonia umbellata* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryonopsis laciniata* NAUD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryophyllum calycinum* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryophyllum pinnatum* (LAM.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryum bicolor* DICKSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buchanania angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buchanania axillaris* (DESR.) RAMAMOORTHY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buchanania angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buchanania latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buddleja asiatica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buddleja davidii* FRANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buddleja macrostachys* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buddleja neemda* HAM. EX ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buettneria herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum congestum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum neilgherrense* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbophyllum sterile* (LAM.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bulbostylis barbata* (ROTTB.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bunium persicum* (BOISS.) FEDT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum falcatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum jucundum* KURZ and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum lanceolatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum longicaule* WALL. EX DC. *himalayense* (KI.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum setaceum* FENZL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum thompsoni* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bursera serrata* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea buteiformis* (VOIGT) GRIERSON & LONG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea frondosa* ROXB. ET KOEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea monosperma* (LAM.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea superba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butia yatay* (MART.) BECC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buxus sempervirens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buxus wallichiana* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bytneria Kalammanensis* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bytneria herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bytneria pilosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cacalia pentaloba* HAND.-MAZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cacalia sonchifolia* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caccinia crassifolia* O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cachrys pabularia* (LINDL.) HERRNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cactus ficus-indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cadaba farinosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cadaba fruticosa* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cadaba indica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cadaba trifoliata* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia bonduc* (L.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia bonducella* (L.) FLEMING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia coriaria* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia crista* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia cuculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia decapetala* (ROTH) ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia digyna* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia jayabo* NAZA. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia mimosoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia nuga* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia paniculata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia pulcherrima* (L.) SW. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia sappan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia spicata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesulia axillaris* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus bicolor* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus cajan* (L.) MILLSP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus indicus* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calacanthus grandiflorus* (DALZ.) RADLK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caladium bicolor* VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caladium sagittaeifolium* SUBER. EX ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamintha clinopodium* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamintha umbrosa* FISH. & MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus draco* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus erectus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus extensus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus huegelianus* MART, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus latifolius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus rheedei* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus rotang* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus tenuis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus thwaitesii* BECC. *canaranus* Becc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus travancoricus* BEDD. EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calamus viminalis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calanthe masuca* (D.DON) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calanthe sylvatica* (THOU.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calanthe triplicata* (WILLEM.) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calendula arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calendula officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa arborea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa cana* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa lanata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa longifolia* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa macrophylla* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa psilocalyx* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa rubella* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa tomentosa* (L.) MURRAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calligonum polygonoides* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callistemon lanceolatus* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callitris inophyllum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calonyction bona-nox* BOJER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calonyction muricatum* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calophyllum apetalum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calophyllum calaba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calophyllum elatum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calophyllum inophyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calosanthus indica* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calotropis gigantea* (L.) R.BR. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calotropis gigantea* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calotropis procera* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caltha alba* CAMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caltha palustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calycopteris floribunda* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calyptanthus caryophyllifolia* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calyptanthus jambolana* MOON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Camellia kissi* WALL. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Camellia sinensis* (L.) O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Camellia thea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula colorata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Camphora officinarum* NEES. EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campsis grandiflora* (THUNB.)SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campsis radicans* (LINN.) SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cananga odorata* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium odoratum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium bengalense* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium commune* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium euphyllum* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium resiniferum* BRUCE EX KING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium strictum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium vulgare* LEENH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia ensiformis* SENSU BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia gladiata* (JACQ.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia lineata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia rosea* (SW.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia virosa* (ROXB.) WIGHT & ARN. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canella alba* Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canella winterana* (L.) GAERTNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canna coccinea* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canna indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canna orientalis* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cannabis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cannabis sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora decussata* SCHULTES & SCHULTES.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora diffusa* (VAHL) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora perfoliata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cansjera rheedi* J.F. GMELIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium angustifolium* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium coromandelicum* (N.BURM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. *dicoccum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium parviflorum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium rheedei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium umbellatum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caoxylon indicum* (BL.) HASSK. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis aphylla* ROTH. NOV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis assamica* HK. F. & TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis bisperma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis corundas* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis decidua* (FORSK.) EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis diffusa* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis divaricata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis heyneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis horrida* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis micrantha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis moonii* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis olacifolia* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis pedunculosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis sepiaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis zeylanica* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsella bursa-pastoris* MEDIC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsella thomsoni* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsicum annuum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsicum festigiatum* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsicum frutescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsicum grossum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsicum minimum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caragana crassicaulis* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caragana cuneata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caragana pygmaea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carallia brachiata* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carallia integerrima* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma adscendens* (ROXB.) HAW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma attenuata* WT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma edulis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma tuberculata* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma umbellata* HAW. SYN. PL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carapa granatum* (KOENIG) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carapa gromatum* (KOENIG) ALSTON and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carapa moluccensis* LAM. EXCYCL. METH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carapa obovata* BL. BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardamine impatiens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardamine loxostemonoides* O.E. SCHULZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardamine pratensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardamine scutata* THUNB. flexuosa (WITH.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardanthera uliginosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardaria draba* (L.) DESV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardiocrinum giganteum* (WALL.) MAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardiospermum canescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardiospermum halicacabum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carduus edelbergii* RECH.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carduus gigas* UCRIA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carduus nutans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex atrata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex cernua* BOOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex nivalis* BOOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex notha* KUNTH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carex nubigena* D.DON NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Careya arborea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Careya herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carica cKalammarcensis* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carica papaya* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa carKalams* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa congesta* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa opaca* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa paucinervia* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa spinarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carmona microphylla* (LAM.) G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carmona retusa* (VAHL) MASAMUNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carpesium abrotanoides* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carpesium cernuum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carpopogon pruriens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carthamus lanatus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carthamus oxyacantha* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carthamus tinctorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carum bulbocastanum* Auct. Non Koch:C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carum carvi* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carum copticum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carum roxburghianum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carum strictocarpum* C.B.CLARK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caryophyllus aromaticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caryopteris odorata* ROBIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caryota mitis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caryota urens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *CascaNripati thevetia* (L.) LIPPOLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia elliptica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia esculenta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia esculenta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia graveolens* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia ovata* (LAM.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia tomentosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia vareca* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia zeylanica* (GAERTN.) RHW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia absus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia acutifolia* DELILE and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia angustifolia* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia arborea* MACFAD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia auriculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia didymobotrya* FRESEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia elongata* LEMAIRE - LIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia glauca* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia italica* (MILL.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia javanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia kleinii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia laevigata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia lanceolata* COLLAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia marginata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia mimosoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia montana* HEYNE EX. ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia obovata* COLLOD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia obtusifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia occidentalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia pumila* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia senna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia siamea* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia sophera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia surattensis* BRUN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia tora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia uniflora* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassine glauca* (ROTTB.) O.KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassiope fastigiata* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassytha filiformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanea sativa* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanopsis indica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanopsis tribuloides* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanospermum australe* A. CUNN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casuarina equisetifolia* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catha edulis* FORSK. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catharanthus pusillus* (MURR.) G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catharanthus roseus* (L.) G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catimbum malaccense* (BURM.F.) HOLTUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catimbum speciosum* (WENDL.) HOLTUM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catunaregam rugulosa* (THW.) TIRUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catunaregam spinosa* (THUNB.) TIRVENGADUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caulophyllum thalictroides* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia auriculata* (ROXB.) GAMBLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia carnos* (WALL.) GAGNEP. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia mollissima* (WALL.) GAGNEP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia pedata* JUSS. EX GAGNEPAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia trifolia* (L.) DOMIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cedrela serrata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cedrela toona* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cedrus deodara* (ROXB.) LOUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cedrus libani* BARREL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cedrus libani* BARREL deodara HOOK. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceiba pentandra* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celastrus paniculatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celosia argentea* L. cristata (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celosia argentea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celsia coromandeliana* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis australis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis cinnamomea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis philippensis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis tetrandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis timorensis* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celtis wightii* PLANCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cenchrus barbatus* SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cenchrus biflorus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cenchrus ciliaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea behen* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea calcitrapa* L. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea cyanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea iberica* TREV. EX SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea picris* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea solstitialis* ASSO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea centaurioides* (ROXB.) ROLLA RAO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea roxburghii* (G.DON) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centella asiatica* (L.) URBAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centipeda minima* (L.) A.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centipeda orbicularis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centranthera grandiflora* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centranthera indica* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centratherum anthelminticum* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centrosema pubescens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centrostachys aquatica* (R.BR.) WALL. EX MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cepa alba* RENAULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cepa flava* MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cephaelis ipecacuanha* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cephalandra indica* NAUDIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cephalanthera ensifolia* RICH. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cephalanthera longifolia* (L.) FRITZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cephalostachyum capitatum* MUNRO NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cephalostachyum pergracile* MUNRO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cephalotaxus griffithi* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerastium cerastoides* (L.) BRITH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerastium fontanum* BAUMG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerastium glomeratum* THUILL.FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerastium indicum* THUILL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerastium thomsoni* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerastium vulgatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerasus hexagonus* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceratocephalus falcatus* (L.) PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceratonia siliqua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceratophyllum demersum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceratopteris siliquosa* COPELAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceratopteris thalictroides* (L.) BRONGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerbera manghas* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerbera odollam* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cereus grandiflorus* MILL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceriops candolleana* ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceriops roxburghiana* ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceriops tagal* C.B. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceriscoides turgida* (ROXB.) TIRUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia bulbosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia candelabrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia hirsuta* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia juncea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum diurnum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum nocturnum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum parqui* L'HERIT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceterach officinarum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chaerophyllum acuminatum* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chaerophyllum villosum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaemelum nobile* (L.) ALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaerops ritchieana* GRIFF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Champereia griffithii* PLANCH. EX KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Champereia manillana* (BL.) MORR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chasallia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chassalia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chassalia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxylodes* (WALL.) DEB & KRISHNA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chassalia ophioxylodes* (WALL.) CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chavica betle* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chavica roxburghii* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheilanthes albomarginata* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheilanthes farinosa* (FORST.) KAULF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheilanthes fragrans* (L.F.) SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheilanthes rufo* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheilanthes tenuifolia* (N.BURM.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheiranthus cheiri* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium ambrosioides* BERT. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium blitum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium botrys* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chenopodium murale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chesneya nubigena* (D.DON)ALI and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum segetum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cichorium endivia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cichorium intybus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza aegyptiaca* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza bonariensis* (L.) Cronquist and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza japonica* (Thunb.) Less. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza leucantha* (D.Don) Ludlow & Raven and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza stricta* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coreopsis grandiflora* Nutt. ex Chapm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coreopsis tinctoria* Nutt var. *tinctoria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cosmos caudatus* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cosmos sulphureus* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crassocephalum crepidioides* (Benth.) S. Moore and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dahlia coccinea* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dahlia imperialis* Roedel ex E. Ortgies and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendranthema x grandiflorum* (Ramat.) Kitam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrocephala chrysanthemifolia* (Blume) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrocephala integrifolia* (L.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicoma tomentosa* Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinops echinatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eclipta prostrata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elephantopus scaber* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia coccinea* (Sims) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia javanica* (Burm.f.) C. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia ramulosa* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia scabra* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia sonchifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia zeylanica* Clarke var. *zeylanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia zeylanica* Clarke var. *paludosa* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epilobium divaricata* (L.) Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epilobium pygmaea* DC. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron karvinskianus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron multiradiatus* (DC.) C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron sublyratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium ianthinum* Hemsl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium repandum* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Filago arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flaveria contrayerba* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flaveria trinervia* (Spreng.) C. Mohr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gaillardia pulchella* Foug. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galinsoga parviflora* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galinsoga quadriradiata* Ruiz. & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gamochaeta coarctata* (Willd.) M. Kerguelen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gamochaeta pensylvanica* (Willd.) Cavrera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gamochaeta purpurea* (L.) Cavrera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gazania linearis* (Thunb.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gerbera jamesonii* Bolus ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glossocardia bosvallea* (L.f.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glossogyne bidens* (Retz.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnaphalium hypoleucum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnaphalium luteo-album* L. subsp. *luteo-album* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnaphalium polycaulon* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniocaulon indicum* (Klein ex Willd.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grangea maderaspatana* (L.) Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guizotia abyssinica* (L.f.) Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura aurantiaca* (Blume) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura bicolor* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura lycopersicifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura nitida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura pseudo-china* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura travancorica* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helianthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helianthus debilis* Nutt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helianthus tuberosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helichrysum buddleioides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helichrysum perlanigerum* Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helichrysum wightii* Clarke ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helipterum citrinum* Harv. & Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helipterum roseum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypochoeris glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypochoeris radicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kleinia grandiflora* (Wall. ex DC.) Rani and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca hastata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagascea mollis* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laggera crispata* (Vahl) Hepper & Wood and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea acaulis* (Roxb.) Bab. ex Kerr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea intybacea* (Jacq.) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Montanoa bipinnatifida* C. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moonia heterophylla* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myriactis wightii* DC. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Notonia shevaroyensis* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Notonia walkeri* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olearia cassinae* F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oligochaeta ramosa* (Roxb.) Wagenitz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osteospermum ecklonis* (DC.) Norl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osteospermum moniliferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parthenium hysterophorus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentanema cernuum* (Dalzell) Ling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentanema indicum* (L.) Ling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllocephalum courtallense* (Wight) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllocephalum indicum* (Less.) Kirkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllocephalum phyllolaenum* (DC.) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllocephalum rangacharii* (Gamble) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllocephalum scabridum* (DC.) Kirkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllocephalum sengaltherianum* (Narayana) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picris hieracioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pluchea tomentosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Proustia pyrifolia* Lagasca and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pulicaria angustifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pulicaria wightiana* (DC.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rudbeckia maxima* Nutt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Santolina chamaecyparissus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sclerocarpus africanus* Jacq.ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio ansteadii* Tad. & Jacob and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio articulatus* (Haw.) Sch.-Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio calcadensis* Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio candicans* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio cineraria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio confusus* Elmer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio edgeworthii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio intermedius* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio kundaicus* Fishcher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio lavandulaefolius* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio lawsonii* Gamble and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio lessingianus* (Wight & Arn.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio ludens* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio neelgherryanus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio polyccephalus* (DC.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio tenuifolius* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio wightii* (DC.) Benth. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio zeylanicus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sigesbeckia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silybum marianum* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solidago canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solidago gigantea* Aiton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solidago microglossa* Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solidago nemoralis* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solidago virga-aurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus asper* (L.) Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus wightianus* DC and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus africanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus amaranthoides* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus indicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spilanthes calva* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spilanthes radicans* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spilanthes uliginosa* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stokesia laevis* (Hill) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Struchium sparganophorum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Synedrella nodiflora* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tagetes erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tagetes lucida* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tagetes minuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tagetes patula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum parthenium* (L.) Sch. bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taraxacum javanicum* Soest and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taraxacum officinale* Weber and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum cinerariaefolium* Sch.Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tithonia diversifolia* (Hemsl.) A. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricholepis radicans* (Roxb.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tridax procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia albicans* Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia anamallica* Bedd. ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia anthelmintica* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia arborea* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia bourneana* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia cinerascens* Sch.-Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia cinerea* (L.) Less. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia comorinensis* W.W.Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia conyzoides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia dalzelliana* Drumm. & Hutchinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia divergens* (Roxb.) Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia elaeagnifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia fysonii* Calder and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia gossypina* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia heynei* Bedd. ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia indica* Clarke and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia malabarica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia membranacea* Bedd. ex S. Moore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia monosis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia pectiniformis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia pothigaiana* Chelladurai & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia ramoswamii* Hutchinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia recurva* Bedd. ex S. Moore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia salvifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia setigera* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia shevaroyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia travancorica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vittadinia australis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wedelia chinensis* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wedelia trilobata* (L.) A. Hitchc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthium indicum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Youngia fuscipappa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Youngia japonica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Youngia nilgiriensis* Babt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zinnia elegans* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scaevola plumieri* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scaevola sericea* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asyneuma fulgens* (Wall.) Briq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula alphonisii* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula benthamii* Wall. ex Kitam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula drabifolia* Sibth. & Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula medium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula ramulosa* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula rapunculoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campanula wightii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laurentia longiflora* (L.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wahlenbergia marginata* (Thunb.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia alsinoides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia angulata* Forst.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia chinensis* Lour and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia courtallensis* K.K.N.Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia heyneana* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia leschenaultiana* (Presl) Skottsb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphenoclea zeylanica* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccinium leschenaultii* Wight var. *leschenaultii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccinium neilgherrense* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arbutus unedo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calluna vulgaris* (L.) Hull and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erica arborea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erica vagans* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gaultheria fragrantissima* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron indicum* (L.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron mucronatum* G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron ponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron simsii* Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clethra arborea* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limonium sinuatum* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumbago auriculata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumbago indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumbago zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anagallis arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anagallis pumila* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lysimachia leschenaultii* Duby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lysimachia procumbens* Baudo and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aegiceras corniculatus* (L.) Blanco and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antistrophe serratifolia* (Bedd.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia amplexicaulis* Bedd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia blatteri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia littoralis* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia missionis* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia pauciflora* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia rhomboidea* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia solanacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ardisia sonchifolia* Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia adnata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia basaal* (Roem. & Schultes) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia gardneriana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia ribes* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maesa indica* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrsine wightiana* Wall. ex. A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rapanea daphnoides* Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rapanea thwaitesii* Mez and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jacquinia barbasco* (Loefl.) Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jacquinia aculeata* Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysophyllum cainito* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysophyllum roxburghii* G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isonandra lanceolata* Wight forma *lanceolata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isonandra montana* (Thw.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isonandra perrottetiana* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isonandra stocksii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca indica* J. F. Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca longifolia* (Koen.) Macbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca neriifolia* (Moon) H.J. Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manilkara hexandra* (Roxb.) Dubard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manilkara roxburghiana* (Wight) Dubard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manilkara zapota* (L.) P. Royen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimusops elengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Palaquium bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Palaquium ellipticum* (Dalz.) Baillon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros affinis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros assimilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros barberi* Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros buxifolia* (Blume) Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros candolleana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros chloroxylon* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros cordifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros ebenum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros foliolosa* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros humilis* Bourd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros insignis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros malabarica* (Desr.) Kostel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros melanoxylon* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros nigresens* Roxb. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros nilgirica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros oocarpa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros paniculata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros pruriens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros sylvatica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros walkeri* (Wight) Guerke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos anamallayana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos authilingomii* Henry & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos foliosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos monantha* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos nairii* Henry, Gopalan & Swamin. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos obtusa* Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos oligandra* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos pendula* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos pulchra* Wight subsp. *pulchra* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos wynadense* (Kuntze) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus linocieroides* (Wight) Bennet & Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus macrophylla* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus mala-elengi* (Dennst.) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus ramiflorus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum arborescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum auriculatum* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum azoricum* L. var. *azoricum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum azoricum* L. var. *travancorense* (Gamble) Mohanan

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum bignoniaceum* Wall. ex G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum brevifolium* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum calophyllum* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum cordifolium* Wall. ex G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum cuspidatum* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum grandiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum malabaricum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum mesnyi* Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum multiflorum* (Burm.f.) Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum polyanthum* Franch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum ritchiei* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum rottlerianum* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum sambac* (L.) Ait. var. *sambac* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum scandens* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum trichotomum* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum decaisnei* Clarke var. *decaisnei* and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum gamblei* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum lucidum* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum perrottetii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum robustum* (Roxb.) Blume subsp. *walkerii* (Decne.) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myxopyrum serratum* A.W. Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea dioica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea paniculata* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea polygama* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schrebera swietenoides* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nyctanthes arbor-tristis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Azima tetracantha* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvadora persica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenium obesum* Roem & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aganosma cymosa* (Roxb.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aganosma dichotoma* (Roth) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *AllamKalam cathartica* L. var. *nobilis* Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *AllamKalam violacea* Gardn. & Field and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstonia scholaris* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alstonia venenata* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anodendron paniculatum* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beaumontia grandiflora* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Beaumontia jerdoniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa carkalams* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa congesta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa grandiflora* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa hirsuta* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa inermis* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa paucinervia* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa salicina* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carissa spinarum* L. var. *spinarum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catharanthus pusillus* (Murr.) G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catharanthus roseus* (L.) G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerbera odollam* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chonemorpha fragrans* (Moon) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ellertonia rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Funtumia africana* (Benth.) Stapf and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ichnocarpus frutescens* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mandevilla laxa* (Ruiz & Pavon) Woodson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerium oleander* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parsonsia alboflavescens* (Dennst.) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria obtusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia hookeri* Srinivasan & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia micrantha* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia serpentina* (L.) Benth. ex Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia tetraphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia verticillata* (Lour.) Baill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strophanthus wightianus* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana divaricata* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana gamblei* Subram. & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana heyneana* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thevetia peruviana* K.Schum and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vallisneria spiralis* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vinca major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Voacanga grandiflora* (Miq.) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia arborea* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia indica* Ngan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asclepias curassavica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachystelma bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachystelma brevitybulatum* (Bedd.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachystelma maculatum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brachystelma rangacharii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calotropis gigantea* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calotropis procera* (Ait.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma bhupinderana* Sarkaria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma diffusa* (Wight) N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma indica* (Wight & Arn.) N.E. Br. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma nilagiriana* Kumari & Subba Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma pauciflora* (Wight) N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma procumbens* Grav. & Mayuranathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma stalagmifera* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caralluma umbellata* Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia barnesii* Bruce & Chatterjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia bulbosa* Roxb. var. *bulbosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia candelabrum* L. var. *candelabrum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia ciliata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia decaisneana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia elegans* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia ensifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia fimbriifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia hirsuta* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia intermedia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia juncea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia maculata* Bedd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia mannanarana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia metziana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia oculata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia omissa* Huber and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia pusilla* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia spiralis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceropegia thwaitesii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cosmostigma racemosum* (Roxb.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynanchum alatum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynanchum tunicatum* (Retz.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphocarpus fruticosus* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphocarpus physocarpus* E. Meyer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema alterniflorum* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema elegans* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema hirsutum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema tingens* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heterostemma tanjorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holastemma adakodien* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya alexicaca* (Jacq.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya kanyakumariana* Henry & Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya ovalifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya pauciflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya wightii* Hook.f.subsp. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptadenia reticulata* (Retz.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia brunoniana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia tenacissima* (Roxb.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia tirunelvelica* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentatropis capensis* (L.f.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pergularia daemia* (Forrsk.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Raphionacme purpurea* Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma acidum* (Roxb.) Voigt and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma brunonianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma intermedium* Decne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma secamone* (L.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Secamone emetica* (Retz.) R.Br. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stapelia gigantea* N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stapelia grandiflora* Masson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Telosma minor* (Andr.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Telosma pallida* (Roxb.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toxocarpus beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toxocarpus kleinii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toxocarpus palghatensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora capparidifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora indica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora macrantha* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora mollissima* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora multiflora* (Wight & Arn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora pauciflora* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora rotundifolia* Buch.-Ham. ex Wight and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora subramanii* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora tertrapetala* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora zeylanica* Decne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wattakaka volubilis* (L.f.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptolepis buchananii* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptolepis grandiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptostegia grandiflora* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Decalepis hamiltonii* Wight & Arn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Decalepis arayalpathra* Joseph & Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uleria salicifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagraea ceilanica* Thub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardneria ovata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitrasacme indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spigelia anthelmia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos lenticellata* Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos minor* Dennst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos nux-vomica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos potatorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos vanprukii* Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos wallichiana* Steud. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buddleja asiatica* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buddleja davidii* Franch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buddleja madagascariensis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buddleja volubilis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora decurrens* Dalz. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora decussata* (Roxb.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora heteroclita* (L.) Gilg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora perfoliata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canscora roxburghii* Arn. ex Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enicostema axillare* (Lam.) Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum anamallayanam* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum atropurpureum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum courtallense* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum grande* Klack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum lawii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum pedunculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum petiolare* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum pumilum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum sessile* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum tetragonum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum travancoricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum wightianum* Arn. var. *wightianum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halenia perrottetii* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoppea dichotoma* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoppea fastigiata* (Griseb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia beddomei* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia densifolia* (Griseb.) Kashyapa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia minor* (Griseb.) Knobl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides aurantiacum* (Dalz.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides hydrophylla* (Lour.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides indicum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrolea zeylanica* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wigandia canacasana* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlox drummondii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carmona retusa* (Vahl) Masamune and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coldenia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia alba* Roem. & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia diffusa* Jacob and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia domestica* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia evolutor* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia monoica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia obliqua* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia wallichii* G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia sebestena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia subcordata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia aspera* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia canarensis* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia laevis* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia pubescens* Benth. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia wightiana* Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium arborescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium bracteatum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium curassavicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium marifolium* Retz. subsp. *marifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium ovalifolium* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium peruvianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium rottleri* Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium supinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium zeylanicum* (Burm.f.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotula aquatica* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symphytum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tournefortia argentea* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tournefortia heyneana* Wall. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tournefortia reticosa* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tournefortia wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichodesma indicum* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichodesma inaequale* Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichodesma zeylanicum* (Burm.f.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aniseia martinicensis* (Jacq.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia coonoorensis* W.W. Smith & Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia cuneata* (Willd.) Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia cymosa* (Roxb.) Sweet and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia daltonii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia elliptica* (Roth) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia fulgens* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia imbricata* (Roth) Sant. & Patel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia involucrata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia kleiniana* (Roem. & Schultes) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia nellygherya* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia nervosa* (Burm.f.) Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia osyrensis* (Roth) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia pilosa* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia pomacea* (Roxb.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia populifolia* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia sericea* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyreia setosa* (Roxb.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bonamia evolvuloides* (Choisy) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bonamia Semidigyna* (Roxb.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus flavus* Willd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus rottlerianus* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cressa cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta campestris* Decne. ex Engelm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta chinensis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta hyalina* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta reflexa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erycibe paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evolvulus alsinoides* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evolvulus nummularius* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hewittia sublobata* (L.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea aquatica* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea batatas* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea cairica* (L.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea campanulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea carnea* Jacq. subsp. *carnea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F.

Austin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea deccana* Austin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea dichroa* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea diversifolia* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea eriocarpa* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea hederifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea indica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea involucrata* Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea marginata* (Desr.) Verdc . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea mauritiana* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea nil* (L.) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea obscura* (L.) Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea pes-tigridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea pileata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea purpurea* (L.) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea quamoclit* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea rumicifolia* Choisy and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea sepiaria* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea sinensis* (Desr.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea staphylina* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea tuberculata* Ker - Gawl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea turbinata* Lag. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea violacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea wightii* (Wall.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jacquemontia caerulea* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jacquemontia paniculata* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jacquemontia pentantha* (Jacq.) D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepistemon leiocalyx* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia aegyptia* (L.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia dissecta* (Jacq.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia emarginata* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia hederacea* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia quinata* (R.Br.) Ooststr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia quinquefolia* (L.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia tridentata* (L.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia umbellata* (L.) Hall.f. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia vitifolia* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Operculina turpethum* (L.) Silva Manso and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Porana paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Porana racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rivea hypocrateriformis* (Desr.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rivea ornata* (Roxb.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stictocardia tiliifolia* (Desr.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Browallia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Browallia speciosa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Browallia viscosa* Kunth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brugmansia arborea* (L.) Lagerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brugmansia versicolor* Lagerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brunfelsia undulata* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsicum annuum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsicum frutescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum aurantiacum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum corymbosum* Schlecht. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum diurnum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum elegens* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum fasciculatum* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum nocturnum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cestrum parqui* L'Herit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyphomandra betacea* (Cav.) Sendtner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura cornigera* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura innoxia* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura metal* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura ferox* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura sanguinea* Ruiz & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura stramonium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iochroma coccinea* Scheid. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycium barbatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycopersicon esculentum* Mill. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicandra physalodes* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana alata* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana glauca* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana glutinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana plumbaginifolia* Viv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana repKalam* Willd. ex Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana tabacum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nierembergia gracilis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petunia axillaris* (Lam.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petunia x hybrida* Vilm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis ixocarpa* Brot. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis angulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis lagascae* Roem. & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis pruinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis peruviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schizanthus pinnatus* Ruiz & Pav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schizanthus wisetonensis* Hort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solandra grandiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum americanum* Mill and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum anguivi* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum ariculari* G. Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum barbisetum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum capsicastrum* Link & Schau. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum capsicoides* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum clavatum* Rusby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum convolvulus* Sendtner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum elaeagnifolium* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum erianthum* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum giganteum* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum grandiflorum* Ruiz & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum hispidum* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum jasminoides* Paxt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum kurzii* Brace ex Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum macrocarpon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum macrophyllum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum marginatum* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum mauritianum* Scop. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum melongena* L. var. *melongena* and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum insanum* J.B.Fisch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum lasiocarpum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum pubescens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum robustum* H. Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum seforthianum* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum sisymbriifolium* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum stramonifolium* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum torvum* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum trilobatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum tuberosum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum vagum* Heyne ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum viarum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum violaceum* Ortega Subsp. *violaceum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum virginianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum wendlandii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum wrightii* Benth. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Streptosolon jamesonii* (Benth.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Withania somnifera* (L.) Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenosma indianum* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angelonia biflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antirrhinum majus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antirrhinum orontium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Antirrhinum purpureum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artanema longifolia* (L.) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bacopa floribunda* (R.Br.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bacopa hamiltoniana* (Benth.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bacopa monnieri* (L.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buchnera hispida* Buch.-Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calceolaria gracilis* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celsia arcturus* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centranthera indica* (L.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centranthera tranquebarica* (Spreng.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbalaria muralis* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitalis purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dopatrium lobelioides* (Retz.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dopatrium nudicaule* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glossostigma diandrum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hebe speciosa* (A.Cunn) Andersen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hebe andersonii* Cockayne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kickxia ramosissima* (Wall.) Janchen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila aromatica* (Lam.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila chinensis* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila heterophylla* (Roxb.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila indica* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila polystachya* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila repens* (Benth.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila rugosa* (Roth) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindenbergia indica* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia anagallis* (Burm.f.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia antipoda* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia caespitosa* (Blume) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia ciliata* (Colsm.) Pennell and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia crustacea* (L.) F.v.Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia hyssopioides* (L.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia minima* (Benth.) Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia nummulariifolia* (D.Don) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia oppositifolia* (Retz.) Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia parviflora* (Roxb.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia procumbens* (Krock.) Philcox and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia rotundifolia* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia ruellioides* (Colsm.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia srilankana* Cramer & Philcox and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia sessiliflora* (Benth.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia tenuifolia* (Colsm.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia viscosa* (Hornem.) Boldingh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maurandya barclaiana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maurandya erubescens* (D. Don) Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maurandya lophospermum* Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maurandya semperflorens* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mazus pumilus* (Burm.f.) Steenis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mecardonia procumbens* (Mill.) Small and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micrargeria wightii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microcarpaea minima* (Koen.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paulownia tomentosa* (Thunb.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis perrottetti* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis zeylanica* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Penstemon azureus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Penstemon campanulatus* (Cav.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peplidium maritimum* (L.f.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Russelia equisetiformis* Schlecht. & Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scoparia dulcis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sopubia stricta* G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sopubia trifida* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stemodia viscosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga angustifolia* (D.Don) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga asiatica* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga densiflora* (Benth.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga gesnerioides* (Willd.) Vatke and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga masuria* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sutera dissecta* (Del.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia bicolor* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia cordifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia courtallensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia fournieri* Linden ex Fourn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia hirsuta* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia travancorica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia vagans* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbascum chinense* (L.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbascum thapsus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbascum virgatum* Stokes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica javanica* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica polita* Fries and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica speciosa* R.Cunn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica persica* Poir.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeginetia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeginetia pedunculata* Wall. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christisonia bicolor* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christisonia neilgherrica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christisonia saulierei* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christisonia subacaulis* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orobanche cernua* Loefl. var. *nepalensis* Reut. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia aurea* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia australis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia bifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia caerulea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia exoleta* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia graminifolia* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia hirta* Klein ex Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia minutissima* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia nayarii* Jana. & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia polygaloides* Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia reticulata* J.E.Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia roseo-purpurea* Stapf ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia scandens* Benj. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia smithiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia stellaris* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia striatula* J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia uliginosa* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia wightiana* Taylor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynanthus ceylanica* Gard. var. *punguis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynanthus perrottetii* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus fischeri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus gambleanus* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus humboldtianus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus innominatus* Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus lyrata* Wight var. *lyrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus meeboldii* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus missionis* Wall. ex R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus repens* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus tomentosus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus wightii* (Clarke) Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epithema carnosum* (G. Don) Benth. var. *hispida* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gesneria cardinalis* Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jerdonia indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchoglossum notonianum* (Wall) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchotechum permolle* (Nees) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arrabidaea magnifica* Sprague ex Steenis Bull and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bignonia megapotamica* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Campsis radicans* (L.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catalpa bignonioides* Walter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clytostoma callistegioides* (Cham.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parmentiera alata* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crescentia cujeta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichandrone arcuata* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichandrone falcata* (Wall.ex DC.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haplophragma adenophyllum* (DC.) Dop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *JacarKalam mimosifolia* D.Don and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kigelia africana* (Lam.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macfadynea unguis-cati* (L.) A. Gentry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Markhamia stipulata* Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millingtonia hortensis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nyctocalos cuspidata* (Blume) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oroxylum indicum* (L.) Benth. ex Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pandorea jasminoides* (Lindl.) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaedranthus buccinatorius* (DC.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllarthron bojerianum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleonotoma jasminifolia* (H.B.K.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podranea ricasoliana* (Tranf.) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrostegia venusta* (Ker-Gawl.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Radermachera xylocarpa* (Roxb.) K.Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spathodea campanulata* Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabblerley var. *colais* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabblerley var. *angustifolium* (Haines) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabebuia rosea* (Bertol.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabebuia arjentea* Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabebuia pallida* Miers and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabebuia palmeri* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tecoma stans* (L.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tecomaria capensis* (Thunb.) Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cobaea scandens* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedaliium murex* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum alatum* Thonn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum laciniatum* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum prostratum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum radiatum* Schumach. & Thonn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Martynia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acanthus ilicifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acanthus mollis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis affinis* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis alata* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis atropurpurea* (Dennst.) A. Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis ceylanica* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis echinoides* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis elongata* (Vahl) T. And. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis explicata* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis lineata* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis lobelioides* Wight var. *lobelioides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis lobelioides* Wight var. *composita* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis macrobotrys* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis neesiana* Wight var. *neesiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis neesiana* Wight var. *producta* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis rothii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis stellulata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis stenophylla* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Andrographis viscosula* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aphelandra deppeana* Schlecht. & Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia chelonoides* Nees and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia crispata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia dalzelliana* Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia gangetica* (L.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Asystasia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria acuminata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria buxifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria courtallica* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria cuspidata* Heyne ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria gibsonii* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria involucreata* Nees var. *elata* (Dalz.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria longiflora* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria montana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria mysorensis* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria nitida* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria noctiflora* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria paniculata* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria pilosa* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria prattensis* Sant. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria prionitis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria strigosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria tomentosa* Roth var. *tomentosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria tomentosa* Roth var. *glandulosa* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barleria vestita* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharis maderaspatensis* (L.) Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharis repens* (Vahl) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clinacanthus nutans* (Burm.f.) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crossandra infundibuliformis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicliptera cuneata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicliptera foetida* (Forssk.) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicliptera verticillata* (Forssk.) Christensen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diotacanthus albiflorus* (Bedd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipteracanthus patulus* (Jacq.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipteracanthus prostratus* (Poir.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dyschoriste madurensis* (Burm.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dyschoriste nagchana* (Nees) Bennet and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dyschoriste vagans* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ecbolium ligustrinum* (Vahl) Vollesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ecbolium viride* (Forssk.) Alston var. *viride* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elytraria acaulis* (L.f.) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum capense* L. var. *capense* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum purpurascens* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum roseum* (Vahl) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Graptophyllum hortense* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnostachyum canescens* (Nees) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnostachyum ceylanicum* Arn. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnostachyum latifolium* (Dalz.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haplanthodes neilgherryensis* (Wight) Majumdar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haplanthodes verticillatus* (Roxb.) Majumdar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila balsamica* (L.f.) Rafin and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila heinei* Sreemadh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila salicifolia* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jacobinia carnea* (Lindl.) G. Nicholson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia adhatoda* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia beddomei* (Clarke) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia betonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia diffusa* Willd. var. *diffusa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia gendarussa* Burm.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia glabra* Koen.ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia glauca* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia latispica* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia neesii* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia procumbens* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia prostrata* (Roxb. ex Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia salsoloides* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia santapau* Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia simplex* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia tranquebariensis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia trinervia* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia vahlia* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia wynaadensis* (Nees) Heyne ex T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis cristata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis cuspidata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis diffusa* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis fasciculata* (Retz.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis incurva* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis mitis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis pungens* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis scariosa* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis spinosa* Wight ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis subarmata* (Clarke) Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptostachya wallichii* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meyenia hawtayneana* (Wall.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monotheций aristatum* (Wall. ex Nees) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neuracanthus neesianus* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristrophe montana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristrophe paniculata* (Forssk.) Brummitt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petalidium barlerioides* (Roth) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaulopsis imbricata* (Forssk.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseuderanthemum malabaricum* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruellia colorata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruellia tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia apiculata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia crenata* T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia laeta* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia latior* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia parviflora* (Retz.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia pectinata* (L.) Nees and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia repens* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia sisparensis* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sanchezia nobilis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sanchezia parvibracteata* Sprague & Hutchinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Santapaua madurensis* Balakr. & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Staurogyne glauca* (Nees) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Staurogyne zeylanica* (Nees) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenosiphonium confertum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenosiphonium cordifolium* (Vahl) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenosiphonium parviflorum* T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenosiphonium russellianum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenosiphonium wightii* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes asperimus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes amabilis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes anamallai* J. R. I. Wood and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes andersonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes barbatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes bolampattiana* Bedd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes ciliatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes consanguineus* (Nees) T. Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes cuspidatus* (Benth.) Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes decurrens* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes foliosus* (Wight) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes gracilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes heyneanus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes heteromallus* T. Anderson ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes homotropus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes humilis* (Nees) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes isophylla* (Nees) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes ixiocephala* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes kunthianum* (Nees) Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes lanatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes lupulinus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes luridus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes matthewiana* R. W. Scotland and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes micranthes* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes microstachya* Benth. ex Hohen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes neoasper* Venu & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes neilgherrensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes papillosus* T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes perrottetianus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes pulneyensis* C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes rubicundus* (Nees) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes sessilis* Nees var. *sessilis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes sexennis* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes tristis* (Wight) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes urceolaris* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes violaceus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes wightianus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes wightianus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes zenkerianus* (Nees) T. Anderson and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia alata* Boj. ex Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia bicolor* (Wight) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia erecta* (Benth.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia fragrans* Roxb. var. *fragrans* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia fragrans* Roxb. var. *vestita* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia mysorensis* (Wight) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia tomentosa* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aloysia triphylla* (L'Herit.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bouchea hyderabadense* Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callicarpa tomentosa* (L.) Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citharexylum fruticosum* L. forma *subserratum* (Sw.) Moldenke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum aculeatum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum cordatum* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum indicum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum inerme* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum infortunatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum neriifolium* Wall.ex Schauer and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum paniculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum philippinum* Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionachne koenigii* (SPRENG.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus macrophylla* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus mala-elengi* (DENNST.) GREEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chionanthus crispus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloranthus elatior* LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloranthus glaber* (THUNB.) MAKINO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloranthus inconspicuus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloranthus officinalis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris barbata* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloris virgata* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum arundinaceum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum attenuatum* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum laxum* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chlorophytum tuberosum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloroxylon dupada* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloroxylon swietenia* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chondrus crispus* STACKH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chonemorpha fragrans* (MOON) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chonemorpha macrophylla* (ROXB.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chorchorus trilocularis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christella arida* (DON) HOLT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christella contiguum* (ROSENT) HOLTUM F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christella crinipes* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christella parasitica* (L.) LEV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christella subpubescens* (BL.) HOLTUM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrozophora plicata* A.JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrozophora prostrata* DALZ . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrozophora tinctoria* A.JUSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthellum americanum* (L.) VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthellum indicum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum coccineum* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum coronarium* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum roxburghii* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysobalanus icaco* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysophyllum cainito* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysophyllum roxburghii* DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon aciculatus* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chukrasia tabularis* A.JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cibotium barometz* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cicca acida* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cicca disticha* L.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cicer arietinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cicer microphyllum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cichorium endivia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cichorium intybus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cichorium noeanum* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cicuta virosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cimicifuga foetida* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cimicifuga racemosa* NUTT. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona calisaya* WEDD. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona excelsa* ROXB. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona ledgeriana* MOENS EX TRIMEN and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona officinalis* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona robusta* HOWARD NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona succirubra* PAV. EX KLOTZSCH and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum aromaticum* NEES NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum camphora* (L.) PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum cassia* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum cecidodaphne* MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum glanduliferum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum impressinervium* MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum iners* REINW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum javanicum* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum macrocarpum* HOOK. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum malabathrum* BATKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum obtusifolium* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum parthenoxylon* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum pauciflorum* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum sulphuratum* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum tamala* NEES & EBERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum travancoricum* GAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum verum* PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum wightii* C.F.W.MEISSN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinnamomum zeylanicum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cipadessa baccifera* (ROTH.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Circaea alpina* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Circaea cordata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cirsium argyracanthum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cirsium arvense* (L.) SCOP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cirsium sinense* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cirsium verutum* (DON) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cirsium wallichii* DC. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissampelos pareira* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus acida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus adnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus discolor* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus javanica* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus lanceolata* MALME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus latifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus pallida* (WIGHT & ARN.) PLANCHON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus pedata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus quadrangularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus repKalam* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus repens* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus setosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus trilobata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus vitiginea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cistanche tubulosa* WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cistus creticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citharexylum suberratum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrullus colocynthis* (L.) SCHRADER and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI *fistulosus* (STOCKS) CHAKRAVARTHY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrullus vulgaris* SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus acida* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus aurantifolia* (CHRISTM.) SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus aurantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus aurantium* L. *bergamia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus bergamia* RISSO. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus bigaradia* LOISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus decumana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus grandis* (L.) OSBECK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus hystrix* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus jambhiri* LUSH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus karna* RAFIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus latipes* (SWINGLE) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus limetta* RISSO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus limon* (L.) BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus limonum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus macroptera* Montr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus madurensis* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus maxima* MERILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus medica* L. *medica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus medica* L. *limetta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus medica* L. *limonum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus medica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus paradisi* MACF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus pyxidata* (LINN.) FR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus reticulata* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus sinensis* (L.) OSBECK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cladonia alpestris* (L.) RABH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Claoxylon indicum* HASSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Claoxylon polot* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena dentata* (WILLD.) ROEM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena excavata* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena heptaphylla* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena lansium* (LOUR.) SKEELS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena pentaphylla* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena wampi* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena willdenowii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Claviceps purpurea* (FR.) TUL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Claxylon indicum* (BL.) HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleidion nitidum* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleisostoma tenuifolium* (L.) GARAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleisostoma williamsonii* (RCHB.F.) GARAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis barbellata* EDGEW. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis buchananiana* DC. *vitifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis connata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis gouriana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis grata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis hedysarifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis montana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis napaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis smilacifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis triloba* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis wightiana* WALL. EX WT. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome brachycarpa* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome burmanni* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome chelidonii* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome felina* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome gynandra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome heptaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome icosandra* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome monophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome vahliana* FAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome viscosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum colebrookianum* WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum indicum* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum inerme* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum infortunatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum multiflorum* (Burm.f.)Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum nutans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum paniculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum philippinum* SCHAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum phlomides* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum serratum* (L.) MOON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum siphonanthus* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum splendens* G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum viscosum* H.W. MOLDENKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clerodendrum wallichii* MERR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clinogyne dichotoma* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clinogyne grandis* BENTH. HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clinopodium umbrosum* (BIEB.) KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clinopodium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clitoria mariana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clitoria ternatea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coccinia cordifolia* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coccinia glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coccinia grandis* (L.) VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coccinia indica* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coccoloba uvifera* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus cordifolius* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus hirsutus* (L.) DIELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus laurifolius* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus leaeba* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus macrocarpus* W. & A. PRODR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus pendulus* (JR. & G. FORST) DIELS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus suberosus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus villosus* DC. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cochlearia armoracia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cochlearia cochlearioides* (ROTH) SANTAPAU & MAHESHWARI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cochlospermum gossypium* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cochlospermum religiosum* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocos schizophylla* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Codiaeum variegatum* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Codonacanthus pauciflorus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Codonopsis clematidea* (SCHR.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Codonopsis ovata* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelodepas calycinum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne cristata* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne ovalis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne punctulata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coelogyne stricta* (DON) SCHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coffea arabica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coffea travancorensis* WIGHT & ARN. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coix gigantea* KOENIG EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coix lachryma* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coix lacryma-jobi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cola nitida* (VENT.) SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colchicum autumnale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colchicum luteum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colchicum variegatum* BIVONA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coldenia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colebrookea oppositifolia* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus ambonicus* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus aromaticus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus barbatus* (ANDR.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus forskohlii* (POIR.) BRIQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus osmirrhizon* W.ELLIOT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus scutellarioides* (L.) BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus vettiveroides* K.C. JACOB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coleus zeylanicus* (BENTH.) CRAMEV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colocasia antiquorum* SCHOTT and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colocasia esculenta* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colocasia macrorrhiza* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colocasia virosa* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colophospermum mopane* KIRK EX LEON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colubrina asiatica* (L.) BRONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colutea arborescens* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colutea nepalensis* SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum acuminatum* (ROXB.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum decandrum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum extensum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum latifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum nanum* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum pilosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum roxburghii* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina benghalensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina communis* EUGELM. EX KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina diffusa* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina longifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina nudiflora* (L.) BRENAN and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina obliqua* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina paludosa* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina salcifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commelina suffruticosa* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commicarpus chinensis* (L.) HEIMERL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commicarpus verticillatus* STANDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora abyssinica* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora agallocha* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora berryi* (ARN.) ENGLR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora molmol* ENGL. EX. TSCHIRAH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora myrrha* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora opobalsamum* (L.) ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora playfairii* HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora roxburghii* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora schimperi* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora stocksiana* ENGL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora wightii* (A.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conium maculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Connarus monocarpus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conocarpus latifolia* ROXB. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conocephalus suaveolens* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Consolida ajacis* (L.) SCHUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Consolida regalis* S.F. GRAY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convallaria majalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus gemellus* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus grandiflorus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus malabaricus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus microphyllus* SIEB.EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus nil* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus paniculatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus pluricaulis* CHOIS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus prostratus* FORSSK. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus scammonia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus speciosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus spinosus* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Convolvulus turpethum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza bonariensis* (L.) CRONQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza cinerea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza japonica* (THUNB.) LESS. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Conyza stricta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Copernicia cerifera* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coptis teeta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corallocarpus epigaea* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corallocarpus epigaeus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corbichonia decumbens* EXELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus acutangulus* AUCT.NON FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus aestuans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus antichorus* ROEUSCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus capsularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus depressus* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus fascicularis* LAM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus olitorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus trilocularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus urticifolius* WIGHT & ARM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia dichotoma* FORST. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia gharaf* (FORSK.) EHRENB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia grandis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia macleodii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia monoica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia myxa* SENU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia obliqua* WILLD. *wallichii* (G.DON) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia obliqua* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia rothii* ROEM.& SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia sebestena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia vestita* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordia wallichii* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordyceps sinensis* (BERK.)SAAC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordyline fruticosa* GOEPPERT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cordyline terminalis* (L.) KUNTH and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coriandrum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coriaria nepalensis* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coronilla picta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coronopus didymus* (L.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cortia depressa* (DON) NORM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corydalis adiantifolia* HK.F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corydalis flabellata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corydalis govaniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corydalis meifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corydalis ramosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corydalis rutifolia* (SMITH) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corydalis vaginans* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corylus avellana* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corylus colurna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corylus jacquemonti* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corymbis veratrifolia* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corymborkis veratrifolia* (REINW.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corypha umbraculifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coscium fenestratum* (GAERTN.) COLEB. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cosmostigma racemosa* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Costus arabicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Costus speciosus* (KOEN. EX RETZ.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotinus coggygria* SCOP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotinus racemiflora* (DESF.) C. KOCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster bacillaris* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster buxifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster microphylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster microphyllus* WALL. EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster nummularia* FISCH. & MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotula anthemoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotula aurea* Loeffl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cousinia thomsonii* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crambe cordifolia* STEVEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crassocephalum crepidioides* (BTH.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataegus laevigata* (POIR.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataegus oxyacantha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataegus songarica* KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataeva adansonii* DC. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataeva magna* (LOUR.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataeva marmelos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataeva nurvala* SENSU KANJ. & DAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataeva religiosa* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crataeva tapia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cratoxylum cochinchinense* (LOUR.) BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cratoxylum neriifolium* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cremanthodium arnicoides* DC. *GOOD trigida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cremanthodium decaisnei* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cremanthodium plantagineum* MAX. maximowiczii GOOD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cremastra appendiculata* (D.DON) MAKINO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cremastra wallichiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crepidium acuminatum* (D.DON) SZLAC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crepis flexuosa* (DC) BETH. & HK.F. EX CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crepis japonica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crescentia cujete* VELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cressa cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum amoenum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum asiaticum* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum defixum* KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum latifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum powellii* HORT. album HORT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum pratense* HERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum revolutum* HERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crinum viviparum* (LAM.) HEMADRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crocus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crossandra infundobuliformis* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crossandra undulaefolia* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria albida* HEYNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria anagyroides* H.B. & K. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria angulosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria benghalensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria bialata* SCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria biflora* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria burhia* BUCH-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria calycina* SHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria juncea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria laburnifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria linifolia* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria medicaginea* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria mucronata* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria mysorensis* ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria pallida* DRY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria paniculata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria prostrata* ROTTL. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria pulchra* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria quinquefolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria ramosissima* ROXB. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria saltiana* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria sericea* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria spectabilis* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria striata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria trifolium* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria verrucosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton argyratus* BL. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton aromaticus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton bonplandianum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton caudatus* GEISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton joufra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton malabaricus* BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton oblongifolius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton plicatum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton polyandrum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton reticulatus* HEYNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton roxburghii* BALAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton sebiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton sparsiflorus* MORONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton tiglium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Croton zeylanicus* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocarya wightiana* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptocoryne spiralis* FISCH. EX WYDLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptolepis buchananii* ROEMER & SCHULTES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptolepis elegans* WALL. EX G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptolepis grandiflora* WIGHT and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cryptostegia grandiflora* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ctenolepis cerasiformis* NAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ctenolepis garcinii* BENTH. & HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cubeba officinalis* RAFIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucubalus baccifer* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis acutangulus* DESCOURT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis agrestis* NAUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis anguinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis callosus* (ROTTL.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis colocynthis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis hardwickii* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis lagenarius* DUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis madraspatanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis melo* L. *momordica* DUTHIE & FULLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis melo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis momordica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis myriocarpus* NAUD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis prophetarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis pseudo-colocynthis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis pubescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis trigonus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis utilisissimus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucurbita citrullus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucurbita lagenaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucurbita maxima* DUCHESNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucurbita pepo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cudrania javanensis* TREC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cullenia exarillata* ROBYNS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuminum cyminum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cupressus sempervirens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curanga amara* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curanga fel-terrae* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curculigo capitulata* (LOUR) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curculigo crassifolia* GEARTN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curculigo orchioidea* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curculigo recurvata* DRYAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma amada* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma aromatica* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma caesia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma domestica* (MEDIK) VALH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma inodora* BLAT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma leucorhiza* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma montana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma pseudomontana* GRAHAM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma rubescens* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma zedoaria* (CHRIST.) ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Curcuma zerumbet* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta capitata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta chinensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta europaea* BOVE & ENGELM. indica ENGELM.

NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta hyalina* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuscuta reflexa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyamopsis psoralioides* (LAM). DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyamopsis tetragonoloba* (L.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyamopsis tetragonolobus* (L.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis axillaris* (L.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis concanensis* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis cristata* (L.) DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathea albo-setacea* (BEDD.) COPEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathea spinulosa* WALL. EX HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathocline purpurea* (DON) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathostemma micranthum* J.SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathula prostrata* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathula tomentosa* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathus limbatus* TULSANE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathus stercoreus* (SCHW.) NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cycas beddomei* DYER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cycas circinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cycas revoluta* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cycas rumphii* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclamen europaeum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclamen persicum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclea arnotii* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclea bicristata* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclea burmanni* (DC.) HOOK.F. TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclea fissicalyx* DUNN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclosorus dentatus* (FORSK.) CHING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclosorus gongylodes* (SCH.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclosorus parasiticus* (L.) FOREWELL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cydonia oblonga* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cydonia vulgaris* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cylista scariosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbalaria muralis* G.M. SCHREB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbidium aloifolium* (L.) SW. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbidium aloifolium* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbidium grandiflorum* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbidium hookerianum* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbidium pendulum* (ROXB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon caesius* STAPH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon citratus* (DC.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon coloratus* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon flexuosus* WATS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon jwarancusa* (JONES) SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon jwarancusa* (JONES) SCHULT. olivieri (BOISS.) SOENARKO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon martini* (ROXB.) WATS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon nardus* (L.) RENDLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cymbopogon schoenanthus* (L.) SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynanchum arnottianum* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynanchum extensum* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynanchum heydei* HOOK.F.CYNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynanchum vincetoxicum* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynanthus lobatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynara scolymus* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynodon dactylon* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynodon linearis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNEM. CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynoglossum glochidiatum* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynoglossum lanceolatum* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynoglossum micranthum* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynoglossum wallichii* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynoglossum zeylanicum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynometra cauliflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynometra iripa* KOSTEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynometra mimosoides* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynometra ramiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynosurus coracanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus alopecuroides* ROTTL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus amabilis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus bulbosus* VAHL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus compactus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus compressus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus corymbosus* ROTTLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus cyperoides* (LINN.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus denticulatus* SCHRAD EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus diffusus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus distans* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus exaltatus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus haspan* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus inundatus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus iria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus jeminicus* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus juncifolius* ROTTLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus kyllingia* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus laevigatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus longus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus malaccensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus michelianus* (L.) LINK and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus pangorei* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus pedunculatus* (R.BR.) KERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus pertenus* BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus pilosus* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus platystylis* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus rohita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus rotundus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus scariosus* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus stoloniferus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus triceps* (ROTTB.) ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus tuberosus* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyperus undulatus* KUKENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyphostemma setosum* (ROXB.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtomium caryotideum* (WALL.) PRESL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtomium falcatum* (L. F.) BERNH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyrtophyllum peregrinum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cythocline purpurea* (DON.) and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cytisus scoparius* (L.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dactylis glomerata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dactyloctenium aegyptium* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dactyloctenium indicum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dactylorhiza hatagirea* (DON.) SOO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daedalacanthus roseus* T. ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daemia cordata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daemia extensa* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daemonorops draco* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dahlia rosea* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia arborea* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia candenatensis* (DENNST.) PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia emarginata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia horrida* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia lanceolaria* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia oogeinensis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia pinnata* PRAIN and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia sissoo* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia stipulacea* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia sympathetica* NIMMO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia tamarindifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia volubilis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalechampia indica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalhousiea bracteata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daphne cannabina* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daphne oleo* SCHRAB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daphne oleoides* SCHREB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daphne papyracea* WILLD. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daphniphyllum himalayense* MUELL.- ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daphniphyllum neilgherrense* ROSENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datisca cannabina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura alba* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura fastuosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura innoxia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura metel* L. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura metel* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura nilhummatu* DUN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura stramonium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Datura tatula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daucus carota* L. sativa DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daucus carota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Davallia tenuifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Davallia trichomanoides* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Decalepis hamiltonii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Decaspermum fruticosum* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Deeringia amaranthoides* (LAMK.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delima scandens* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delonix elata* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delonix regia* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphaenium denudatum* WALL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium altissimum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium bruonianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium caeruleum* JACQ. EX CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium cashmirianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium glaciale* HOOK.F. & THOMSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium kashmirianum* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium kohatense* (BRUHL.) MUNZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium paciflorum* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium roylei* MUNZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium saniculifolium* AUCTION NON BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium speciosum* JANKA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium vestitum* WALL. EX ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium viscosum* HK. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium zalil* AITCH & HEMSL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium aduncum* LINDL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium aggregatum* - JENKINSII K. & P. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium amoenum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium chrysanthum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium coerulescens* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium crumenatum* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium crumentum* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium densiflorum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium jenkinsii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium macraei* AUCTION LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium moschatum* (BUCH.-HAM.) SW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium nobile* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium ovatum* (L.) KRAENZL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrobium paxtonii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrocalamus hamiltonii* NEES EX ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrocalamus strictus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrocnide sinuata* (BL.) CHEW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe elastica* (DESR.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe falcata* (L.F) ETTING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dendrophthoe pentandra* (L.) MIQ. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dentella repens* (L.) J.R. & G. FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris elliptica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris ferruginea* (ROXB.) BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris indica* (LAM.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris malaccensis* PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris robusta* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris scandens* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris trifoliata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris uliginosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Descurainia sophia* (L.) WEBB. EX PRANTL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmanthus cinereus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmanthus virgatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmochaeta atropurpurea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium biarticulatum* (L.) F.V.MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium dichotomum* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium elegans* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium gangeticum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium gyrans* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium gyroides* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium heterocarpon* - *strigosum* VAN MEEWUEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium heterocarpon* (LINN.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium heterophyllum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium lasiocarpum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium latifolium* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium laxiflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium microphyllum* (THUNB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium motorium* (HOUTT.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium oojeinense* (ROXB.) OHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium polycarpum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium pseudotriquetrum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium pulchellum* BENTH.EX. BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium retroflexum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium styracifolium* (OSB.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium tiliaefolium* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium triangulare* (RETZ.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium triflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium triquetrum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium umbellatum* (L.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium velutinum* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmos chinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmos cochinchinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmos dumosa* (ROXB.) SAFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmos longiflorus* (ROXB.) SAFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmostachya bipinnata* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmotrichum fimbriatum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Deutzia scabra* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dianthus anatolicus* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dianthus caryophyllus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dianthus chinensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicaelospermum ritchiei* Cl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicentra chrysantha* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicentra thalictrifolia* HF.& T. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichanthium caricosum* (L.) A. CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichanthium pertusum* CLYTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichopsis ellipticum* BENTH & HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichroa febrifuga* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrocephala integrifolia* (L.F.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrocephala latifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrostachys cinerea* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicliptera bupleuroides* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicliptera cuneata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicliptera micranthus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicliptera roxburghiana* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicoma tomentosa* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicranopteris linearis* (BURM.F.) UNDERW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dictamnus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus aromaticus* WALL. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Didymocarpus pedicellata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dieffenbachia seguine* (L.) SCHOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dienia muscifera* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digera arvensis* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digera muricata* (L.) MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitalis lanata* EHRH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Digitalis purpurea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia aurea* SIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia bracteata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia pentagyna* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimocarpus longan* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimorphocalyx glabellus* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dinebra arabica* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dinebra retroflexa* (VAHL) PANZER retroflexa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dinochloa Kalammanica* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dionysia diapiensiaefolia* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea belophylla* VOIGT EX HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea bulbifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea composita* HEMSLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea crispata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea daemona* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea deltoidea* WALL. EX KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea esculanta* (LOUR.) BURKILL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea glabra* AUCT. NON ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea globosa* ROXB. ET. PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea hamiltonii* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea hirsuta* DENNST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea hispida* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea prazeri* PRAIN & BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea puber* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea purpurea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea rubella* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea sativa* AUCTION. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea tomentosa* KOEN. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea triphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dioscorea wallichii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros bourdillonii* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros buxifolia* (BLUME) HIERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros candolleana* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros chloroxylon* ROXB. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros cordifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros ebum* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros embryopteris* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros exsculpta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros ferrea* (WILLD.) BATCH. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros glutinosa* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros insignis* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros kaki* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros lancaefolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros lotus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros malabarica* (DESR.) KOSTEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros melanoxylon* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros montana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros oocarpa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros paniculata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros peregrina* (GAERTN.) GURKE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros quaesita* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros racemosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros sylvatica* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* WEBB & BERTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* (RETZ.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* BEDD. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* (BL.) DIELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* palmatus (L.) JAFFREY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* butyraceae (ROXB.) H.J. LAMK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diospyros tomentosa* singularis KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diplospora sphaerocarpa* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipsacus fullonum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipsacus inermis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipsacus mitis* D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipteracanthus patulus* (JACQ.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipteracanthus prostratus* (POIR.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus alatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus bourdillonii* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus gracilis* BL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus indicus* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus laevis* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus pilosus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus tuberculatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus turbinatus* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dischidia rafflesiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Disporum cantoniense* (LOUR.)MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Distemon indicum* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dittelasma raraka* (DC.) HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dodonaea angustifolia* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dodonaea burmanniana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dodonaea viscosa* (L.) JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichandrone arcuata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichandrone falcata* SEEMANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichandrone spathacea* (L.F.) K. SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichandrone stipulata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos biflorus* SENSU AUCT. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos bulbosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos catiang* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos catjang* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos cylindricus* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos falcatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos gladiatus* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos lablab* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos lablab* L. *typicus* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos pruriens* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos trilobus* (L.) AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos uniflorus* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolomaea macrocephala* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dombeya cayeuxii* HORT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Donax connaeformis* (FORST.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dopatrium junceum* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dopatrium lobelioides* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dopatrium nudicaule* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dorema ammoniacum* D.DON and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dorema aureum* STOCKS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Doronicum falconeri* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Doronicum hookeri* C.B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Doronicum pardalianches* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Doronicum roylei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dorstenia indica* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dosma bracteatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Douepia tortuosa* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Draba muralis* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Draba setosa* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracaena angustifolia* (MEDIC.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracaena cinnabari* BALF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracaena petiolata* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracaena terminalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracaena terniflora* ROXB. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracocephalum heterophyllum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracocephalum moldavica* LINN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracocephalum royleanum* ROYLE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracocephalum stamineum* KAR. & KIR. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dracontium polyphyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drimys indica* (ROXB.) J.P. JESSOP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drimys winteri* FORST. CHAR. GEN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drosera burmannii* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drosera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drosera lunata* HAM. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drosera peltata* SM.WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drymaria cordata* (L.) WILLD. EX R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drymaria cordata* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drymaria diandra* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drymoglossum carnosum* (WALL.)SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drynaria quercifolia* (L.) J.SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryobalanops aromatica* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris barbigera* (MOORE) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris cochleata* (DON) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris filix-mas* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris marginata* (WALL.) CHR. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris sparsa* (DON) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris macrophylla* (BLUME) PAX & HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris roxburghii* (WALL.) HURUSAWA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dryopteris zeylanica* (MUELL.-ARG.) HURUSAWA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Duboisia myoporoides* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Duchesnea indica* (ANDR.) FOCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Duranta repens* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Durio zibethinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dyschoriste madurensis* (BURM.F.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysophylla auricularia* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysophylla rugosa* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysophylla stelata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysophylla stellata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysoxylum binectariferum* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysoxylum hamiltonii* HIERN and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysoxylum malabaricum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysoxylum procerum* HIERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ebermaiera glutinosa* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ecbolium linneanum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ecbolium viride* (FORSK.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ecbolium virids* (FORSSK.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echeveria glauca* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinacea angustifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa colona* LINK. frumentacea BLATTER & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa crusgalli* (L.) P. BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa frumentacea* LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinops cornigerous* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echinops echinatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Echites dichotoma* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eclipta alba* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eclipta erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eclipta parviflora* WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eclipta prostrata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Edgeworthia tomentosa* NAKAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Edwardsia griffithii* (STOCKS) PHILIP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia acuminata* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia aspera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia buxifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia canarensis* MIQ. EX CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia laevis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia laevis* ROXB. pubescens and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia microphylla* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ehretia obtusifolia* HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eichhornia crassipes* SOLMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Codariocalyx motorius* (Houtt.) H. Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria acicularis* Buch.-Ham. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria agatiflora* Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria alata* Buch.-Ham & Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria albida* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria anagyroides* H.B.K. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria angulata* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria barbata* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria berteriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria bidiei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria bifaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria bourneae* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria calycina* Schrank and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria candicans* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria clarkei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria clavata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria conferta* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria digitata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria dubia* Graham ex benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria epunctata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria formosa* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria fysonii* Dunn var. *fysonii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria fysonii* Dunn var. *glabra* Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria globosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria grahamiana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria hebecarpa* (DC.) Rudd and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria heyneana* Graham ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria hirta* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria humifusa* Graham ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria juncea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria laburnifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria laevigata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria beddomeana* Thoth. & A. A. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria spectabilis* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria linifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria longipes* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria lunulata* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria madurensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria medicaginea* Lam. var. *medicaginea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria multiflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria mysorensis* Roth. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria nana* Burn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria notonii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria orixensis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria ovalifolia* Wall. ex Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria pallida* Dryand. var. *pallida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria pallida* Dryand. var. *obovata* (G. Don) Polhill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria paniculata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria peduncularis* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria priestleyoides* Benth ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria prostrata* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria pulchra* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria pusilla* Neyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria quinquefolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria ramosissima* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria rigida* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria salicifolia* Heyne ex Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria scabra* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria scabrella* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria semperflorens* Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria shevaroyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria speciosa* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria subperfoliata* Wight ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria tecta* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria trifoliatum* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria triquetra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria umbellata* Wight ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria verrucosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria wightiana* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyamopsis tetragonoloba* (L.) Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cytisus canariensis* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cytisus hirsutus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cytisus monspessulanus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cytisus multiflorus* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cytisus proliferus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cytisus scoparius* (L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cytisus supinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia congesta* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia coromandeliana* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia gardneriana* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia horrida* (Dennst.) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia lanceolaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia latifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia malabarica* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia melanoxylon* Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia pseudo-siso* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia rubiginosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia sissooides* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia sissoo* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia spinosa* Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia tinneveli* Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dalbergia volubilis* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris benthamii* (Thw.) Thw. var. *benthamii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris brevipes* (Benth) Baker var. *brevipes* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris canarensis* (Dalz.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris scandens* (Roxb.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris thothathrii* Bennett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Derris trifoliata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium alysicarpoides* Van Meeuwen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium dichotomum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium dolabriforme* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium gangeticum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van

Meeuwen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium heterophyllum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium laxiflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium laxum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium microphyllum* (Thunb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium oojeinense* (Roxb) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium pryonii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium pulchellum* (L.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium repandum* (Vahl) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium styracifolium* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium tortuosum* (Sw.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium triangulare* (Retz.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium triflorum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium triquetrum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium velutinum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmodium zonatum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicerma biarticulatum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dolichos trilobus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dumasia villosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dunbaria ferruginea* Wight & Arn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dunbaria heynei* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleiotis monophylla* (Burm.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina crista-galli* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina stricta* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina suberosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina subumbrans* (Hassk.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia grahamiana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia lineata* (L.) Roxb. Ex Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia macrophylla* (Willd.) Prain ex Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia Semialata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia stricta* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia strobilifera* (L.) R. Br. ex Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia tuberosa* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia wallichii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia wightiana* Grahams ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galactia longifolia* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida*

Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geissaspis cristata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycine max* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hardenbergia comptoniana* (Link) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera aspalathoides* Vahl ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera astragalina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera caerulea* Roxb. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera cassioides* Rottl. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera colutea* (Buem. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera constricta* (Thwaites) Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera cordifolia* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera glandulosa* Roxb. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera hochstetteri* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera karnatakana* Sanjappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera karuppiana* Pallithanam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera linifolia* (L.f.) Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera linnaei* Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera longiracemosa* Boiv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera mysorensis* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera nummularifolia* (L.) Skina ex Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera oblongifolia* Forsk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera parviflora* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera pedicellata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera prostrata* Willd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera spicata* Forsk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera stachyodes* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera tinctoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera tirunelvelica* Sanjappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera trita* L.f. var. *trita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera trita* L. f. var. *maffei* (Chiov.) Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera uniflora* Buch. - Ham. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera vicioides* Jaub. & Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera wightii* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera zollingeriana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lablab purpureus* (L.) Sweet var. *purpureus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laburnum anagyroides* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus aphaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus latifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus odoratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus sativus* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lens culinaris* Medicus and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptodesmia congesta* (Wight) Benth. ex Baker and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lespedeza cuneata* (Dum. Cours.) G. Don and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonchocarpus violaceus* Oskin and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lupinus angustifolius* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lupinus luteus* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lupinus pilosus* Murray and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macroptilium atropurpureum* (DC.) Urban and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macroptilium lathyroides* (L) Urban var. *semierectum* (L.) Urban and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrotyloma ciliatum* (Willd.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrotyloma uniflorum* (Lam.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Medicago sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melilotus alba* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia racemosa* (Wight & Arn.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia rubiginosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia splendens* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna atropurpurea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna gigantea* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna monosperma* DC. ex Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna pruriens* (L.) DC. var. *pruriens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mundulea sericea* (Willd.) A. Cheval and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ormocarpum cochinchinense* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ormosia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ougeinia oojeinensis* (Roxb.) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paracalyx scariosa* (Roxb.) Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parochetus communis* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus coccineus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus lunatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllodium pulchellum* (L.) Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pongamia pinnata* (L.) Pierre and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudarthria viscida* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psophocarpus tetragonolobus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psoralea corylifolia* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psoralea pinnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterocarpus marsupium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterocarpus santalinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pueraria triloba* (Lour.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pueraria tuberosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycnospora lutescens* (Poir.) Schind. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia albiflora* (Sims) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia aurea* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia cana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia capitata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia densiflora* (Roth) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia filipes* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia heynei* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia jacobii* Chandrabose & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia minima* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia nummularia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia rothii* Benth ex Aitch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia rufescens* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia suaveolens* (L.f.) DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia velutina* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia viscosa* (Roth) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Robinia pseudo-acacia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rothia indica* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania bispinosa* (Jacq.) W. F. Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania grandiflora* (L.) Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania procumbens* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania sesban* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania speciosa* Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Shuteria involucrata* (Wall.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia bigemina* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia capitata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia conferta* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia gracilis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia hirsuta* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia sensitiva* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia setulosa* Dalz. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sophora glauca* Lesh.ex DC. Ann. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sophora interrupta* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sophora wightii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spartium junceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stylosanthes fruticosa* (Retz.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stylosanthes sunaica* Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia barberi* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia calophylla* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia candida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia canarensis* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia fusca* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia hookeriana* Wight & Arn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia maxima* Pres. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia pumila* (Lam.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia purpurea* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia spinosa* (L.f.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia tinctoria* Pers. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia vegellii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia villosa* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teramnus labialis* (L.F.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teramnus mollis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium alexandrium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium cernuum* Brot. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium dubium* Sibth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium incarnatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium subterraneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella foenum-graecum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ulex europaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria alopecuroides* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria lagopodioides* (L.) Desv. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria rufescens* (DC.) Schind. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicia faba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicia hirsuta* (L.) S. F. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicia sativa* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicia villosa* Roth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna aconitifolia* (Jacq.) Marechal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna bourneae* Ganble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna dalzelliana* (Kuntze) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna grahamiana* (Wight & Arn.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna hosei* (Craib) Backer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna khKalamlensis* (Sant.) Ragh. & Wadhwa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna mungo* (L.) Hepper and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna radiata* (L.) Wilczek var. *radiata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna subramaniana* (Raizada) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna trilobata* (L.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna vexillata* (L.) A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna wightii* Benth. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Virgilia oroboides* (Berg.) Salter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wisteria sinensis* (Sims) Sweet. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zornia diphylla* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zornia gibbosa* Span. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrocarpus fraxinifolius* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amherstia nobilis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia acuminata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia malabarica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia phoenicea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia racemosa* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia vahlii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bauhinia variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brownea grandiceps* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brownea macrophylla* Linden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia bonduc* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia coriaria* (Jacq.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia cucullata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia decapetala* (Roth) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia mimosoides* Lam. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia pulcherrima* (L.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Caesalpinia sappan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia grandis* L. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia javanica* L. var. *javanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia montana* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia siamea* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassia spectabilis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceratonia siliqua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaecrista absus* (L.) H. Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaecrista auricoma* (Graham ex Benth.) Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaecrista lechenaultiana* (DC.) O. Deg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaecrista mimosoides* (L.) Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaecrista nigricans* (Vahl) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chamaecrista pumilla* (Lam.) K. Larsen and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynometra cauliflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cynometra travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delonix elata* (L.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delonix regia* (Boj. ex Hook) Rafin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hardwickia binata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Humboldtia bourdillonii* Prian and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Humboldtia brunonis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Humboldtia decurrense* Bedd. ex Oskin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Humboldtia unijuga* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Humboldtia vahliana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parkinsonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peltophorum africanum* Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peltophorum pterocarpum* (DC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saraca asoca* (Roxb.) Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saraca thaipingensis* Cantley ex. Prain. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schizolobium parahybum* (Vell.) S. F. Blake and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna alata* (L.) Roxb. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna alexandrina* Gars. ex Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna auriculata* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna didymobotrya* (Fresn.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna hirsuta* (L.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna intermedia* (Sharma et al.) Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna italica* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna occidentalis* (L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna pallida* (Wall) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna septumtrionalis* (Viv.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna sophora* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna surattensis* (Burm.f) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna timoriensis* (DC.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna tora* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarindus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia armata* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia auriculiformis* A. Cunn ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia baileyana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia caesia* (L.) Willd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia catechu* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia chundra* (Roxb. ex Rottl.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia confusa* Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia cultriformis* A. Cunn. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia concurrens* Pedley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia dealbata* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia decora* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia decurrens* (Wendl.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia eburnea* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia elata* Cunn. Ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia farnesiana* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia ferruginea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia grahamii* Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia hohenackeri* Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia homalophylla* A. Cunn. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia holosericea* A.Cunn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia horrida* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia leucophloea* (Roxb.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia longifolia* Willd. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia maidenii* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia mearnsii* Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia melanoxylon* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia myrtifolia* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia neriifolia* A. Cunn. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia pennata* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia planifrons* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia podalyriifolia* A. Cunn ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia polyacantha* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia pruinescens* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia pruinosa* A. Cunn ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia pulchella* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia pycnantha* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia retinodes* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia saligna* (Labill.) H. L. Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia sinuata* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia tomentosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia torta* (Roxb.) Craib and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia verticillata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acacia wightii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenantha pavonina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia amara* (Roxb.) Boivin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia chinensis* (Osbeck.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia lathamii* Hole and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia lebbeck* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia procera* (Roxb.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia Kalamn* (Jacq.) F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Albizia thompsonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Archidendron clypearia* (Jack) Nilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Archidendron monadelphum* (Roxb.)Nielsen var. *gracile* (Bedd.) Sanj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calliandra brevipes* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calliandra calothyrsus* Meisn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calliandra haematocephala* Hassk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calliandra inmeris* (L.) Druce and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cathormion umbellatum* (Wall) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmanthus virgatus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrostachys cinerea* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrostachys muelleri* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichrostachys santapau* Sebastine & Raman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Entada pursaetha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enterolobium cyclocarpum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haematoxylum campechianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucaena leucocephala* (L.) Gills and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa intsia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa hamata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa pudica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neptunia prostrata* (Lam.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neptunia plena* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neptunia triquetra* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paraserianthes falcata* (L.) I.C. Nielsen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parkia biglandulosa* Wight Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium dulce* (Roxb.) Benth. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prosopis cineraria* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prosopis juliflora* (Sw.) Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alchemilla indica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chaenomeles speciosa* (Sweet) Nakai and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster bacillaris* Wall ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster buxifolia* Wall ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster microphyllus* Wall ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cotoneaster transens* G. Klotz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriobotrya japonica* (Thunb.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fragaria chiloensis* (L.) Duchesne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fragaria nilgerrensis* Schlecht. ex Gay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fragaria vesca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kerria japonica* (L.) Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malus baccata* (L.) Borkh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malus sylvestris* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla indica* (Andr.) Wolf and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla leschenaultiana* Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla sundaica* (blume) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prinsepia utilis* Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus armeniaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus avium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus cerasoides* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus ceylanica* (Wight) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus domestica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus laurocerasus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus persica* (L.) Batsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus salicina* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus serrulata* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quillaja saponaria* Molina and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa banksiae* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa brunonii* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa x centifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa x damascena* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa gigantea* Collett ex Crop. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa laevigata* Michx. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa multiflora* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus ellipticus* Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus fairholmianus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus glomeratus* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus idaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus indicus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus micropetalus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus niveus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus racemosus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus rugosus* Smith var. *rugosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus rugosus* Smith var. *thwaitesii* Focke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea canescens* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea cantoniensis* Lour. var. *cantoniensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea japonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea nipponica* Maxim. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atuna indica* (Bedd.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atuna travancorica* (Bedd.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysobalanus icaco* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saxifraga stolonifera* Meerb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vahlia dichotoma* (Murr.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vahlia digyna* (Retz.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parnassia mysorensis* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parnassia wightiana* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Deutzia scabra* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrangea macrophylla* (Thunb.) Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Philadelphus coronarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Escallonia montevidensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeonium arboreum* (L.) Webb & Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crassula multicava* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crassula quadrifida* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe bhidei* Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe olivacea* Dalz. & Gibs. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe pinnata* (Lam.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe schweinfurthii* Penzig and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe tubiflora* Hamet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rochea coccinea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum mexicanum* Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tillaea pentandra* Royle ex Edgew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drosera burmannii* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drosera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drosera peltata* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liquidambar styraciflua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laurembergia coccinea* (Blume) Kan. var. *coccinea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callitriche stagnalis* Scop. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bruguiera cylindrica* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bruguiera gymnorrhiza* (L.) Savigny and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carallia brachiata* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassipourea ceylanica* (Gard.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerriops decandra* (Griff.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerriops tagal* (Perr.) Robins and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kandelia candel* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhizophora x annamalayana* Kathir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhizophora apiculata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhizophora mucronata* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calycopteris floribunda* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum albidum* G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum coccineum* (Sonner.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Combretum nanum* Willd. Buch. - Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lumnitzera racemosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quisqualis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quisqualis malabarica* Bedd. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia bellirica* (Gaertn.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia catappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia chebula* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia cuneata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia elliptica* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia gella* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia pallida* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia paniculata* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia travancorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acca sellowiana* (Berg) Burret and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agonis flexuosa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angophora costata* (Gaertn.) Britt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angophora intermedia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angophora lanceolata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Angophora subvelutina* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Baeckea virgata* (Forst.) Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callistemon brachyandrus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callistemon citrinus* (Curtis) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callistemon polandii* Bailey and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callistemon rigidus* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callistemon salignus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callistemon viminalis* (Gaertn.) Don ex Loudon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus alpina* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus amygdalina* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus blakelyi* Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus bosistoana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus botryoides* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus bridgesiana* R. T. Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus calophylla* R. Br. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus camaldulensis* Dehnh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus cephalocarpa* Blakely and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus citriodora* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus cladocalyx* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus crebra* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus cypellocarpa* L.A.S. Johnson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus elata* Dehnh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus diversicolor* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus eugenioides* Sieb. ex Spreng. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus ficifolia* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus globulus* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus grandis* W.Hill ex Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus hemiphloia* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus leucadendron* Reinz. ex DeVriese and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus leucoxydon* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus longifolia* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus macarthurii* Deane & Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus maculata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus megacornuta* C. A. Gardener and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus microcorys* F. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus melliodora* A. Cunn ex Schau. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus nitida* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus nova-anglica* Deane & Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus obliqua* L. Her. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus ovata* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus paniculata* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus pauciflora* Sieb ex Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus pipertia* Sm. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus polyanthemos* Schau. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus ptychocarpa* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus punctata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus radiata* Sieb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus regnans* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus resinifera* Sm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus robusta* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus saligna* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus siderophloia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus tereticornis* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus torelliana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus viminalis* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia bracteata* (Willd.) Roxb ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia calcadensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia continifolia* Jacq.subsp. *codyensis* (Munro ex Wight) Ashton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia discifera* Gamble and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia floccosa* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia indica* (Wight) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia mabaeoides* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia manickamia* Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia rottleriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia singampattiana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia thwaitesii* Duthie and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia uniflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptospermum flavescens* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptospermum scoparium* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptospermum stellatum* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lophostemon confertus* (R.Br.) Peter G.Wilson & J.T.Waterh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca armillaris* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca hypericifolia* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca leucadendron* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca nesophylla* F.v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca quinquenervia* S. T. Blake and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca styphelioides* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrtus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimenta dioica* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psidium cattleianum* Sabine and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psidium guajava* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhodomyrtus tomentosa* (Ait.) Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syncarpia glomerulifera* (Sm.) Nied. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syncarpia laurifolia* Tenore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium alternifolium* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium aqueum* (Burm. F.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium aromaticum* (L.) Merr. & Perry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium beddomei* (Duthie) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium benthamianum* (Wight ex Duthie) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium calophyllifolium* Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium caryophyllatum* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium chandrasekharanii* Chandrabose & Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium courtallense* (Gamble) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium cumini* (L.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium densiflorum* Wall ex. Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium fergusonii* (Trimen) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium gambleanum* Rathakr. & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium gardneri* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium hemisphericum* (Wight) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium jambos* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium laetum* (Buch. - Ham.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium lanceolatum* (Lam.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium malabaricum* (Bedd.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium malaccensis* (L.) Merr. & Perry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium megacarpum* (Craib) Rathakr. & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium mundagam* (Bourd.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium munronii* (Wight) Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium rama - varmae* (Bourd.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium revolutum* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium rubicundum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium scoparium* Wallich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium spathulatum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium sriganesanii* Ravikumar & Lakshmanan and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium tamilnadensis* Rathakr. & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium venosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Couroupita guianensis* Aubl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gustavia superba* Berg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barringtonia acutangula* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barringtonia asiatica* (L.) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barringtonia racemosa* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Careya arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Medinilla beddomei* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Medinilla fuchsioides* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Medinilla malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melastoma malabathricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon angustifolium* Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon bremeri* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon depressum* Benth ex Triana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon edule* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon flavescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon gracile* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon gracillimum* Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon grande* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon heyneanum* Benth ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon kollimalayana* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon leucanthemum* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon lushingtonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon molestum* (Clarke) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon randerianum* S.M. & M.R. Almeida and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon rivulare* Bremer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon rostratum* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon sisparens* Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon subcordatum* Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon subramanii* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon talbotianum* Brandis & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon umbellatum* Burm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon variens* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia aspera* (L.) Blume var. *aspera* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia brachystemon* Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia buxifolia* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia gracilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia leschenaultiana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia muralis* Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia reticulata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia rubicunda* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia parvifolia* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D.

Don) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia tirunelvelica* Manickam & Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia virgata* D. Don ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia wynaadensis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia zeylanica* L f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila brunonis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila clarkei* Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila devicolamensis* Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila elegans* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila grandiflora* R. Br. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila inaequalis* Murugan et Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila kanyakumariana* Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila parameswaranii* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila pulneyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila rotundifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila sadasivanii* Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila speciosa* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila tenera* Royle and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila tinneveli* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila versicolor* Wight var. *versicolor* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila wallichii* Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila zeylanica* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tibouchina urvilleana* (DC.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammania baccifera* L. subsp. *baccifera* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammania multiflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ammania octandra* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuphea hyssopifolia* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuphea ignea* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuphea platycentra* Lemaire and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia microcarpa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia reginae* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lawsonia inermis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nesaea brevipes* Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pemphis acidula* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala fimbriata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala illecebroides* (Arn. ex Clarke) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala indica* (Willd.) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala macrKalam* Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala rosea* (Roiret.) C. Cook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala verticillaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonneratia apetala* Buch. -Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Punica granatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuchsia arborescens* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuchsia boliviana* Carr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fuchsia magellanica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia adscendens* (L.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia hyssopifolia* (G. Don) Exell and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia perennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia peruviana* (L.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia prostrata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenothera biennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenothera glazioviana* Mich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenothera nocturna* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenothera odorata* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenothera rosea* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenothera stricta* Ledeb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenothera tetraptera* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turnera subulata* Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turnera ulmifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenia hondala* (Gaertn.) Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora alba* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora antioquiensis* Karsten and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora caerulea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora edulis* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora holoserica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora laurifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora ligularis* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora mollissima* (H. B. K.) Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora quadrangularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora suberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora subpeltata* Ortega and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carica papaya* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Benincasa hispida* (Thunb.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrullus colocynthis* (L.) Schrader and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coccinia grandis* (L.) Voigt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ctenolepis garcinii* (Burm.f.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis melo* L. var. *melo* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis melo* L. var. *utilissimus* (Roxb.) and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis prophetarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucumis trigonus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucurbita maxima* Duchesne ex Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cucurbita pepo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diplocyclos palmatus* (L.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnopetalum wightii* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynostemma pentaphyllum* (Thunb.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kedrostis courtallensis* (Arn.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kedrostis foetidissima* (Jacq.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagenaria siceraria* (Molina) Standley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa acutangula* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa cylindrica* (L.) M.Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica charantia* L. var. *charantia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica cymbalaria* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica dioica* Roxb. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica subangulata* Blume and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mukia leiosperma* (Wight & Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mukia maderaspatana* (L.) M. Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sechium edule* (Jacq.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solena amplexicaulis* (Lam.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solena angulata* (Chakravarty) Babu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes anaimalaiensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes cucumerina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes lobata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes nervifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes tricuspidata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria maysorensis* (Wight & Arn.) Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria scabra* (L.f.) Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria thwaitesii* (Schweinf.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia albo-coccinea* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia aliciae* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia anamalayana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia cordifolia* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia floccifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia integrifolia* Dalz. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia malabarica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Begonia subpeltata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrameles nudiflora* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cereus pterogonus* Lem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cylindropuntia ramosissima* (Engler) Knuth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epiphyllum oxypetalum* (DC.) Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hylocereus undatus* (Haw.) Britton & Rosc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nopalea cochenillifera* (L.) Salm-Dyck and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia elatior* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia ficus - indica* (L.) Miller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia vulgaris* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pereskia aculeata* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lampranthus spectabilis* (Haw.) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesuvium portulacastrum* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema portulacastrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema triquetra* Rottl. var. *triquetra* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema salsoloides* Oliv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zaleya decandra* (L.) Burm.f. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corbichonia decumbens* (Forsk.) Exell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gisekia pharnaceoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glinus lotoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glinus oppositifolius* (L.) A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo cerviana* (L.) Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo disticha* Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo nudicaulis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo stricta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anethum graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apium graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum distichophyllum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum plantaginifolium* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum wightii* Mukh. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carum nothum* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centella asiatica* (L.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coriandrum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cuminum cyminum* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Daucus carota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Foeniculum vulgare* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum aquilegifolium* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum candolleianum* (Wight & Arn.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum ceylanicum* Gard. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum courtallense* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum hookerianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum rigens* Wall ex DC. var. *rigens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum sprenkelianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocotyle conferta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocotyle javanica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocotyle sibthorpioides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pastinaca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peucedanum anamallayense* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella candolleana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella heyneana* (Wall ex DC.) Kurz and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella pulneyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella wallichiana* (Miq.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sanicula elata* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachyspermum ammi* (L.) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachyspermum roxburghianum* (DC.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vanasushava pedata* (Wight) Mukh. & Constance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aralia malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedera australiana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedera helix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyscias acuminata* (Wight) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyscias fruticosa* (L.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentapanax leschenaultii* (DC.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera capitata* (Wight & Arn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera clarkiana* Craib. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera maduraiensis* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera racemosa* (Wight) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera rostrata* (Wight) Harms var. *rostrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke)

Mahesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera roxburghii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera stellata* (Gaertn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera venulosa* (Wgith & Arn.) Harms var. *venulosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera venulosa* (Wgith & Arn.) Harms var. *obliquinervia* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera wallichiana* (Wight & Arn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrapanax papyrifer* (Hook.) Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cornus capitata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diervilla florida* Sieb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera caprifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera etrusca* Santi. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera leschenaultii* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera ligustrina* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera periclymenum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera sempervirens* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum cylindricum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum erubescens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum hebanthum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum punctatum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sambucus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acranthera anamallica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acranthera grandiflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aidia gardneri* (Thw.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostemma courtallense* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Agrostemma verticillatum* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Benkara malabarica* (Lam.) Tirvengadum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium angustifolium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium ficiforme* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium neilgherrense* Wight var. *neilgherrense* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium coromandelicum* (Burm. F.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canthium travancoricum* (Bedd.) Hook.f. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catesbaea spinosa* Linn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Catunaregam spinosa* (Thunb.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceriscoides turgida* (Roxb.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxyloides* (Wall.) Deb & Krishna and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona calisaya* Wedd. var. *calisaya* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cinchona succirubra* Pav. ex Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coffea arabica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coffea canephora* Pierre ex A. Froehner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coffea travancorensis* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dentella repens* (L.) Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dentella serpyllifolia* Wall. ex Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fergusonia tetracocca* (Thw.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium asperifolium* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium rotundifolium* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia angusta* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia gummifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia latifolia* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia resinifera* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geophila repens* (L.) I.M. Johnston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guettarda speciosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haldina cordifolia* (Roxb.) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hamelia patens* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis affinis* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis albo-nervia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapau* (Shetty & Vivek.) Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis aspera* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis auricularia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis barberi* (Gamble) Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis biflora* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis brachiata* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis buxifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis caerulea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis corymbosa* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis devicolamensis* Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis diffusa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis erecta* Manilal & Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis gamblei* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis gracilis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis graminifolia* L.f. var. *graminifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis herbacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis hirsutissima* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis lessertiana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis nitida* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis ovatifolia* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis pruinosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis pterita* Blume and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis puberula* (G.Don) Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis pumila* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam ,G.J. Jothi & Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis shettyi* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis sisparensis* Gage and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis leschenaultiana* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis swertioides* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis viscida* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrophylax maritima* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenodictyon obovatum* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenodictyon orixense* (Roxb.) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora brachiata* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora coccinea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora cuneifolia* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora elongata* Heyne ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora finlaysonian* Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora johnsoni* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora leucantha* Heyne ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora malabarica* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora monticola* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora nigricans* R.Br. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora notoniana* Wall. ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora pavetta* Andr. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus acuminatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus blumeanus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus capitulatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus ciliatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus cinereus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus dichotomous* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus jackianus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus oblongifolius* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus parvifolius* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus rostratus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus strigillosus* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus truncatus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus venulosus* (Wight & Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luculia grandifolia* Ghose and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luculia gratissima* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luculia pinceana* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitracarpus villosus* (Sw.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitragyna parvifolia* (Roxb.) Korth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitragyna tubulosa* (Arn.) Hav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda citrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda pubescens* J.E. Smith var. *pubescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda reticulata* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda belilla* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda frondosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda tomentosa* Wight ex Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mycetia acuminata* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis decipiens* (Hook.f.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis hutchinsonii* Deb & R. Dutta and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis nummularia* (Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis richardiana* (Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis tubulosa* (G.Don) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolamarckia cadamba* (Roxb.) Bosser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neonauclea purpurea* (Roxb.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Octotropis travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza brunonis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza eriantha* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza grandiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza hirsutula* Wight ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza incarnata* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza mungos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza pectinata* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza pykarensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza roxburghiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza rugosa* Wall. var. *prostrata* (D. Don.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza tirunelvelica* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxyceros rugulosus* (Thw.) Tirvengadum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta blKalam* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta breviflora* DC. var. *breviflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta breviflora* DC. var. *pubescens* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta brunonis* Wall. ex G. Don and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta calophylla* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta hispidula* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta hohenackeri* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta indica* L. var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta indica* L. var. *minor* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta laeta* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta oblanceolata* Bremek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta praeterita* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta tomentosa* Roxb. ex J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentas lanceolata* (Forssk.) Deflers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentas zanzibarica* (Klotzsch) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleio craterium verticillare* (Wight & Arn.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portlandia grandiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudaidia speciosa* (Bedd.) Tirv. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria anamallayana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria beddomei* Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria bisulcata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria connata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria flavida* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria fosbergii* Sohmer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria globicephala* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria johnsonii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria macrocarpa* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria nigra* (Gaertn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria octosulcata* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria sarmentosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria subintegra* (Wight & Arn.) Hook.f. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria truncata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psydrax dicoccos* Gaertn. var. *dicoccos* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psydrax ficiformis* (Hook.f.) Bridson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psydrax umbellata* (Wight) Bridson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Richardia brasiliensis* Gomes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Richardia scabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubia cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saprosma corymbosum* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saprosma foetens* (Wight) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saprosma fragrans* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saprosma glomeratum* (Gard.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce articularis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce assurgens* Ruiz et Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce hispida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce latifolia* Aubl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce mauritiana* Osea Gideon ex Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce pusilla* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce ramanii* Sivarajan & Nair and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce ocymoides* Burm.f. var. *theekkumalensis* (Sivarajan & Joseph) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tarenna alpestris* (Wight) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tarenna canarica* (Bedd.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tarenna monosperma* (Wight & Arn.) Raju. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tarenna nilagirica* (Bedd.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricalysia apiocarpa* (Dalz.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricalysia sphaerocarpa* (Dalz.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urophyllum ceylanicum* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wendlandia angustifolia* Wight ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wendlandia thyrsoides* (Schultes) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana arnottiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana hookeriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana moonii* Arn.ex Clarke and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipsacus leschenaultii* Coult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scabiosa atropurpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Achillea millefolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acroclinium roseum* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenoon indicum* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenostemma lavenia* (L.) Kuntze var. *madurense* (DC.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ageratum conyzoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ageratum houstonianum* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Amberboa ramosa* (Roxb.) Jafri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis aristata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis bournei* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis brevifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis elliptica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis lawii* (Hook.f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis leptophylla* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis marcescens* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis meeboldii* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis notoniana* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis subdecurrens* (DC.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis travancorica* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anaphalis wightiana* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arctotis venusta* Norl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argyranthemum frutescens* Sch. Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia nilagirica* (Clarke) Pamp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia pallens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artemisia sieversiana* Ehrh. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster indamellus* Grierson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster laevis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster cordifolius* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aster rotundifolius* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bidens biternata* (Lour.) Merr. & Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bidens pilosa* L. var. *pilosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bidens pilosa* L. var. *minor* (Blume) Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blainvillea acmella* (L.) Philipson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharispermum petiolare* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blepharispermum subsessile* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea alata* (D.Don) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea aurita* (L.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea barbata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea Nripatingeriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea bifoliata* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea clarkei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea eriantha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea fistulosa* (Roxb.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea lacera* (Burm.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea lanceolaria* (Roxb.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea malcolmii* (Clarke) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea membranacea* Wall. ex DC. var. *membranacea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea mollis* (D.Don) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea obliqua* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea oxyodonta* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea virens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Blumea flava* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calendula officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Callistephus chinensis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carpesium cernuum* L. var. *nilagiricum* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Carthamus tinctorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centaurea cyanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centrantherum punctatum* Cass. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centipeda minima* (L.) A. Braun & Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chromolaena odorata* (L.) King & Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum anethifolium* Brouss. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chrysanthemum coronarium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus angustifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus conferta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus hortensis* M. BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus indica* SERV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus kologa* SCHLECHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus parvifolia* WALL. EX ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus pyriformis* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeagnus umbellata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus floribundus* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus ganitrus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus lanceolatus* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus munronii* (WIGHT.) MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus oblongus* GAERTN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus serratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus tuberculatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeodendron glaucum* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeodendron roxburghii* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema lineolatum* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema platyphyllum* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatostema sessile* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elephantopus scaber* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elettaria cardamomum* MATON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elettaria cardamomum* MATON major THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elettaria cardamomum* MATON minor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elettaria cardamomum* MATON miniscula and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elettaria repens* BAILOL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleusine aegyptiaca* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleusine coracana* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleusine indica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elsholtzia blKalam* (BTH.) BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elsholtzia ciliata* (THUNB.) HYLAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elsholtzia densa* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elsholtzia pilosa* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elsholtzia polystachya* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elsholtzia strobilifera* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elytraria acaulis* (L.F.) LINDAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elytrophorus spicatus* (WILLD.) CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia ribes* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia robusta* C.B.CLARK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia subcoriacea* (CL.) MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embelia tsjeriam-cottam* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embllica officinalis* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Embryopteris glutinifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Emilia sonchifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Engelhardia polystachya* RADLK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Engelhardtia roxburghiana* WALL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Engelhardtia spicata* LESCHEN EX. BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enhydra fluctuans* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enhydra fluctuans* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eniada scandens* AUCT. NON BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enicostemma axillare* (LAM.) RAYNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enicostemma littorale* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enicostemma verticillatum* (L.) ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Entada phaseoloides* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Entada pursaetha* DC. *pursaetha* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Entada rheedii* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Entada scandens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epaltes divaricata* (L.) CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra equisetina* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra gerardiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra intermedia* SCHR. & MEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra major* HOST NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra nevadensis* WATS. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra peduncularis* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra saxatilis* STAPF sikkimensis STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra sinica* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephedra vulgaris* HOOK.F. NON A.RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epidendrum retusum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epidendrum tenuifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epilobium angustifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epilobium hirsutum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epilobium roseum* SCHREB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epilobium royleanum* HOUSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epimedium elatum* MORR. & DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Epipactis latifolia* ALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Equisetum arvense* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Equisetum debile* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Equisetum diffusum* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Equisetum ramosissimum* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis amabilis* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis ciliata* NEES. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis cynosuroides* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis gangetica* (ROXB.) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis tremula* HOCHST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eragrostis viscosa* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum bicolor* SCHRANK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum purpurascens* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eranthemum roseum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erechtites valerianaefolia* (WOLF.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eremostachys acanthocalyx* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eremostachys loasifolia* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eremostachys superba* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eremostachys vicaryi* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eremurus himalaicus* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria calamifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eria pannea* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erianthus munja* JESW. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron alpinus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron asteroides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron bellidioides* (DON) BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron bonariensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron canadensis* TENORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron multiradiatus* (DC.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erigeron sublyratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriglossum rubiginosum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriobotrya japonica* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriobotrya latifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon setaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon sexangulare* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriocaulon sieboldianum* S. & Z. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriodendron anfractuosum* BC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erioglossum rubiginosum* (ROXB.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriolaena hookeriana* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriolaena quinquelocularis* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriosema chinense* VOG. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriosema himalaicum* OHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eritrichium canum* (BTH.) KITAMURA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erodium moschatum* L'HERIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eruca sativa* GARS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eruca vesicaria* (LINN.) CAV. sativa (mill.)thell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ervatamia coronaria* (JACQ.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ervatamia dichotoma* (ROXB.) BLATTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ervatamia heyneana* T.COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ervatamia orientalis* (R.BR.) TURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ervatmia divaricata* (LINN.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erycibe paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erygium caeruleum* BEIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erygium coeruleum* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eryngium billardieri* DELAR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eryngium caeruleum* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eryngium foetidum* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erysimum altaicum* C.A. MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erysimum repandum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erysimum sisymbrioides* C.A. MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythraea roxburghii* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina arborescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina corallodendron* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina fusca* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina indica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina resupinata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina stricta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina suberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythrina variegata* L. *orientalis* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythronium indicum* ROTTL. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythralum scandens* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum coca* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum areolatum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum lucidum* MOON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum monogyneum* ROXB. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum monogynum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum monogynum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum moonii* HOCHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum retusum* BAUER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum retusum* BAUER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ethulia conyzoides* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus camaldulensis* DENST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus citriodora* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus globulus* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euchretia buxifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eucomis undulata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia aromatica* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia bracteata* (WILD.) ROXB. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia caryophyllaea* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia hemispherica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia jambolana* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia jambos* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia malaccensis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia munroii* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia occidentalis* BOURD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia operculata* SENSU DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia spicata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eugenia uniflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia Kalammanensis* REICHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia campestris* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia cullenii* (WIGHT) BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia dabia* (D.DON) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia epidendrea* (KOENIG) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia explanata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia herbacea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia nuda* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia pratensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia ramentacea* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eulophia spectabilis* (DENNST.) SURESH and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus atropurpureus* JACQ.B.P. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus crenulatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus hamiltonianus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus indicus* HEYNE EX. ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus javanicus* BL.BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus pendulus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus serratifolius* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus theophrasti* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus tingens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium adenophorum* SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium ayapana* VENT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium birmanicum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium cannabinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium glandulosum* SCH. BIP. EX BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium odoratum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium perfoliatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eupatorium triplinerve* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia acaulis* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia antiquorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia atoto* G.FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia barnhartii* CROIZAT, *EUPHORB. NULL* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia bombaiensis* SANT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia caducifolia* HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia chamaesyce* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia cognata* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia dracunculoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia granulata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia helioscopia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia hirta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia hispida* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia hypericifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia inaequilatera* SOND. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia laeta* HEVNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia lathyris* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia ligularia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia longan* STEUD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia longifolia* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia microphylla* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia milii* DESMOUL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia neriifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia nivulia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia onicophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia orbiculata* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia pilosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia pilulifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia prostrata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia pulcherrima* WILLD. EX KLOT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia resinifera* BERQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia rosea* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia rothiana* SPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia royleana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia sanguinea* HOCHST. & STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia splendens* BOI EX HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia stracheyi* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia thomsoniana* BOISS. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia thymifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia tibetica* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia tirucalli* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia tortilis* ROTTLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia trigona* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia turcomanica* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia uniflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia wallichii* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphorbia longana* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphrasia himalaica* WETTST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphrasia odontites* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphrasia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euphrasia platyphylla* PENNEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eurya acuminata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eurya japonica* AUCT. NON THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eurya nitida* KOTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euryale ferox* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euryangium sumbul* KAUFFMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eurycoma longifolia* JACK. ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evodia fraxinifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evodia lunu-ankenda* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evodia meliaefolia* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evodia roxburghiana* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evodia rutaecarpa* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evodia trichotoma* (LOUR.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evolvulus alsinoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evolvulus emarginatus* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Evolvulus nummularius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum bicolor* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum lawii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum pedunculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exacum tetragonum* ROXB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Excoecaria acerifolia* F. DIDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Excoecaria agallocha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Excoecaria crenulata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Exogonium purga* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fabiana imbricata* RUIZ & PAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagonia arabica* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagonia bruguieri* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagonia cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagonia indica* L. *schweinfurthii* HADIDI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagopyrum cymosum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagopyrum dibotrys* (DON) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagopyrum esculentum* MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagopyrum tataricum* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagraea ceilanica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagraea imperialis* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagraea obovata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagraea racemosa* JACK, ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Farsetia aegyptiaca* TURRA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Farsetia hamiltonii* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Feronia elephantum* CORREA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Feronia limonia* (L.) SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula alliacea* BOISS. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula assa-foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula foetida* REGEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula galbaniflua* BOISS. & BUHSE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula jaeschkeana* VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula narthex* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula persica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula suaveolens* AITCH. & HEMSEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula sumbul* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ferula thomsoni* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Festuca indica* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fibraurea chloroleuca* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fibraurea tinctoria* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus altissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus amplissima* SMITH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus arnottiana* (MIQ.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus asperima* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus auriculata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus bengalensis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus benjamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus callosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus carica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus cunia* HAM. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus dalhousiae* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus elastica* ROXB. EX. HORNEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus exasperata* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus fistulosa* REINW. EX BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus fulva* REINW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus gibbosa* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus glabella* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus glomerata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus heterophylla* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus hirta* VAHL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus hispida* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus infectoria* SENSU ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus lacor* BUCH.- HAM and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus lacor* BUCH.- HAM. infectoria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus lacor* BUCH.- HAM. *lambertiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus lacor* BUCH.- HAM. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus lucescens* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus microcarpa* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus mollis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus oppositifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus palmata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus religiosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus retusa* AUCT. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus ribes* REINW. EX BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus rumphii* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus scandens* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus talboti* G.KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus tinctoria* FORST. F. *parasitica* *parasitica* (WILLD.) CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus tinctoria* FORST. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus tomentosa* ROXB. EX WILLD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus tsiela* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus tsjakela* BURM .F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus virens* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ficus wightiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Filago arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis argentea* (ROTTB.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis diphylla* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis falcata* (VAHL) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis junciformis* KUNTH ENUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis miliacea* L. & VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis ovata* (BURM.F.) KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis polytrichoides* (RELZ.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fimbristylis sietiniana* KUNTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fioria vitifolia* (L.) MATTEI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Firmiana colorata* (ROXB.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fissendocarpa linifolia* (VAHL) BENNET and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fissistigma polyanthum* MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia cataphracta* ROXB. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia indica* (BURM.F.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia jangomas* (LOUR.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia ramontchi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia sapida* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flagellaria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flaveria australasica* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia bracteata* (ROXB.) WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia chappar* BUCH.-HAM. EX BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia congesta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia grahamiana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia nana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia paniculata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia procumbens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia semialata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia stricta* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia strobilifera* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia tuberosa* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fleurya interrupta* (L.) GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flickingeria fugax* (RCHB.F.) SEODEMF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flickingeria macraei* (LINDL.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flickingeria nodosa* (DALZ.) SEIDENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Floscopa scandens* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fluegea leucopyrus* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flueggea leucopyrus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flueggea microcarpa* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flueggea virosa* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Foeniculum capillaceum* GILB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Foeniculum vulgare* GAERTN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Foeniculum vulgare* GAERTN dulce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fomes officinalis* (VILL EX. FR.) LLOYD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fortunella japonica* (THUNB.) SWINGLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fragaria indica* ANDR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fragaria nilgherrensis* SCHL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Francoeria crispa* CASS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Frankenia pulverulenta* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fraxinus excelsior* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fraxinus floribunda* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fraxinus hookeri* WENZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fraxinus ornus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fritillaria cirrhosa* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fritillaria imperialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fritillaria roylei* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fucus distichus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fucus nodosus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fucus vesiculosus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fumaria indica* PUGSLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fumaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fumaria parviflora* AUCTION. NON. LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fumaria vaillantii* LOISEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Furcraea foetida* (L.) HAW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fynura bicolour* (WILLD.)DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gaillonia aucheri* JAUB. & SPACH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galega purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galega spinosa* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galeopsis tetrahit* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galidium cartilagineum* (L.) GAILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galinsoga parviflora* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium acutum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium aparine* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium asperifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium elegans* BLOCKI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium mullugo* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium rotundifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium triflorum* MICHX. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galium verum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ganophyllum falcatum* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia cambogia* GAERTN. DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia cornea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia cowa* ROXB. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia dulcis* KURZ. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia echinocarpa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia gummi-gutta* (L.) ROBS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia hanburyi* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia heterandra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia indica* (DUP.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia kydia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia mangostana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia morella* (GAERTN.) DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia pedunculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia pictoria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia purpurea* G.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia rubro-echinata* KOSTERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia talbotii* RAIZADA EX SANTAPAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia travancorica* BEDDOME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia wightii* T.ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia xanthochymus* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia augusta* (L.) MERR and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia campanulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia dumetorum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia floribunda* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia florida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia gummifera* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia incida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia jasminoides* ELLIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia latifolia* AITON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia lucida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia nummularioides* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia resinifera* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gardenia turgida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garuga pinnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gastrochilus longiflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gastrochilus pandurata* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gaultheria fragrantissima* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gaultheria nummularioides* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gaultheria procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gaultheria trichophylla* ROYLE NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gelidium cartilagineum* GAILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gelonium bifarium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gelsemium elegans* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gelsemium semepervirens* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gemphostemma ovatum* WALL. EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gendarussa vulgaris* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geniosporum gracilo* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geniosporum prostratum* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geniosporum tenuiflorum* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana algida* PALLAS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana argentea* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana borealis* GRISEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana carinata* GRISEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana chirayta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana decumbens* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana desonasa* (ROTTB.) G. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana kurroo* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana lutea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana olivieri* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana quadrifaria* Bl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana renella* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana stipitata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana tenella* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentiana thianschanica* RUPR. EX KUSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentianella pedunculata* (ROYLE) H. SM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentianella tenella* (ROTTB.) BORNER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gentianopsis detonsa* (ROTTB.) MA. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geodorum densiflorum* (LAM.) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geodorum dilatatum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geophila herbacea* KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geophila reniformis* D. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geophila repens* (L.) I.M.JOHNSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium himalayense* KLOT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium lucidum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium mascatense* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium molle* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium nepalense* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium ocellatum* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium pusillum* BURM.F.SPEC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium rivulare* VILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium robertianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium rotundifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium sibiricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium wallichianum* DON EX SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gerbera gossypina* (ROYLE) BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gerbera lanuginosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gerbera piloselloides* (L.) CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geum alatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geum elatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geum roylei* WALL. EX BOLLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geum urbanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Giesekia pharnacoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ginkgo biloba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Girardinia diversifolia* (LINK) FRIES and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Girardinia heterophylla* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Girardinia leschenaultiana* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Girardinia zeylanica* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Girardinia cuspidata* (BL.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Girardinia reticulata* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gisekia pharnaceoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Givotia rottleriformis* GRIFF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gleditsia sinensis* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gleditsia triacanthos* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gleichenia longissima* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glinus dictamnoides* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glinus lotoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glinus oppositifolius* (L.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Globba clarkeii* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Globba marantina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Globba multiflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Globba orixensis* ROXB. ASIAT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Globba pauciflora* KING EX BAKER and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion calocarpem* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion calocarpum* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion ellipticum* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion heyneanum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion hohenackeri* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion lanceolarium* VOIGT. NON DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion multiloculare* MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion oblatum* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion sumatrana* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion tomentosum* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glochidion zeylanicum* A. JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gloriosa superba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glossocardia bosvallea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glossocardia linearifolia* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glossogyne bidens* (RETZ.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glossogyne pinnatifida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glossonema varians* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gluta travancorica* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycine labialis* L.F. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycine max* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycine pentaphylla* DLAZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycine soja* SIEB. & ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis arborea* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis cochinchinensis* PIERRE EX ENGLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis macrocarpa* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis mauritiana* (LAMK.) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis mauritiana* (LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis pentaphylla* (RETZ.) DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycyrrhiza glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycyrrhiza glabra* L. violace and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycyrrhiza radix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycyrrhiza uralensis* FISCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gmelina arborea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gmelina asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gmelina elliptica* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gmelina parviflora* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gmelina philippensis* CHAMP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnaphalium indicum* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnaphalium luteo-album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnaphalium polycaulon* PER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnetum edule* (WILLD.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnetum gnemon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnetum montanum* MARKGRAF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnetum scandens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnetum ula* BRONGN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gnidia glauca* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goldfussia thomsonii* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphia angustifolia* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphia serrata* (GAERTN.) KANIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphostemma crinitum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphostemma parviflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphostemma wallichii* PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphrena celosioides* MART. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphrena globosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gonatanthus pumilus* (DON) E. & KRAUSE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus sequipedalis* HK.F.& TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus waynaadensis* BEDD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus wightii* HOOK.F. & THOMAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gonostegia hirta* (BL.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goodyera repens* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goodyera schlectKalamliana* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goodyera secundiflora* (GRIFF.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gordonia obtusa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium acuminatum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium arboreum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium barbadense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium herbaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium hirsutum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium indicum* TOD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium obtusifolium* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium purpurascens* POIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium religiosum* WATT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium stocksii* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gouania leptostachya* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gouania microcarpa* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gouania tiliaefolia* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gouania leptostachya* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gracilaria lichenoides* GERV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grangea maderaspatana* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Graptophyllum hortense* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Graptophyllum pictum* (L.) GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gratiola monniera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grevillea robusta* A. CUNN. EX R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia abutilifolia* VENT. EX JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia asiatica* L. vestita MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia asiatica* MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia carpinifolia* JUSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia elastica* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia helicterifolia* WALL. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia heterotricha* MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia hirsuta* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia microcos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia obtusa* WALL. EX GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia oppositifolia* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia optiva* DRUMMOND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia orbiculata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia polygama* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia populifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia rhamnifolia* HEYNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia rothii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia salvifolia* HEYNE. EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia sapida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia scabrophylla* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia sclerophylla* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia subinaequalis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia tenax* (FORSK.) FIORI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia tiliaefolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia umbellata* AUCT.NON ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia villosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guaiacum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guazuma tomentosa* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guazuma ulmifolia* LAM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guettarda speciosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guilandina bonducella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guizotia abyssinica* CASS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnadenia himalayica* SCHLTR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnadenia orchidis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema aurantiaca* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema balsamicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema hirsutum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema khKalamlense* SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema lactiferum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema latifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema montanum* (ROXB.) HOOK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema spartium* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnema sylvestre* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnocladus assamicus* Kanjilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnopetalum wightii* WT. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnosporia montana* (ROTH.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnosporia royleana* M.LAWS and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnosporia spinosa* MERILL & ROLFE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gymnostachyum febrifugum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynandropsis gynandra* BRIQUET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynandropsis pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynocardia odorata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynostemma pentaphyllum* (THUNB.) MAKINO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura angulosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura cusimbua* (D.DON) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura hispida* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynura pseudo-china* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gyrocarpus americanus* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria commelinifolia* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria crinifera* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria diphylla* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria edgeworthii* HOOK. F. EX COLLETT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria grandiflora* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria intermedia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria longicorniculata* GRAH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria orchidis* (LINDL.) HOOK.F. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria ovalifolia* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria plantaginea* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria rariflora* A.RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria rotundifolia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Habenaria roxburghii* (PERS.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hackelochloa granularis* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haemanthus multiflorus* MARTYN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haematoxylon campechianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hagenia abyssynica* GMEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haldina cordifolia* (ROXB.) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Halophila ovalis* (R.BR.) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haloxylon recurvum* BUNGE EX BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haloxylon salicornicum* BUNGE EX BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hamamelis virginiana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hamelia patens* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hamiltonia suaveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haplanthus tentaculatus* NEES and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Haplanthus verticillata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hardwickia binata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hardwickia pinnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Harpagophytum procumbens* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Harpullia arborea* (BLANCO) RADLK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hebanthe paniculata* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedeoma pulegioides* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedera helix* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedera nepalensis* C. KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedgsonia macrocarpa* (BI.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium acuminatum* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium coccineum* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium coronarium* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium ellipticum* HAMILT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium gardnerianum* SHEPPARD EX KER- GAWLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium glaucum* ROSC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium gracile* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium marginatum* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium spicatum* BUCH.-HAM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedychium wardii* C.E.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis auricularia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis biflora* (L.) LAMK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis capitellata* WALL. EX. G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis corymbosa* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis costata* (ROXB.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis diffusa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis glabra* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis herbacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis hispida* (BENTH.) RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis lineata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis pinifolia* WALL. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis pruinosa* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis puberula* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis scandens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis tenelliflora* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis umbellata* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis uncinella* HK. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis verticillata* (L.) LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedyotis vestita* R.BR. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedysarium sennoides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedysarum alhagi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedysarum gangeticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedysarum purpureum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedysarum sennoides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedysarum triflorum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hedysarum tuberosum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helianthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helianthus tuberosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicantes elastica* (DESR.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicia excelsa* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicia robusta* (ROXB.) R. BR. EX BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicteres isora* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicteres isora* L. *glabrescens* and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicteres isora* L. *tomentosa* and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliophyllum indicum* L. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium bacciferum* FORSK. *tuberculosum* (BOISS.) KAZMI *bacciferum* NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium brevifolium* WALL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium curassavicum* L. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium eichwaldi* STEUD. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium ellipticum* LEDEB. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium indicum* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium keralense* SIV. & MANL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium ophioglossum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium ovalifolium* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium peruvianum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium rariflorum* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium strigosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium subulatum* HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium supinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium tuberosum* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium undulatum* VAHL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helixanthera wallichiana* (SCHULT.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helleborus niger* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helleborus viridis* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helminthostachys zeylanicus* (L.) HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heltropium ophioglossum* STOCKS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemarthria compressa* (L.F.) BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemerocallis fulva* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemidesmus indicus* (L.) SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemidictyum ceterach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemigraphis latebrosa* NESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hemionitis arifolia* (BURM.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum cachemiricum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum candicans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum canescens* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum lanatum* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum nepalense* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum pinda* DALZ. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum pinnatum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum rigens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heracleum wallichii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heritiera littoralis* AITON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heritiera minor* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heritiera papilio* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hermodactylus tuberosus* (L.)MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hernandia ovigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hernandia peltata* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Herniaria glabra* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Herniaria hirsuta* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Herpestis monniera* (L.) H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hesperethusa alata* (W. & A.) ALST and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hesperethusa crenulata* (ROXB.) M. ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hetaeria obliqua* Bl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heterophragma quadriloculare* K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heterophragma roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heterostemma piperifolium* KING & GAMBLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heterostemma tanjorensis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hewittia malabarica* (L.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heylandia latebrosa* D.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heynea sumatrana* MIG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heynea trijuga* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus abelmoschus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus aculeatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus cancellatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus cannabinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus ficulneus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus furcatus* ROXB. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus hirtus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus hispidissimus* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus lampas* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus lunariifolius* WILLD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus manihot* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus micranthus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus mutabilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus obtusifolius* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus ovalifolius* (FORSK.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus platanifolius* (WILLD.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus populneus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus rosa-sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus sabdariffa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus surattensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus syriacus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus tiliaceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus trionum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus vitifolias* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus vitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hieracium umbellatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hieracium virosum* PALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hieracium vulgatum* (FR.) ALMQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hippocratea indica* WILLD. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hippophae rhamnoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hippophae salicifolia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hippophae tibetana* SCHLECT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hiptage benghalensis* (L.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hiptage madablota* GAERTN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hitchenia caulina* BAKER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hodgsonia macrocarpa* (BL.) COGN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holarrhena antidysenterica* (ROTH.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holarrhena mitis* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holboellia latifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna arnottiana* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna ferruginea* MARCHAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna grahamii* (WGT.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna nigra* BOURD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holmskioldia sanguinea* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holoptelea integrifolia* (ROXB.) PLANCHON and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holostemma ada-kodien* SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holostemma annulare* (ROXB.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holostemma rheedianum* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holostemma rheedii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holosteum umbellatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homalomena aromatica* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homalomena rubescens* KUNTH ENUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homonoia retusa* (GRAH. EX WT.) MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homonoia riparia* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea glabra* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea odorata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea parviflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea ponga* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea wightiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea dichotoma* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hordeum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hornstedtia costata* (ROXB.) K. SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Horsfieldia glabra* (BL.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Horsfieldia irya* (GAERTN.) WARB. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Horsfieldia kingii* (HK.F.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Houttuynia cordata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hovenia acerba* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya carnosia* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya globulosa* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya multiflora* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya ovalifolia* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya pendula* WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya viridiflora* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hoya wightii* HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hugonia mystax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Humboldtia unijuga* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Humboldtia vahliana* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Humulus lupulus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hunteria corymbosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hunteria legocii* SKINA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Huperzia phlegmaria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hura crepitans* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hybanthus enneaspermus* (L.F.) MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyderangea macrophylla* (THUNB.) SER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus alpina* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus anthelminthica* PIERRE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus inebrians* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus kurzii* (KING) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus laurifolia* (DENNST.) STEUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus macrocarpa* (BEDD.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus octandra* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus venenata* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus wightiana* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnophytum Kalammanense* BECC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnophytum formicarium* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrangea arborescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrastis canandensis* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrilla verticillata* (L.F.) ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocharis dubia* (BL.) BACKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocotyle asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocotyle javanica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocotyle javanica* THUNB. PODUNTHA MOLKENBOER EX C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocotyle rotundifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocotyle sibthorpiodes* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrolea zeylanica* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila auriculata* (SCHUMACH.) HEINE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila erecta* (Burm.f.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila heinei* SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila phlomoides* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila polysperma* (ROXB.) AND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila salicifolia* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygrophila spinosa* T. ANDER. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hygroryza aristata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenaea courbaril* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenaea hornemannianum* (HAYNE) D. DIETR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenocrater sessilifolius* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenodictyon excelsum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenodictyon obovatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenodictyon orixense* (ROXB.) MABBERLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyoscyamus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyoscyamus muticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyoscyamus niger* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyoscyamus pusillus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyoscyamus reticulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyoscyamus squarrosus* GRIFF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyecoum leptocarpum* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyecoum pendulum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyecoum procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyperanthera moringa* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum cernuum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum chinense* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum elodeoides* CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum humifusum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum japonicum* THUNB. EX MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum laxum* (BL.) KOIDZUMI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum monanthemum* HK. F. & TH. EX DYER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum monogynum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum oblongifolium* CHOISY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum patulum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum perforatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum sampsoni* HANCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum uralum* BACH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypobathrum microcarpum* (Bl.) Bakh.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypochaeris glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypodematium crenatum* (FORSK.) KUHN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypolepis punctata* (THUNB.) METT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypolytrum nemorum* (VAHL) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypoxis aurea* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypoxis orchioides* KURZ. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyptis brevipes* POIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyptis capitata* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyptis pectinata* POIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyptis suaveolens* POIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyssopus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hyssopus parviflora* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ichnocarpus frutescens* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex denticulata* WALL. EX. WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex godajam* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex paraguariensis* A.ST.HIL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex wightiana* WALL. EX. WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Illecebrum lanatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Illicium anisatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Illicium griffithii* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Illicium religiosum* S. & L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Illicium verum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Illegera appendiculata* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Illegera villosa* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilysanthes oppositifolia* (ROXB.) URB. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilysanthes reptans* (ROXB.) URB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens balsamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens brachycentra* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens gigantea* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens glandulifera* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens minor* (DC.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens roylei* WALP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens scabrida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens tilo* (DC.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens tripetala* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Imperata arundinacea* CYR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Imperata cylindrica* (L.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Incarvillea emodi* (LINDL.) CHATTERJ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera anil* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera argentea* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera articulata* GONAN and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera aspalathoides* VAHL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera astragalina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera caerulea* ROXB. *caerulea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera cassioides* ROTTL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera ennaephylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera galegoides* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera gerardiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera glandulosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera hebeptala* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera heterantha* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera linifolia* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera linnaei* ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera nil* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera oblongifolia* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera paucifolia* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera pulchella* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera suffruticosa* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera sumatrana* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera tinctoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera trita* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indigofera uniflora* HAM. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indoneesiella echicides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indoneesiella echioides* (L.) SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Indoneesiella intermedia* SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Intsia bijuga* (Colebr.) O. Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula cappa* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula cuspidata* C.B. CL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula grandiflora* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula grantioides* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula graveolens* DESF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula helenium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula obtusifolia* KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula racemosa* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Inula royleana* DC. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ionidium enneaspermum* VENT. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ionidium suffruticosum* GING. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iphigenia indica* (L.) KUNTH and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea alba* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea aquatica* FORSK. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea batatas* (L.) LAM. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea biloba* FORSSK. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea bona-nox* HEYNE EX STEUD. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea burmanni* CHOISY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea cairica* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea campanulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea candicans* SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea carnea* (MART. EX CHOISY) AUSTIN. *fistulosa* (MART. E CHOISY) AUSTIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea carnea* JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea coccinea* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea coptica* (L.) ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea cymosa* ROEM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea dasysperma* JACQ. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea digitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea dissecta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea eriocarpa* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea fastigiata* (ROXB.) SWEET NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea fistulosa* MART EX CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea glaberrima* BOJ. EX HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea grandiflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea hederacea* AUCT. NON JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea hederifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea hispida* ROEM. & SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea illustris* (CLARKE) PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea involucreata* BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea marginata* (DESR.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea mauritiana* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea maxima* G. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea muricata* (L.) JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea nil* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea obscura* KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea paniculata* (L.) R.BR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea pes-caprae* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea pes-tigridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea petaloidea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea purga* (WEND.) HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea purpurea* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea quamoclit* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea reniformis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea reptans* (L.) POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea sindica* STAPF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea staphylina* R, BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea tridentata* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea turbinata* LAG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea turpethum* (L.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea uniflora* ROEM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea violacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ipomoea vitifolia* SWEET. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris decora* WALL. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris ensata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris florentina* KUNZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris foetidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris germanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris kashmiriana* BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris kemaonesis* D.DON EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris nepalensis* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris songarica* SCHRENK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iris versicolor* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isachne globosa* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum muticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum pilosum* HACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ischaemum rugosum* SALISH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isopyrum acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isopyrum anemonoides* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Isopyrum thalictroides* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Itea chinensis* HOOK. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora alba* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora arborea* ROXB. EX J.E. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora brunnescens* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora coccinea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora cuneifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora grandiflora* Zoll. & Mor. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora nigricans* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora parviflora* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora pavetta* ANDR. BOT. REPOS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora polyantha* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora sub-sessilis* WALL. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ixora undulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *JacarKalam acutifolia* HUMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jacobinia tinctoria* HEMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jaeschkea gentianoides* KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Janakia aryalpathra* JOSEPH & CHANDRASHEKARAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum anastomozans* WALL. EX DC. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum angustifolium* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum arborescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum auriculatum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum azoricum* L. azoricum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum bignoniaceum* WALL. EX. G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum calophyllum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum chrysanthemum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum cuspidatum* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum diversifolium* KOBUSKI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum flexile* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum grandiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum humile* SENSU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum malabaricum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum multiflorum* (BURM.F.) ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum nervosum* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum pubescens* (RETZ.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum ritchiei* CLARKE IN HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum rottlerianum* WALL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum sambac* (L.) AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum sambac* AIT. *heyneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum scandens* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum subhumila* W.W. SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum trichotomum* HEYNE. EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jasminum undulatum* KER-GAWLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jateorhiza palmata* (LAM.) MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha curcas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha glandulifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha glandulosa* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha glauca* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha gossypifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha montana* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha nana* DALZ. & GIBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jatropha panduraefolia* ANDR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Joannesia princeps* VELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juglans regia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juglans regia* L. kumaonia DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juncellus inundatus* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juncus inflexus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juncus lampocarpus* EHRH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juncus prismatocarpus* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juniperus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juniperus excelsa* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juniperus indica* BERTOL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juniperus macropoda* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juniperus polycarpus* C. KOCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juniperus recurva* BUCH.-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jurinea dolomiaea* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jurinea himalaica* STEWART NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jurinea macrocephala* (ROYLE) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jurinea macrophylla* BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jussiaea repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jussiaea suffruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Jussiaea tenella* BURM. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia acaulis* L.F. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia adhatoda* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia beddomei* (CL.) BENNET and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia betonica* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia bicalyculata* VAHL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia bilvalvis* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia ecbolium* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia gendarussa* BURM. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia madurensis* BURM.F. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia nasuta* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia paniculata* (VAHL) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia picta* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia prostrata* (CL.) GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia repens* DELESS. EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia simplex* DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia tranquebariensis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Justicia vasculosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kaempferia angustifolia* ROSC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kaempferia galanga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kaempferia rotunda* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe integra* (MEDIK.) KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe laciniata* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe pinnata* (LAM.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe rosea* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalanchoe spathulata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kallstroemia pubescens* (DON) DANDY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kandelia candel* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kandelia rheedei* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kandelia rheedii* W.&A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kedrostis foetidissima* (JACQ.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kedrostis rostrata* (ROTTL.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kickxia ramosissima* (WALL.) JANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kigelia africana* (LAMK.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kigelia pinnata* (JACQ.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kirganelia reticulata* BAILL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kleinhovia hospita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kleinia grandiflora* (WALL. EX DC.) RANI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knema angustifolia* (ROXB.) WARB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knema attenuata* (WALL.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knema linifolia* (ROXB.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia brachycarpa* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia corymbosa* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia roxburghii* (SPRENG.) M.A. RAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Knoxia sumatrensis* (RETZ.) DC. *hookeriana* BHATTACHARJEE & DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kochia indica* WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kochia scoparia* (L.) SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kochia sedoides* SCHRAD NEUES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Koelpinia linearis* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kokoona zeylanica* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kopsia flavida* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kopsia fruticosa* A. DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kurrimia bipartita* M.LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kydia calycina* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kyllinga brevifolia* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kyllinga monocephala* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kyllinga nemoralis* HUTCH. & DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kyllinga squamulata* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kyllinga triceps* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lablab purpureus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca dissecta* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca gracilis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca heyneana* D.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca orientalis* (BOISS.) BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca remotiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca runcinata* DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca scariola* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca serriola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca tatarica* C.A.REY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lactuca virosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagascea mollis* CAV. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagascea spinosissima* COV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagenandra ovata* (L.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagenandra toxicaria* (L.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagenaria leucantha* RUSBY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagenaria siceraria* (MOLINA) STANDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagenaria vulgaris* SER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia flos-reginae* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia hirsuta* (LAM.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia microcarpa* W. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia parir-flosh* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia reginae* PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagerstroemia speciosa* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laggera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laggera aurita* (WILD.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laggera crispata* (VAHL) HEP. & WD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laggera flava* BENTH. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laggera pterodonta* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lagotis glauca* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lallemantia royleana* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lamarkia aurea* MOENCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laminaria saccharina* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lamium album* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lamium amplexicaule* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lamprachaenium microcephalum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lancea tibetica* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., Safed Musli farming for hyperglycemia formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lannea grandis* (DENNST.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lansium domesticum* JACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana camara* L. *aculeata* (L.) MOLDENKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana camara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lantana indica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laportea crenulata* GANDICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laportea interrupta* (L.) CHEW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Larrea tridentata* (SESSE & MOC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasia aculeata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasia heterophylla* SCHOTT MELET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasia spinosa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasianthus Kalammanicus* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasiosiphon eriocephalus* (MEISNER) DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lasiurus hirsutus* (FORSK.) BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lastrea filix-mas* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathraea squamaria* L. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus altaicus* LED. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus aphaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus inconspicuus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus luteus* BAKER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus odoratus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus pratensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lathyrus sphaericus* RETZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea aspleniifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea capitata* (SPRENG.) DANDY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea chondrilloides* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea glomerata* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea nudicaulis* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea pinnatifida* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea remotiflora* (DC.) STEBBINS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea resedifolia* (LINN.) KUNTZE and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launaea sarmentosa* (WILLD.) ALST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launea acaulis* (ROXB.) KERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launea procumbens* (ROXB.) RAM. & RAJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Launea sarmentosa* ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens chandrasekharanii* Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens clavicornu* Turez. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens cordata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens crenata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens cuspidata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens dasysperma* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens debilis* Turez. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens denisonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens disotis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens diversifolia* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens elegans* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens floribunda* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens fruticosa* Lesch. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens gardneriana* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens goughii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens grandis* Heyne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens hensloviana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens herbicola* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens hookeriana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens inconspicua* Benth ex. Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens jerdoniae* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens laticornis* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens lawsonii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens lenta* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens leptura* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens levingei* Gamble ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens ligulata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens maculata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens minor* (DC.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens modesta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens munronii* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens neo-barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens nilgirica* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens orchioides* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens parasitica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens parvifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens phoenicea* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens rufescens* Benth. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens scabriuscula* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens scapiflora* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens tangachee* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens tenella* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens tomentosa* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens trichocarpa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens umbellata* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens uncinata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens verticillata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens viridiflora* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens viscida* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens viscosa* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens wightiana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acronychia pedunculata* (L.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aegle marmelos* (L.) Correa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atalantia monophylla* (L.) Correa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atalantia racemosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Atalantia wightii* Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chloroxylon swietenia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Choisya ternata* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus aurantifolia* (Christm.) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus aurantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus limon* (L.) Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus maxima* (Burm.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus medica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus nobilis* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus reticulata* Blanco and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Citrus sinensis* (L.) Osbeck. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena austro-indica* B. C. Stone and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena dentata* (Willd.) M. Roem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena indica* (Dalz.) Oskin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clausena lansium* (Lour.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euodia fraxinifolia* (D. Don.) Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fortunella japonica* (Thunb.) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis angustifolia* Lindl. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis macrocarpa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis mauritiana* (Lam.) Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis pentaphylla* (Retz.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glycosmis tirunelveli*ensis Murugan & Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limonia acidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luvunga eleutherandra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melicope indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murraya koenigii* (L.) Spreng. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murraya paniculata* (L.) Jack and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Naringi crenulata* (Roxb.) Nicolson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pamburus missionis* (Wight) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paramigyna beddomei* Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paramignya monophylla* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruta chalepensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toddalia asiatica* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triphasia trifolia* (Burm. f.) P. Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vepris bilocularis* (Wight & Arn.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum armatum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum ovalifolium* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum rhetsa* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum limonellia* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ailanthus excelsa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ailanthus triphysa* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quassia amara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suriana maritima* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphia serrata* (Gaertn.) Kanis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna integerrima* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna jabotapita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna lanceolata* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna obtusata* DC. var. *obtusata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna gamblei* King ex Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Boswellia serrata* Roxb. ex Coleb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium strictum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canarium vulgare* Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora berryi* (Arn.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garuga pinnata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia apiocarpa* (Thw.) Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia domestica* (Correa) Pellegrin Lecomte and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia elaeagnoidea* (Juss.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia edulis* (Roxb.) Wall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia lawii* (Wight) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia tomentosa* Teijsm. & Binn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia odorata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aglaia simplicifolia* (Bedd.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aphanamixis polystachya* (Wall.) Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Azadirachta indica* A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chukrasia tabularis* A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cipadessa baccifera* (Roth) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysoxylum ficiforme* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dysoxylum malabaricum* Bedd. ex Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melia azedarach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Naregamia alata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reinwardtiadendron anamallayanum* (Bedd.) Saldahnha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sandoricum koetjape* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Soymida febrifuga* (Roxb.) A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swietenia macrophylla* King and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swietenia mahagoni* (L.) Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toona ciliata* M. Roem. var. *ciliata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichilia connaroides* (Wight & Arn.) Bentvelzen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turraea villosa* Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Walsura trifolia* (A. Juss.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylocarpus granatum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dichapetalum gelonioides* (Roxb.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anacolosia densiflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olax scandens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olax imbricata* Roxb. var. *imbricata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olax imbricata* Roxb. var. *nigrescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strombosia ceylanica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ximenia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cansjera rheedii* Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opilia amentacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Apodytes dimidiata* E. Meyer ex Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphandra coriacea* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Miquelia dentata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothapodytes nimmoniana* (Graham) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrenacantha volubilis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostigma kleinii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythralum populifolium* (Arn.) Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex aquifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex denticulata* Wall ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex gardneriana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex opaca* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex walkeri* Wight & Gard. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ilex wightiana* Wall ex. Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bhesa indica* (Bedd.) Ding and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassine glauca* (Rottb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cassine paniculata* (Wight & Arn.) Lobl.-Callen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celastrus paniculatus* Willd. var. *paniculatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus angulatus* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus barberi* C. Murugan & V. S. Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus crenulatus* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus dichotomus* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus indicus* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus japonicus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus kanyakumariensis* Murugan & Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus paniculatus* Wight ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Euonymus serratifolius* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glyptopetalum grandiflorum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glyptopetalum lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Glyptopetalum zeylanicum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loeseneriella bourdillonii* (Gamble) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lophopetalum wightianum* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maytenus emarginata* (Willd.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maytenus heyneana* (Roth) Raju & Babu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maytenus rufa* (Wall.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microtropis microcarpa* Wight var. *microcarpa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microtropis latifolia* Wight ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microtropis ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microtropis ramiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microtropis stocksii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microtropis wallichiana* Wight ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleurostyliopsis opposita* (Wall.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reissantia grahamii* (Wight) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reissantia indica* (Willd.) Halle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia fruticosa* Heyne ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia macrosperma* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia oblonga* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alphitonia excelsa* Reiss ex Endlicher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colletia cruciata* Gill. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colletia ferox* Gill. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Colubrina asiatica* (L.) Brongn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gouania microcarpa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hovenia acerba* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maesopsis eminii* Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pomaderris apetala* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pomaderris lanigera* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus cathartica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus dahuricus* Pall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus virgatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus wightii* Wight & Arn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sageretia hamosa* Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sageretia parviflora* (Klein) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutia myrtina* (Burm. f.) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ventilago denticulata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ventilago gamblei* Suesseng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ventilago goughii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ventilago madraspatana* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus glabrata* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus horrida* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus incurva* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus mauritiana* Lam. var. *mauritiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus oenopia* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus rugosa* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus xylopyrus* (Retz.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus indica* (L.) Planch and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus latifolia* (Roxb.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ampelocissus wightiana* Shetty & Singhand 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia auriculata* (Roxb.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia japonica* (Thunb.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia mollissima* (Wall.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cayratia trifolia* (L.) Domin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus arnottiana* B.V.Shetty & P.Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus adnata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus discolor* Blume. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus latifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus glyptocarpa* (Thw.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus heyneana* (Wall. ex Lawson) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus quadrangularis* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus repKalam* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus repens* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissus vitiginea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyphostemma setosum* (Roxb.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parthenocissus neilgherriensis* (Wight) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrastigma gamblei* Shetty & Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrastigma leucostaphylum* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrastigma nilagiricum* (Miq.) Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrastigma sulcatum* (Lawson) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis vinifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea asiatica* (L.) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea guineensis* G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea indica* (Burm. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea macrophylla* Roxb. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Allophylus cobbe* (L.) Raeusch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardiospermum canescens* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardiospermum halicacabum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dimocarpus longan* Lour. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dodonaea viscosa* (L.) Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Filicium decipiens* (Wight & Arn.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Harpullia arborea* (Blanco) Radlk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepisanthes erecta* (Thw.) Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepisanthes tetraphylla* (Vahl.) Radlk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litchi chinensis* Sonner. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Otonephelium stipulaceum* (Bedd.) Radlk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapindus emarginatus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapindus trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schleichera oleosa* (Lour.) Oken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aesculus indica* (Cambess.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer caesium* Wall. ex Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer oblongum* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acer pseudo-platanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanthus major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turpinia malabarica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turpinia cochinchinensis* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.)

Beus. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anacardium occidentale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buchanania axillaris* (Desr.) Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Buchanania lanzan* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gluta travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna arnottiana* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna beddomei* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna ferruginea* Marchand and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna grahamii* (Wight) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Holigarna nigra* Bourd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., Safed Musli farming for hyperglycemia formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mangifera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopegia aureo-fulva* Bedd. ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopegia beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopegia colebrookeana* (Wight) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopegia heyneana* (Hook. f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopegia travancorica* Bedd ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopegia vajravelui* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus mysorensis* G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus paniculata* Wall. ex Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schinus molle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schinus terebinthifolius* Raddi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Semecarpus anacardium* L. var. *anacardium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Semecarpus anacardium* L. var. *cuneifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Semecarpus auriculata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Semecarpus travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spondias pinnata* (L.f.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corynocarpus laevigata* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moringa concanensis* Nimmo ex Gibs. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moringa pterygosperma* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Connarus monocarpus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Connarus wightii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ellipanthus tomentosus* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rourea minor* (Gaertn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abrus fruticulosus* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abrus precatorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abrus pulchellus* Wall ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynomene americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynomene aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aeschynomene indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus beddomei* Schind. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus longifolius* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus monilifer* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus ovalifolius* (Schumac) J. Leon. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus racemosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus roxburghianus* Thoth. & Pramanik and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus glumaceus* (Vahl) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arachis hypogaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea acuminata* (Benth.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea monosperma* (Lam.) Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Butea purpurea* (Benth. ex Baker) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus albicans* (Wight & Arn) Maesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus goensis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus lineata* (Wight & Arn) van der. Maesen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus cajan* (L.) Millsp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus rugosus* (Wight & Arn) Maesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus scarabaeoides* (L.) Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cajanus trinervius* (DC.) van der. Maesen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calopogonium mucunoides* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calpurnia aurea* (Ait.) Benth. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia cathartica* Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia gladiata* (Jacq.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia maritima* (Aubl.) Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia mollis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Canavalia virosus* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Centrosema pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chorizema ilicifolium* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christia obcordata* (Poir.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Christia vespertilionis* (L.f.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cicer arietinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clianthus puniceus* Soland ex. Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clitoria ternatea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laurentia longiflora* (L.) PETERMANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laurus cassia* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laurus cinnamomum* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Laurus nobilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lavandula bipinnata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lavandula burmanni* BENTH. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lavandula carnosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lavandula stoechas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lavandula vera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lavatera kashmiriana* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lawsonia alba* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lawsonia inermis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lawsonia spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lechea verticillata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea aequata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea alata* EDGEW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea arguata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea asiatica* (L.) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea aspera* EDGE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea bracteata* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea compactiflora* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea crispa* V. ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea guineensis* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea hirta* ROXB EX HORNEIM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea indica* MERILL and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea macrophylla* ROXB. EX HORN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea robusta* ROXB. HORT. BENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leea sambucina* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lemanea australis* ATKINS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lemmaphyllum carnosum* (J. SM.) PRESL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lemna globosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lemna obcordata* BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lemna perpusilla* TORREY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lens culinaris* MEDIC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lens esculenta* MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonotis nepetaefolia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leontopodium jacotianum* BEAUVERD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonurus cardiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonurus hamiltoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonurus incurva* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonurus japonicus* HOUTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonurus sibiricus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leonurus stelligera* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepeocercis serrata* TRIM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepianthes umbellata* (L.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis cristata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis hamiltoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis incurva* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis pungens* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis scariosa* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis trinervia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidagathis trinervis* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium apetalum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium capitatum* HOOK. F. & THOMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium draba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium iberis* L. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium iberis* POLL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium latifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium perfoliatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium ruderae* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium virginicum* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepionorus sylvestris* BL. BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepionurus sylvestris* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepisanthes Kalammanica* KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptadenia pyrotechnica* DCNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptadenia spartium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptochilus decurrens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptochloa malabarica* (L.) VELDKAMP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptodermis lanceolatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptonychia heteroclita* (ROXB.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lespedeza sericea* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lettsomia aggregata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lettsomia atropurpurea* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lettsomia elliptica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lettsomia mysorensis* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lettsomia nervosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lettsomia setosa* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucaena glauca* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas aspera* (WILLD.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas capitata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas cephalotes* (ROTH.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas ciliata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas flaccida* R.BR. scaberula (HOOK.F.) SRINIVASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas indica* (L.) R.BR. EX VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas lanata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas lavandulifolia* J.E. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas linifolia* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas martinicensis* (JACQ.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas mollissima* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas plukenetii* (ROTH) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas stelligera* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas stricta* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas urticaefolia* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucas zeylanica* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leuconotis eugenifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucosceptrum canum* SM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucostegia immersa* (HK.) PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leucostegia nodosa* BEDD.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leueas rosmarnifolia* CIRUTUMPAI benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Levisticum officinale* W.D.J. KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Licuala spinosa* WURMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligularia amplexicaule* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligularia jacquemontiana* (DECNE) RAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligusticum elatum* C.B. CL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum indicum* (LOUR.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum lucidum* (LOUR.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum nicum* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum perrottetii* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ligustrum robustum* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lilium candidum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lilium giganteum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lilium martagon* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lilium neilgherrense* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lilium polyphyllum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lilium wallichianum* SCHULT. & SCHULT. F and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnanthemum cristatum* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnanthemum indicum* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnanthemum nymphaeoides* LINK FL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila aromatica* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila gratioloides* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila gratissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila indica* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila polystachya* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila racemosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila roxburghii* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila rugosa* (ROTH) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophila sessiliflora* (VAHL) BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnophyton obtusifolium* (L.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limodrum spatulatum* WLLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limonia acidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limonia alata* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limonia crenulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linaria cirrhosa* H.K. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linaria minor* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linaria ramosissima* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindelia longiflora* (BENTH.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindenbergia indica* (L.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindenbergia urticaefolia* LEHM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindera caudata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindera neesiana* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindera pulcherrima* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia anagallis* (BURM.F.) PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia antipoda* (L.) ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia caespitosa* (BL.) PANIGRAHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia ciliata* (COLESM.) PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia cordifolia* (COLSM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia crustacea* (L.) F. V. MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia hyssopioides* (L.) HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia oppositifolia* (RETZ.) MUKH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia procumbens* (KROCK.) BORBAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia pyxidaria* ALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia rotundifolia* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindernia ruelliioides* (COLSM) PENNEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lindsaea cultrata* (WILLD.) SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linociera malabarica* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linociera ramiflora* (ROXB.) WALL. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linum perenne* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linum strictum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linum usitatissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis nervosa* (THUNB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liparis parviflora* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lippia geminata* H.B.K. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lippia javanica* (BURM.F.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lippia nodiflora* MICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liquidambar orientalis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liquidambar styraciflua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liqustrum indicum* (LOUR.) NERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Liriodendron tulipifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litchi chinensis* SONN. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lithocarpus pachyphyllus* (KURZ) REHDER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lithospermum arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lithospermum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea chinensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea citrata* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea cubeba* (LOUR.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea glutinosa* (LOUR.) C.B. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea glutinosa* (LOUR.) ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea lancifolia* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea monopetala* (ROXB.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea polyantha* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea quinqueflora* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea sebifera* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea stocksii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea umbrosa* NEES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Litsea zeylanica* C. & T. NESS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia alsinoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia chinensis* LOUR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia cordigera* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia excelsa* LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia inflata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobelia pyramidalis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobularia maritima* DESV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lochnera pusilla* K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lochnera rosea* REICHB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lodoicea maldivica* (POIR.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lodoicea seychellarum* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lomatogonium carinthiacum* (WULF.) BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera glauca* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera japonica* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera leschenaultii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera macrantha* (D.DON) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera semenovii* REGEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lonicera webbia* WALL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lophopetalum wallichii* KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loranthus coriaceus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loranthus elasticus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loranthus falcatus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loranthus longiflorus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lotus corniculatus* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Loxococcus rupicola* WENDL.& DRUDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia adscendens* (L.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia hyssopifolia* (DON) EXCELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia octovalvis* (JACQ.) RAVEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia perennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia peruviana* (L.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ludwigia prostrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa acutangula* (L.) ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa acutangula* ROXB. amara (ROXB.) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa aegyptiaca* MILL. EX. HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa amara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa cylindrica* (L.) M.J. ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa echinata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa graveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa graveolens* ROXB. longystyla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa pentandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luffa umbellata* (KLEIN) ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luisia tenuifolia* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lumnitzera racemosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lupinus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lupinus angustifolius* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lupinus digitatus* FORSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lupinus luteus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luvunga eleutherandra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luvunga scandens* (BLUME) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Luzula campestris* (L.) DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lychnis apetala* L. SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lychnis coronaria* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycianthes laevis* (DUNAL) BITTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycium barbarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycium europaeum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycium ruthenicum* MURR. EX DUNAL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycoperdon gemmatum* BATSCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycoperdon pusillum* PER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycopersicon esculentum* MILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycopersicon lycopersicum* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycopersicum esculentum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycopodium cernuum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycopodium clavatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycopodium phlegmaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycopus europaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lycoris radiata* (L'HERIT.) HERBERT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lygodium circinatum* (BURM) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lygodium flexuosum* (L.) SW. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lygodium japonicum* (THUNB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lygodium microphyllum* (CAV.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lygodium pinnatifidum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lygodium scandens* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lyonia ovalifolia* (WALL.) DRUDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maba bauxifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maba buxifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macadamia ternifolia* F. MUELL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga indica* W. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga nicobarica* BALAKR. & CHAKRAB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga peltata* (ROXB.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga roxburghi* WRIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga tanarius* (L.) M. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macaranga tetracoccus* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Machilus bombycina* KING EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Machilus macrantha* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Machilus villosa* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macropanax dispermus* (BL.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrosolen parasiticus* (L.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrotomia benthamii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrotomia perennis* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrotomia speciosa* AITCHET HEMST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Macrotyloma uniflorum* (LAM.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca butyracea* (ROXB.) MACBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca diplostemon* (CLARKE) ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca indica* GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca insignis* (RADLK) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca longifolia* (KOEN.) MACLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca malabarica* (BEDD.) R.N.PARKAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Madhuca neriifolia* (MOON) LAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maerua apetala* (ROTH) JACOBS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maerua arenaria* HOOK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maerua oblongifolia* (FORSK.) A.RICH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maesa chisia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maesa indica* (ROXB.) A.DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maesa montana* DC, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maesa ramentacea* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maharanga emodi* (WALL.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia acanthifolia* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia borealis* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia manipurensis* TAKEDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia nepaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia pycnophylla* (FEDDE) TAKEDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia sikkimensis* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia simonsii* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Majorana hortensis* MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malachra capitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malaxis acuminata* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malaxis biloba* (LINDL.) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malaxis mackinnonii* (DUTHIE) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malaxis muscifera* (LINDLEY) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malaxis rheedei* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus ferrugineus* (ROXB.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus philippensis* (LAM.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus repandus* (WILLD.) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malpighia glabra* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malpighia punicifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malus pumila* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malus sylvestris* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malva neglecta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malva parviflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malva rotundifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malva sylvestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malva verticillata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malvastrum americanum* (L.) TORR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malvastrum coromandelianum* GARCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mammea americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mammea longifolia* PLANCH. & TRIANA. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mandragora autumnalis* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mandragora officinalis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mangifera caesia* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mangifera domestica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mangifera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mangifera sylvatica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manihot esculenta* CRANTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manihot utilissima* POHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manilkara hexandra* (ROXB.) DUBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manilkara kauki* (L.) DUBJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manilkara zapota* (L.) VAN ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Manisuris granularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maoutia puya* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mappia foetida* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maranta arundinaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maranta arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marchantia palmata* - NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marchantia polymorpha* - NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus concinnus* SCHRADER EX NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marlea tomentosa* ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marrubium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia brunoniana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia hamiltonii* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia lucida* EDGEW. EX MADDEN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia roylei* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia tenacissima* (ROXB.) MOON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia tinctoria* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsdenia volubilis* (L.F). and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsilea dentata* KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsilea grandifolia* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsilea minuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Marsilea quadrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Martnia diandra* GLOX. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Martynia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Martynia diandra* GLOX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mastersia assamica* BENTH. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mastixia arborea* CB. CLARK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mathiola incana* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Matricaria chamomilla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Matricaria lasiocarpa* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Matricaria recutita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Matthiola flavida* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Matthiola incana* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Matthiola tristis* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mattiastrium thomsonii* (CL.) KAZMI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maytenus emarginata* (WILLD.) DING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maytenus senegalensis* (LAM.) EXELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mazus japonicus* (THUNB.) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mazus pumilus* (BURM.F.) VAN STEENIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meconopsis aculeata* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meconopsis nepaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meconopsis paniculata* (D.DON) PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meconopsis robusta* HK. F. & T. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meconopsis simplicifolia* (G.DON)WALP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meconopsis wallichii* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mecoropsis napaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Medicago lupulina* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Medicago minima* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Medicago polymorpha* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Medicago sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Megacarpaea polyandra* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca cajaputi* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melaleuca leucadendron* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanorrhoea curtisii* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanorrhoea usitata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanorrhoea wallichii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanthesa rhamnoides* (RETZ.) BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanthesa turbinata* (ROXB.) WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanthium indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melasma thompsonii* (HK.F.) WETTST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melastoma affine* D. Don and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melastoma asperum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melastoma decemfidum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melastoma malabathricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melia azadirachta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melia azedarach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melia composita* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melia dubia* HIERN, NON CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melanthus major* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melica ciliata* DUTHIE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melica jacquemontii* DCNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melilotus indica* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melilotus officinalis* (L.) PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melilotus parviflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meliosma arnottiana* WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meliosma simplicifolia* (ROXB.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melissa axillaris* (BENTH.) BAKH. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melissa officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melissa parviflora* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melocanna bambusoides* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melocanna bambusoides* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melochia corchorifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melodinus monogynus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melothria heterophylla* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melothria indica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melothria maderaspatana* (L.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melothria perpusilla* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon angustifolium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon edule* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon gracile* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon heyneanum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon malabaricum* (CLARKE) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon sessile* BENTH. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon talbotianum* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Memecylon umbellatum* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Menanthes sumatrana* (MIQ.) BREMEK and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Menispermum cocculus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Menispermum columba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Menispermum cordifolium* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Menispermum glabrum* BRUM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha cordifolia* OPHIZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha crispa* GARSAULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha dumetorium* SCHULT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha longifolia* (L.) HUDS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha mulleriana* SCH.-BIP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha niliaca* JACQ. *alopecuroides* NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha piperita* STOKES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha pulegium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha rotundifolia* (L.) HUDS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha sativa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha spicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha sylvestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha verticillata* D.DON NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mentha viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meriandra benghalensis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meriandra strobilifera* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia dissecta* (JACQ.) HALLIER F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia emarginata* (BURM.F.) HALL.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia gangetica* (L.) CUFO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia hastata* (DESR.) HALLIER. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia hederacea* (N.BURM.) H.HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia mammosa* (LOUR.) HALL. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia peltata* (Linn.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia tridentata* (L.) HAILLIER *tridentata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia tridentata* (L.) HALL. *F. hastata* (DESR.) OOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia tridentata* (L.) H. HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia tuberosa* (LINN.) RENDLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia turpethum* RENDLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia umbellata* (L.) HALLIER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Merremia vitifolia* (BURM. F.) HALL. *F* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mesembryanthemum crystallinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mesua ferrea* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mesua nagassarium* (BURM.F.) KOSTERM. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Metathelypteris gracilescens* (BL.) CHING NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meyna laxiflora* ROBYNS and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meyna spinosa* ROXB. EX LINK. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mezoneuron sumatranum* W.A. NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Michelia champaca* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Michelia doltsopa* BUCH.- HAM. EX DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Michelia montana* BL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Michelia nilagirica* ZENK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micranthus oppositifolius* WENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microcos paniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microglossa pyrifolia* (LAM.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microglossa volubilis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microlepis puberula* VAVR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microlepis speluncae* (L.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micromelum hirsutum* OSKIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micromelum integerrimum* (Buch-Ham) Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micromelum minutum* (FORST. F.) WT. & ARN. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micromelum pubescens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micromeria biflora* (DON) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micromeria capitellata* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micrometum integerrimum* (BUCH.-HAM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Micropus xanthopus* (FR.) KUNT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microrhynchus nudicaulis* LESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microsorium alternifolium* COPEL.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microsorium punctatum* (L.) COPEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microstegium ciliatum* A.CAMUS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microstylis muscifera* RIDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microstylis saprophyta* KING & PANTL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microstylis versicolor* (LINDL.) ABEYW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microstylis wallichii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Microula tibetica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mikania micrantha* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Milium ramosum* RETZ. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Milium roxburghianum* (GRIFF.) HK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Milium tomentosum* (ROXB.) SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Milium velutinum* HOOK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia auriculata* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia caudata* (BENTH.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia extensa* (BENTH.) BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia pachycarpa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia piscidia* WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millettia racemosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Millingtonia hortensis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa abstergens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa amara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa cineraria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa cinerea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa ferruginea* ROTTLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa flexuosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa hamata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa intsia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa invisa* MART. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa lucida* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa paniculata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa pudica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa pudica* L. hispida BRENAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa pudica* L. tetrandra (WILLD.)DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa pudica* L. unijuga (DUCHASS. & WALP.)GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa rubicaulis* AUCT. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa rubicaulis* LAMK. himalayana (GAMBLE) DHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa spinisilqua* KLEIN. EX POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimosa suma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimulus moschatus* DOUGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimulus strictus* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimusops elengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimusops hexandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimusops indica* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mimusops kauki* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mirabilis jalapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mischocarpus sundaicus* Bl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitracarpus villosus* (SW.) DC. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitragyna parvifolia* KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitragyna parvifolia* KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitragyna rotundifolia* KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mnesithea laevis* (RETZ.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Modecca palmata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Modecca trilobata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Modecca wightiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania bracteata* HIU-LIN-LI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania chappar* KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania macrophylla* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania nana* MUKHSJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania phursia* O.KTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania semialata* (ROXB.) MUKHERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania stricta* (ROXB.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania strobilifera* J.ST. HILAIRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moghania tuberosa* KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Molineria crassifolia* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Molinia coerulea* MOENCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo cerviana* SER. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo hirta* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo lotoides* (L.) O. KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo nudicaulis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo nudicaulis* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo spargula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mollugo stricta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica balsamina* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica charantia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica charantia* L. charantia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica charantia* L. muricata (WILLD.) CHAKR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica cochinchinensis* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica cymbalaria* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica dioica* ROXB. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica exserta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica muricata* VELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica tuberosa* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Momordica umbellata* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monetia barlerioides* L HERIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moniera cuneate* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moniera cuneifolia* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monochoria hastaefolia* PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monochoria hastata* SOLMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Monotropa uniflora* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morchella esculenta* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morina coulteriana* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morina longifolia* WALL. EX DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda persica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda angustifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda citrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda coreia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda pubescens* J.E.SMITH IN REES pubescens VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda pubescens* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda tinctoria* ROXB. tomentosa (ROTH) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda tomentosa* HEYNE EX ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morinda umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moringa concanensis* NIMMO. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moringa oleifera* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moringa pterygosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus acedosa* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus australis* POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus laevigata* WALL. EX BRAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Morus nigra* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moschosma polystachyum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Moullava spicata* (DALZ.) NICOLS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna atropurpurea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna bracteata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna capitata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna cochinchinensis* Cheval and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna gigantea* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna hirsuta* WIGHT & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna monosperma* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna nigricans* (LOUR.) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna pruriens* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna prurita* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mucuna utilis* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mukia maderaspatana* (L.) M.ROEMER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mukia scabrella* (L.F.) ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mundulea suberosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Munronia pinnata* (WALL.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Muntingia calabura* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia edulis* (STOKES) FADEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia elata* (VAHL) BRUECKNER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia japonica* (THUNB) FADEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia nudiflora* (L.) BRENNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia scapiflora* (ROXB.) ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia semiteres* (DALZ.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murdannia vaginata* (L.) BRUECK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Muricia cochinchinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murraya exotica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murraya koenigii* (L.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Murraya paniculata* (L.) JACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa balbisiana* COLLA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa chinensis* SWEET. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa ornata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa paradisiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa rosacea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa sapientum* O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa sapientum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa superba* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa textilis* NEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa troglodytarum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Musa velutina* WENDL. & DRUDE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda belilla* BUCH.- HAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda erythrophylla* SCHUM. & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda frondosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda glabra* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda glabrata* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda macrophylla* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mussaenda roxburghii* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mutilla occidentalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mylitta lapidescens* HORAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myosoton aquaticum* (L.) MOENCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrica cerifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrica esculenta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrica integrifolia* ROXY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrica nagi* THUNB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrica pensylvanica* LOISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrica sapida* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myricaria bracteata* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myricaria coulteriana* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myricaria elegans* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myricaria germanica* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myriogyne minuta* LESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrioneuron nutans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myriophyllum spicatum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica argentea* WARB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica dactyloides* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica fragrans* HOUTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica laurifolia* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica malabarica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica moschata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myristica officinalis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myropyrum similacifolium* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrsine africana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrsine capitellata* WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrsine semiserrata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrsine serrata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrtus caryophyllata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myrtus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myxopyrum serratum* A.W. HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Myxopyrum smilacifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nannorrhops ritchieana* H. WENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Naravelia zeylanica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Narcissus tazetta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nardostachys grandiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nardostachys jatamansi* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Naregamia alata* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Naringi crenulata* (ROXB.) NICOLSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nasturtium fontanum* ASCHERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nasturtium indicum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nasturtium officinale* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nasturtium palustre* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nauclea aculeata* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nauclea cadamba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nauclea missionis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nauclea orientalis* (L.) L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nauclea ovalifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nauclea sessilifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis hirsuta* (L.F.) LEWIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neillia thyrsiflora* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nelsonia canescens* (LAM.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nelumbium speciosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nelumbo nucifera* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neodissochaeta celebica* (Bl.) Bakh.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolamarckia cadamba* (ROXB.) BOSSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea cassia* (L.) KOSTERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea chinensis* (LAM.) CHUN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea umbrosa* (NEES) and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neolitsea zeylancia* (NEES) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepenthes distillatoria* AUCT. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepenthes khasiana* KH.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta cataria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta ciliaris* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta coerulascens* MAXIM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta connata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta discolor* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta elliptica* ROYLE EX BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta eriostachya* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta glomerulosa* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta glutinosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta hindostana* (ROTH) HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta leucophylla* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta longibracteata* (BENTH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta malabarica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta podostachys* BENTH. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta royleana* STEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta ruderalis* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nepeta spicata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nephelium lappaceum* LINN. MANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nephelium litchi* (LOUR.) GAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nephelium longana* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nephelium stipulaceum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nephrolepis biserrata* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nephrolepis cordifolia* (L.) PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neptunia natans* (L. F.) DRUCE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neptunia oleracea* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neptunia prostrata* (LAM.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neptunia triquetra* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerium antidysentericum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerium coronarium* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerium indicum* MILLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerium odorum* SOLANED and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerium oleander* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nerium tomentosum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nervilia aragoana* GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nervilia plicata* SCHLTR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nesaea lanceolata* (WT. &ARN.) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nesaea prostrata* (DILLWYN) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neuracanthus sphaerostachyus* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Neuracanthus trinervis* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicandra physalodes* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana macrophylla* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana plumbaginifolia* VIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana rustica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nicotiana tabacum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Niebuhreria linearis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nigella damascena* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nigella sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nilgiranthus ciliatus* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nilgiranthus heyneanus* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nipa fruticans* WURMB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nomocharis nana* (KLOTZ.) WILSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nopalea cochenillifera* (L.) LYONS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothapodytes nimmoniana* (GRAH.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Notholaena eckloniana* KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopanax fruticosum* MIQ. FL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopogon castaneifolia* (Roth) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nothopogon colebrookiana* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Notholaena brachiata* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Notonia grandiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nyctanthes arbor-tristis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea caerulea* SAVIGN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea cyanea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea edulis* D.C and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea lotus* HOOK. F.(NON L). and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea nouchali* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea odorata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea pubescens* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea rubra* ROXB. EX ANDREWS and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea stellata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea tetragona* GEORGI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides cristata* (ROXB.) O. KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides hydrophylla* (LOUR.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides indica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides indicum* (L.) O. KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides macrospermum* VASUDEVAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphoides peltata* (GMEL.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nypa fruticans* Wurb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochlandra brandisii* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochlandra travancorica* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna gamblei* KING(SONARI) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna jabotapita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna lanceolata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna obtusata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna pumila* HAM. EX D. DON PRODR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochna squarrosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochradeneus baccatus* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochradenus baccatus* DEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochreinauclea missionis* (WALL.EX G.DON) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ochthochloa coracana* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum adscendens* WIGHT EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum americanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. basilicum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. majus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. pilosum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum basilicum* L. minimum DAMERT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum canum* SIMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum gratissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum kilimandscharicum* GUERKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum pilosum* WILLD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum polystachyon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum prostratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum sanctum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ocimum tenuiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Odina pinnata* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Odina woderi* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenanthe javanica* (BL.)DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oenothera biennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis acuminata* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olax imbricata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olax nana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olax scandens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia auricularia* K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia biflora* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia corymbosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia dichotoma* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia diffusa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia glandulifera* WALL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia herbacea* (L.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia heynii* BR. EX. G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oldenlandia umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea cuspidata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea dioica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea europea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea ferruginea* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea glandulifera* WALL. EX DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Olea polygama* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oleandra neriiformis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oleandra pistillaris* (SW.) C.CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oleandra wallichii* PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oligochaeta ramosa* (ROXB.) WAGEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oligomeris linifolia* (VAHL) MACB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Onosma bracteatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Onosma echioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Onosma hispidum* WALL. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Onosma hookeri* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Onychium contiguum* (WALL.) HOPE.F. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Onychium japonicum* O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Onychium siliculosum* (DESV.) C. CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Operculina petaloidea* (CHOISY) OOSTSTROOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Operculina turpethum* (L.) S. MANSO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophelia angustifolia* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophelia chiraita* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophelia densifolia* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophelia elegans* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophelia multiflora* DATZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiocephalus striatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophioglossum costatum* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophioglossum fibrosum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophioglossum nudicaule* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophioglossum pendulum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophioglossum thermale* KUMAROV NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophioglossum vulgaatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophioglossum vulgatum* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiopogon intermedius* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiopogon japonicum* KER-GAWL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiopogon wallichianus* HOOK.F. PAUCIFLORA HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza mungos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza nicobarica* BALAKR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza nutans* C. B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza ochroleuca* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza pauciflora* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiorrhiza rugosa* WALL. ARGUITEA DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophioxylon serpentinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophiuros exaltatus* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ophrestia pentaphylla* (DALZ.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opilia amentacea* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oplismenus burmannii* (RETZ.) BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opopanax chironium* KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia cochinellifera* MILL. GARD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia dillenii* (KER-GAMIER) HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia elatior* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia ferox* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia ficus-indica* (L.) MILL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia monacantha* HAW. SUPPL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia nigricans* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia stricta* (HAW.) HAW. dillenii (KER.GAWL)BENSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Opuntia vulgaris* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orchis chusua* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orchis habenarioides* K. & P. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orchis latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orchis laxiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orchis mascula* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orchis spathulata* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oreocnide frutescens* (THUNB.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oreocnide integrifolia* (GAUD) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Origanum majorana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Origanum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ormocarpum cochinchinense* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ormocarpum senoides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ormosia travancoria* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orobancha aegyptiaca* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orobancha solmsii* CLARKE EX. HOOK.F. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orophea katschallica* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oroxylum indicum* (L.) VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon aristatus* (BL.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon diffusus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon glabratus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon grandiflorus* BOLDINGH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon incurvus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon pallidus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon rubicundus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon spiralis* (LOUR) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon stamineus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orygia decumbens* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza granulata* Nees. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza mutica* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza rufipogon* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oryza sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia aspera* BLUME and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia capitata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia crinita* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia cupularis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia nepalensis* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia sexatilis* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia sikkimensis* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia stellata* KER-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osbeckia zeylanica* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osmanthus fragrans* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osmunda claytoniana* L.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osmunda regalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osyris arborea* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osyris quadripartita* SALZ EX DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Osyris wightiana* WALL. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Othonnopsis intermedia* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Otostegia aucheri* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Otostegia limbata* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ottelia alismoides* (L.) PERS. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ougeinia dalbergioides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ougeinia oojeinensis* (ROXB.) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ouratea angustifolia* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis corymbosa* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis latifolia* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis martiana* ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis pubescens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxyria digyna* (L.) HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxyspora paniculata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxystelma esculentum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxystelma secamone* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxytenanthera nigrociliata* MUNRO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxytenanthera thwaitesii* MUNRO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxytropis mollis* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxytropis tatarica* BUNGE. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pachyrrhizus angulatus* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pachyrrhizus erosus* (L.) URBAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pachystoma senile* (LINDL.) REICHB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paederia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paederia scandens* (LOUR.) MERILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paederia tomentosa* BLUME BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paeonia emodi* WALL. EX. ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pajanelia longifolia* (WILLD.) K.SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Palaquium ellipticum* (DOLZ.) BAILLON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Palhinhaea cernua* (L.) FRANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pamburus missionis* (WIGHT) SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panax ginseng* MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panax pseudoginseng* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panax quinquefolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panax wangianus* Sun and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pancratium triflorum* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pancratium zeylanicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus fascicularis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus foetidus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus furcatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus kaida* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus odoratissimus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus tectorius* AUCT. NON SOLAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus thwaitesii* MARTELLI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *PKalamnus unipapillatus* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum antidotale* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum brizoides* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum crus-corvi* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum flavo-marginatum* MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum floro-marginatum* MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum frumentaceum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum grossarium* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum grossarium* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum incomtum* TRIN. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum isachne* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum italicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum maximum* FACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum maximum* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum miliaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum milliare* AUCTION. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum psilopodium* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum psilopodium* TRIN. *psilopodium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum sarmentosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum stagninum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver argemone* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver dubium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver hybridum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver nudicaule* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver rhoeas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver somniferum* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paphiopedilum druryi* (BEDD.) STEIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papilionanthe teres* (ROXB.) SCHLTR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paracalyx scariosa* (ROXB.) ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parameria barbata* (BL.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parameria polyneura* HOOK.R. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paramignya angulata* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paramignya longispina* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paramignya monophylla* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pardanthus chinensis* KER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paris polyphylla* SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parkia biglandulosa* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parkia javanica* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parkia roxburghii* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parkia timoriana* (A. DC.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parkinsonia aculeata* L.SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parmelia cirrhata* FR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parmelia kamstchadalensis* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parmelia nilgherrensis* NYL. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parmelia perforata* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parmelia perlata* (HUDS.) ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parmignya monophylla* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parnassia laxmannii* PALL. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parnassia nubicola* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parnassia palustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parnassia pusilla* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parochetus communis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parsonsia alboflavescens* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parsonsia helicandra* HOOK. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parsonsia laevigata* (Moon) Alston. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parsonsia spiralis* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Parthenium hysterophorus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pasania truncata* (KING) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum conjugatum* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum distichum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum scrobiculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paspalum scrobiculatum* L. *commersonii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora assamica* CHAKRAVARTY and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora edulis* SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora incarnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora perpera* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Passiflora quadrangularis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Paullinia cupana* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pausinystalia yohimba* PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta crassicaulis* BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta indica* L. minor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavetta tomentosa* ROXB. EX SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavonia odorata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavonia procumbens* SOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavonia propinqua* GARCKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavonia repKalam* (J.E. SM.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavonia zeylanica* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Payena lucida* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pecteilis susannae* (L.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedaliium murex* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis cheilanthifolia* SCHRENK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis comosa* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis pectinata* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis pycnantha* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis pyramidata* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedicularis siphonantha* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pedilanthus tithymaloides* (L.) POIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peganum harmala* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pegia nitida* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pegolettia senegalensis* CASS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pegonatherum crinitum* KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium graveolens* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium roseum* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peliosanthes bakeri* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peliosanthes teta* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pellaea colomelanos* LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pellaea hastata* (THUNB) PRANTL NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peltigera canina* WILLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peltophorum pterocarpum* (DC.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pemphis acidula* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum alopecuroides* (L.) SPRENG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum americanum* (L.) LEEKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum compressum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum flaccidum* GRISEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum glaucum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum spicatum* ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pennisetum typhoideum* (RICH) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentanema indicum* (L.) LING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentaneura khasiana* KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentapetes phoenicea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentaptera tomentosa* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentatropis capensis* (L.F.) BULLOCK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentatropis cynanchoides* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentatropis spiralis* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia pellucida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia reflexa* (L.F.) A. DIETR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peranama cyatheoides* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pergularia aktensa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pergularia daemia* (FORSK.) CHOIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pergularia extensa* N.E.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pergularia tomentosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pericampylus glaucus* (LAMK.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pericampylus incanus* MIERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Perilepta auriculata* (NEES) BREMEK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Perilla frutescens* (L.) BRITT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Periploca aphylla* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Periploca indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Periploca sylvestris* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristrophe bicalyculata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristrophe bivalvis* MERR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristrophe paniculata* (FORSK.) BRUMMITT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peristylus stocksii* (HK.F.) KRANZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Perotis indica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Perovskia abrotanoides* KAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Perovskia atriplicifolia* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persea fructifera* KOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persea gamblei* (KING EX HK.F.) KOST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Persea macrantha* (NEES) KOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petrea volubilis* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Petroselinum crispum* NYM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peucedanum aucheri* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peucedanum dhana* BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peucedanum grande* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peucedanum graveolens* BENTH. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Peucedanum nagpurens* (CL.) PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaius grandifolius* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaius tancarvilleae* (L. HERIT.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaius wallichii* LINDL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phalaenopsis amabilis* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phalaris arundinacea* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phalaris canariensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phallus rubicundus* (BOSC.) FRIES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pharbitis nil* CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pharnaceum cerviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pharnaceum mollugo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus aconitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus adenanthus* G.F. MEYER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus aureus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus dalzellii* COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus lunatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus mungo* (L) MANT. *radiatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus mungo* (L) MANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus pauciflorus* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus radiatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus roxburghii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus semierectus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus sublobatus* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus trilobus* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaseolus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phaulopsis imbricata* (FORSK.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlegmariurus phlegmaria* (L.) SEN & SEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlogacanthus curviflorus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlogacanthus guttatus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlogacanthus jenkinsii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlogacanthus pubinervis* T.ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlogacanthus thrysiflorus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlogacanthus thrysiflorus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlogacanthus thrysiformis* (HARD.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phlomis bracteosa* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoebe lanceolata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoebe wightii* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix acaulis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix asperulatus* HUTCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix dactylifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix farinifera* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix humilis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix loureirii* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix paludosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix pusilla* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoenix sylvestris* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pholidota chinensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pholidota imbricata* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pholidota pallida* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Photinia notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Photinia serrulata* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phragmites communis* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phragmites karka* TRIN. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phragmites maxima* BLATTER & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phragmites roxburghii* (KUNTH) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phrymium dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyla nodiflora* (L.) GREENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllagathis rotundifolia* BLUME and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus acidus* (L.) SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus airy-shawii* BRUNEL & ROUX and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus amarus* SCHUM. & THENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus clarkei* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus debilis* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus distichus* (L.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus emblica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus fraternus* WEBSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus gomphocarpus* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus indofischeri* BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus maderaspatensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus missionis* HOOK.F. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus mukherjeeanus* MITRA ET BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus multiflorus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus niruri* SENSU HOOK.F. Non Linn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus polyphyllus* DALZ. & GIBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus reticulatus* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus rhamnoides* WILLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus rheedii* WT. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus simplex* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus urinaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllanthus virgatus* G.FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllocephalum indicum* (LESS.) KIRKMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllochlamys taxoides* KOORDERS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phymatodes scolopendria* (BURM.) CHING. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis alkekengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis alkekengi* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis angulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis divaricata* D.Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis flexuosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis indica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis minima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physalis peruviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physoclaina praealta* (DECNE) MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Physostigma venenosum* BALF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phytolacca acinosa* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phytolacca americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picrasma guassioides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picea abies* (L.) KARST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picrasma javanica* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picrasma nepalensis* BENN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picrasma quassioides* BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picris hieracioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picrorhiza kurroa* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picrorhiza scrophulariiflora* PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Picrorrhiza kurrooa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pieris ovalifolia* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pilea microphylla* (L.) LIEBM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pilea umbrosa* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piliostigma malabaricum* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pilocarpus jaborandi* HOLMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimenta acris* KOSTEL ALLG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimenta racemosa* J. W. MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella anisum* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella bracteata* HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella diversifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella heyneana* (WALL. EX DC.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella involucrata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella saxifraga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella stocksii* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pimpinella tirupatiensis* BAL. & SUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinanga dicksonii* (ROXB.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinanga manii* BECC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus dammara* LAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus deodara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus excelsa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus gerardiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus griffithii* M. CLELL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus insularis* ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus kesiya* GORDON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus longifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus maritima* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus merkussi* JUNGH. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus picea* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus roxburghii* SARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus sylvestris* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus wallichiana* JACKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pinus webbiana* WALL. EX. LAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper argyrophyllum* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper attenuatum* BUCH.-HAM. EX MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper aurantiacum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper auranticum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper baccatum* CAS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper bachystachyum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper bantamense* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper barberi* GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper betle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper betleoides* C. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper boehmeriaefolium* WALL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper caninum* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper chaba* HUNTER and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper clusii* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper crassipes* KORTH. EX. C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper cubeba* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper dichotomum* HORT. PAR. EX KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper diffusum* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper gamblei* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper griffithii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper guineense* SCHUM & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper lanceolatum* RUIZ & PAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper longum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper mullesua* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper officinarum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper pedicellatum* C. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper pedicellosum* WALL.EX CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper peepuloides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper retrofractum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper ribesoides* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper sarmentosum* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper sylvaticum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper thomsoni* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper thomsonii* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper trichostachyon* (MIQ.) C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper trioicum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Piper wallichii* (MIQ.) HAND MAZZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pipturus velutinus* WEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisonia alba* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisonia grandis* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisonia mitis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisonia morindifolia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisonia umbellata* (FORST.) SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistacia chinensis* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistacia integerrima* STEW. EX BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistacia khinjuk* STOCKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistacia lentiscus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistacia terebinthus* LINN. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistacia vera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistia stratiotes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pistia stratiotes* LINN. CUNEATA ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisum arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pisum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium angulatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium bigeminum* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium clypearia* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium dulce* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium fasciculatum* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium globosum* KOSTERM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium lobatum* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecolobium dulce* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecolobium subcoriaceum* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pithecolobium umbelletum* (VAHL.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum nepaulense* (DC.) REHDER & WILSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum nilghirens* WIGHT & ARN. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum tetraspermum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pityrogramma calomelanos* (L.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Planchonella obovata* (R.BR.) PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago arenaria* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago brachyphylla* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago ciliata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago depressa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago erosa* WALL. IN ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago himalaica* PILG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago ispaghula* ROXB. EX FLEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago lagocephala* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago lanceolata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago media* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago ovata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago psyllium* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago pumila* WILLD. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago stocksii* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plantago tibetica* HK. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Platanthera susannae* (L.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Platanus orientalis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Platostoma africanum* BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Platostoma africanus* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Platostoma flaccidum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plecosperrum spinosum* TREC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus ambonicus* (LOUR.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus barbatus* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus coetsa* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus fruticosus* WIGHT EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus incanus* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus mollis* (AITON) SPLRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus nilgherricus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus rugosus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus striatus* BENTH. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus ternifolius* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectronia didyma* KURZ FOR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plectronia parviflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleione maculata* (LINDL.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleopeltis lanceolata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleopeltis nuda* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plesmonium margaretiferum* (ROXB.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleurospermum angelicoides* (DC.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleurospermum candollei* (DC.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pleurostylia opposita* (WALL.) ALSTON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pluchea indica* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pluchea lanceolata* OSKIN & HIERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pluchea pinnatifida* HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pluchea tomentosa* DC. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pluechea indica* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumbago auriculata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumbago capensis* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumbago indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumbago rosea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumbago zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria acuminata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria acutifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria acutifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plumeria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poa cynosuroides* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poa malabarica* KLEIN. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podocarpus latifolia* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podocarpus neriifolius* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podophyllum emodi* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podophyllum hexandrum* ROYLE and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Podophyllum peltatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poeciloneuron indicum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poeciloneuron pauciflorum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogonatherum crinitum* (THUNB.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogonia plicata* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon auricularis* (L.) HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon benghalensis* (BURM.F.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon cablin* (BLANCO) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon elsholtzioides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon heyneanus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon paniculatus* (WILLD.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon parviflorus* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon patchouli* PELLET. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon plectranthoides* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon pubescens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon purpurascens* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon vestitus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pogostemon villosus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poikilospermum suaveolens* (BL.) MERR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poinciana elata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poinciana gilbesii* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poinciana pulcherrima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polanisia felina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polanisia icosandra* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polemonium caeruleum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polianthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia cerasoides* (ROXB.) BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia longifolia* BENTH. & HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia simiarum* BENTH. & HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia suberosa* (ROXB.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyanthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpaea corymbosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala abyssinica* (R.BR.) FRESEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala arillata* HAM. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala arvensis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala crotarioides* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala elongata* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala erioptera* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala glomerata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala irregularis* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala leptalea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala longifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala persicariaefolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala senega* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala sibirica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala telephioides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala vulgaris* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygallata arillata* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonatum cirrhifolium* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonatum multiflorum* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonatum verticillatum* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum affine* DON and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum alatum* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum alpinum* ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum amphibium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum amplexicaule* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum auriculatum* MEISN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum aviculare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum barbatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum bistorta* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum bistorta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum capitatum* BUCH.-HAM. EX DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum chinense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum convolvulus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum cymosum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum flaccidum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum glabrum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum hydropiper* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum lapathifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum macrophyllum* DON. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum minus* HUDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum molle* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum multiflorum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum nepalense* MEISSN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum paronychioides* MEYER EX HOHEN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum perfoliatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum persicaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum plebeium* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum polystachyum* WALL. EX MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum posumbi* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum pulchrum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum recumbens* ROYLE EX BAB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum roettleri* ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum rumicifolium* ROY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum serrulatum* LAGASCA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum sphaerostachyum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.)

STEWART stagninum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum stewartianum* DIELS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum strigosum* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum tenellum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum tomentosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum tortuosum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum vacciniifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum virginianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygonum viviparum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polypodium irioides* LAMK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polypodium quercifolium* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polypodium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyporus anthelminticus* BERK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyporus officinalis* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyscias fruticosa* (L.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polysolenia wallichii* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polystichum aculeatum* (L.) ROTH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polystichum biaristatum* (BLUME) MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polystichum squarrosus* (D.DON) FEE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polytoca barbata* STAPF and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polytrichum juniperinum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pometia pinnata* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ponerorchis chusua* (D.DON) SOO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pongamia glabra* VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pongamia pinnata* (L.) PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pontederia vaginalis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Populus alba* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Populus caspica* BORNH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Populus ciliata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Populus euphratica* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Populus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Porana paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Porphyra umbilicalis* (L.) AG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Porphyra vulgaris* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca grandiflora* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca meridiana* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca pilosa* LINN. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca sativa* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla anserina* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla arbuscula* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla argyrophylla* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla atosanguinea* LODD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla bifurca* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla fragarioides* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla fruticosa* L. rigida (LEHM.) WOLF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla fulgens* WALL. EX HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla gerardiana* LINDL. EX LEHM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla kleiniana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla lineata* TREVIR EX REICH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla moonaiana* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calophyllum inophyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calophyllum polyanthum* Wall.ex Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia cowa* Roxb. ex DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia gummi-gutta* (L.) Robs. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia mangostana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia morella* (Gaertn.) Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia papilla* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia rubro-echinata* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia spicata* (Wight & Arn.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia talbotii* Raiz. ex Sant and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia wightii* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Garcinia xanthochymus* Hook. f. ex. T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum androsaemum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum humifusum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum japonicum* Thunb. ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum mysurense* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum patulum* Thunb ex Murray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum uralum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hypericum wightianum* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mesua ferrea* L. subsp. *ferrea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque

var. pulchella and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mesua ferrea* L. subsp. pulchella (Planch. & Triana) Vesque var. coromandeliana (Wight) Mahesh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poeciloneuron indicum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Poeciloneuron pauciflorum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Camellia japonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Camellia sinensis* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eurya nitida* Korth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gordonia obtusa* Wall ex Wight Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schima wallichii* (DC.) Korth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ternstroemia japonica* (Thunb.) Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saurauia fasciculata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saurauia napaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dipterocarpus indicus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea erosa* (Bedd.) van Sloot. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea glabra* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea parviflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea ponga* (Dennst.) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hopea utilis* (Bedd.) Bole and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Shorea roxburghii* G. Don. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vateria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ancistrocladus heyneanus* Wall. ex Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus angulosus* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus esculentus* (L.) Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus ficulneus* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus manihot* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss.Waalk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon crispum* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon hirtum* (Lam.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon indicum* (L.) Sweet subsp. *indicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon neilgherrense* Munro ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon pannosum* (Forst. f.) Schlect and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon persicum* (Burm. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon ramosum* (Cav.) Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon striatum* Dickson ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Abutilon theophrastii* Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alcea rosea* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Decaschistia crotonifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Decaschistia rufa* Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium arboreum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium barbadense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium herbaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gossypium hirsutum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus canescens* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus cannabinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus furcatus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus hirtus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus lobatus* (Murr.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus lunariifolius* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus mutabilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus micranthus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus panduriformis* Burm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus platanifolius* (Willd.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus radiatus* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus rosa-sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus sabdariffa* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus schizopetalus* (Mast.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus surattensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus syriacus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus tiliaceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus trionum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hibiscus vitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kydia calycina* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malachra capitata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malva parviflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malva sylvestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malva verticillata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malvastrum coromandelianum* (L.) Garcke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malvaviscus arboreus* Cav. var. *arboreus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Modiola caroliniana* (L.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavonia odorata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pavonia zeylanica* (L.) Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Plagianthus pulchellus* A. Gray and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida acuta* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida cordata* (Burm. f.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida mysorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida rhombifolia* L. var. *rhombifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida schimperiana* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thespesia populnea* (L.) Soland ex Correa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urena lobata* L. subsp. *lobata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Adansonia digitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bombax ceiba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bombax ellipticum* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bombax insigne* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ceiba pentandra* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chorisia speciosa* St. Hil. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cullenia exarillata* Robyns and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Durio zibethinus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Byttneria herbacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cola acuminata* (P. Beauv.) Schott & Endlicher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dombeya acutangula* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dombeya burgessiae* Gerr. ex Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dombeya mastersii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dombeya mollis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dombeya platanifolia* Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dombeya spectabilis* Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dombeya wallichii* (Lindl.) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriolaena hookeriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriolaena lushingtonii* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eriolaena stocksii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Firmiana colorata* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guazuma ulmifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Helicteres isora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Heritiera papilio* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kleinhovia hospita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Leptonychia moacurroides* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melhania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melhania cannabina* Wight ex Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melhania hamiltoniana* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melhania incana* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melochia corchorifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melochia nodiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Melochia pyramidata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pentapetes phoenicea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum acerifolium* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum canescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum diversifolium* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum obtusifolium* Wight ex Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum reticulatum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterygota alata* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia balanghas* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia guttata* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia urens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia villosa* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Theobroma cacao* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Waltheria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berrya cordifolia* (Willd.) Burret. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berrya javanica* (Turez.) Burret. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus aestuans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus capsularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus fascicularis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus olitorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus tridens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus trilocularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corchorus urticifolius* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia abutilifolia* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia abutilifolia* Vent. ex Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia barberi* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia bracteata* Roth. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia damine* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia flavescens* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia gamblei* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia heterotricha* Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia hirsuta* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia lanceaefolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia nervosa* (Lour.) Panigr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia oppositifolia* Buch - Ham ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia orbiculata* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia pKalamica* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia rhamnifolia* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia rothii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia serrulata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia tenax* (Forsk.) Fiori and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia tiliifolia* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia umbellifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Grewia villosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Muntingia calabura* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta pentandra* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta pilosa* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta rhomboidea* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta rotundifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus amoenus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus blascoi* Weibeln and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus lanceifolius* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus munronii* (Wight) Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus recurvatus* Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus rugosus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus serratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus glandulosus* Wall. ex Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus tuberculatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elaeocarpus venustus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hugonia mystax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linum mysurense* Heyne ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Linum usitatissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reinwardtia indica* Dumort. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum coca* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum lanceolatum* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum monogynum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum moonii* Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erythroxylum obtusifolium* (Wight) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aspidopterys canarensis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aspidopterys indica* (Roxb.) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Galphimia gracilis* Bartl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hiptage benghalensis* (L.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hiptage obtusifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hiptage parvifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malpighia coccigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malpighia glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malpighia heterantha* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Malpighia puniceifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tristellateia australasiae* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Balanites aegyptiaca* (L.) Del. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fagonia cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Guaiacum officinale* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tribulus lanuginosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tribulus subramanii* P. Singh, Giri & V. Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Erodium moschatum* (L.) L' Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Geranium nepalense* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium capitatum* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium cucullatum* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium x domesticum* L.H.Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium graveolens* L' Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium grossularioides* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium x hortorum* L.H.Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium inquinans* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pelargonium peltatum* Soland. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tropaeolum majus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tropaeolum pentaphyllum* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Limnanthes douglasii* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum insignis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum longibracteatum* Tad. & Jacob and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum nudum* (Arn.) Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum polyphyllum* Munro and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum proliferum* (Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum reinwardtii* (Zucc.) Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis cernua* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis corymbosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis deppei* Lodd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis latifolia* H. B. K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis pubescens* H. B. K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oxalis variabilis* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Averrhoa bilimbi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Averrhoa carambola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydrocera triflora* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens acaulis* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens auriculata* Wight and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens balsamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Impatiens campanulata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla nepalensis* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla reptans* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla salesoviana* STEPH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla sericea* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla sibbaldi* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla sundaica* (BL.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Potentilla supina* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pothomorphe subpeltata* (WILLD.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pothos cathcarti* SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pothos kunstleri* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pothos officinalis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pothos scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia bennettiana* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia frondosa* (DON) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia hirta* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia indica* GAUD. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia quinquenervis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia sanguinea* (BI.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia viminea* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pouzolzia zeylanica* (L.) BENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prangos pabularia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pratia begonifolia* (WALL.) LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pratia nummularia* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna barbata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna coriacea* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna corymbosa* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna divaricata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna esculenta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna flavescens* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna integrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna macrophylla* WALL. EX SCHAUER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna mucronata* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna obtusifolia* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna parasitica* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna serratifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna thyrsoides* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna tomentosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Premna villosa* CLARKE IN HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Primula denticulata* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Primula macrophylla* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Primula reticulata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prinsepia utilis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prismatomeris tetrandra* K.SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Priva cordifolia* (L.F.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Priva leptostachya* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prosopis chilensis* (MOLINA) STUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prosopis cineraria* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prosopis juliflora* (SW.) DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prosopis spicigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Protium kataf* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Protium pubescens* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Protium serratum* (COLEBR) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus amygdalus* BATSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus armeniaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus avium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus carmesiana* HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus cerasoides* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus cerasus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus ceylanica* (WT.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus communis* FRITSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus communis* HUDS. insitia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus cornuta* (ROYLE) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus domestica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus dulcis* (MILLER) D.A. WEBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus insititia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus mahaleb* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus malus* L. NULL and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus persica* BATSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus salicina* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus triflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Prunus undulata* HAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Przewalskia tangutica* MAXIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psalliotia campestris* L FR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psammogeton biternatum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psammogeton canescens* (DC.) VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudarthria viscida* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudodissochaeta assamica* (CL.) NAYAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pseuduvaria prainii* (KING) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psidium cattleianum* SABINE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psidium guajava* L. *pomiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psidium guyava* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psidium pomiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psidium pyrifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psidium quajava* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psilotrichum trichotomum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psilotum nudum* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psophocarpus tetragonolobus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psoralea corylifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psoralea plicata* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psoralea tetragonoloba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria calocarpa* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria curviflora* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria dalzielii* J. HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria glandulosa* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria ipecacuanha* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria montana* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria sarmentosa* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria viridiflora* REINW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Psychotria andryaloides* (DC) NOVOP. EX KRASH. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteridium aquilinum* (L.) KUHN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteris aquilina* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteris biaurita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteris cretica* L.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteris ensiformis* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteris longipes* DON F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteris multifida* POIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteris vitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteris wallichiana* AGARDH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pternandra coerulescens* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterocarpus dalbergioides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterocarpus indicus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterocarpus marsupium* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterocarpus santalinus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterocymbium javanicum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pteropyrum olivierii* JAUB. & SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum acerifolium* WILLD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum canescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum diversifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum suberifolium* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pterygota alata* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ptesmonium margaritiferum* (ROXB.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ptychopetalum olacoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ptychopetalum uncinatum* ANSELMINO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ptychotis ajowan* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pueraria hirsuta* (THUNB.) SCHU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pueraria lobata* (WILLD.) OHWI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pueraria phaseoloides* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pulicaria crispa* SCH.-BIP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pulicaria dysenterica* (L.) GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pulicaria glaucescens* JAUB. & SPACH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Puneria coagulans* STOCKS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Punica granatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pupalia lappacea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pupalia orbiculata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Putranjiva roxburghii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Putranjiva zeylanica* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycnocycla aucheriana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycnocycla glauca* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pycnospora lutescens* (POIR.) SCHINDLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pygeum gardneri* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pygeum wightianum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pygmaeopremna herbacea* (ROXB.) MOLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pygmaeopremna pyrifolia* - culta NAKAI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrethrum indicum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrethrum umbeliferum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrola rotundifolia* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrrosia adnascens* (SW.) CHING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrrosia heterophylla* (L.) ORUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrrosia lanceolata* (L.) FARWELL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrrosia mannii* (GIES.) CHING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrrosia penangiana* (HK.) HOLTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus aucuparia* GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus chinensis* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus cydonia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus lindleyi* REHD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus malus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus pashia* BUCH.-HAM EX DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pyrus tomentosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quamoclit coccinea* MOENCH.METH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quamoclit phoenicea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quamoclit pinnata* BOJER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quamoclit vulgaris* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quassia indica* (GAERTN.) NOOTEBOOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus acutissima* CARR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus floribunda* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus ilex* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus incana* ROXB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus infectoria* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus lamellosa* SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus leucotrichophora* A. CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus pachyphylla* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus robur* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quercus truncata* KING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Quisqualis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Radermachera xylocarpa* (ROXB.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia cochinchinensis* (LOUR.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia densiflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia dumetorum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia fasciculata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia longiflora* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia longispina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia malabaricum* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia rugulosa* (THW.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia spinosa* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia tetrasperma* BENTH. & HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia tomentosa* HOOK.F. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Randia uliginosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus aquatilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus cantoniensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus diffusus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus falcatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus hirtellus* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus hyperboreus* ROTLB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus laetus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus lingua* L. SP. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus muricatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus pensylvanicus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus sceleratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus tricuspidatus* MAXIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Raphanus caudatus* ALEF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Raphanus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia canescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia micrantha* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia reflexa* T. & B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rauvolfia tetraphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ravenala madagascarensis* SONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reaumuria hypericoides* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reinwardtia indica* DUMORT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reinwardtia trigyna* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reissantia arborea* (ROXB) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reissantia grahamii* (WIGHT) DING.HOU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reissantia indica* (WILLD.) HALLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Remirea maritima* AUBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Remusatia vivipara* SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reseda odorata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhabdia lycioides* SENU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus dahuricus* PALL. REISE RUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus nepalensis* WALL. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus prostrata* JACQ. EX PAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus purpurea* EDGEW. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus purshiana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus triquetra* (WALL.) BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus virgatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhamnus wightii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhaphidophora decursiva* SCHOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhaphidophora laciniata* (BURM.F.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhaphidophora pertusa* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhazya stricta* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum acuminatum* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum australe* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum emodi* WALL. EX MEIM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum moorcroftianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum nobile* HOOK.F. & THOMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum officinale* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum palmatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum rhaponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum spiciforme* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum spiciforme* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum undulatum* PALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rheum webbianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhinacanthus calcaratus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhinacanthus communis* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhinacanthus nasuta* (L.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhinoglossum obliquum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhizophora apiculata* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhizophora mangle* Roxb. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhizophora mucronata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhodamnia trinervia* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhodiola imbricata* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron anthopogon* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron arboreum* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron barbatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron campanulatum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron chrysanthum* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron cinnabarinum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron decipiens* LACAITA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron falconeri* HOOK. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron javanicum* BENN. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron lepidotum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron ponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron setosum* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhododendron thomsonii* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhodomyrtus parviflora* ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhodomyrtus semialata* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhodomyrtus tomentosa* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus chinensis* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus coriaria* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus hookeri* SAHNI & BAHADUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus insignis* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus javanica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus punjabensis* J.L. STEW. EX BRAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus semialata* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus succedanea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhus wallichii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosarpha foetida* SCHRAD NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchoglossum obliquum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia minima* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosia nummularia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchospermum verticillatum* REIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rhynchosylos retusa* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ribes alpestre* WALL. EX DECNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ribes emodense* REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ribes grossularia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ribes himalense* ROYLE EX DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ribes nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ribes orientale* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ribes rubrum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Richardia scabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ricinus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Riedlea corchorifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rikliella squarrosa* (L.) RAYNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rivea hypocrateriformis* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rivea ornata* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Roccella montagnei* BEL. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa islandica* (OEDER) BORBAS SCHINZ & THELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa dubia* HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa indica* (L.) HIERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa indieca* HIERN. APETALA HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa islandica* (OED.) BORBASS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa montana* SMALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa banksiae* AIT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa brunonii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa centifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa chinensis* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa eglanteria* MILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa foetida* HERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa gallica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa macrophylla* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa moschata* HERRM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa multiflora* THUNB. EX J. MURR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa rubra* BLACKW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa sericea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosa webbiana* WALL. EX ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Roscoea alpina* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Roscoea procera* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Roscoea purpurea* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosmarinus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rostellularia procumbens* (L.) NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rosularia rosulata* (EDGEW.) OHBA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala baccifera* KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala densiflora* (ROTH) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala indica* (WILLD.) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotala rotundifolia* KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rothia indica* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rotula aquatica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rourea mimosoides* PLANCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rourea minor* (GAERTN.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rourea santaloides* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Roylea cinerea* (DON) BAILL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Roylea elegans* WALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubia cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubia munjista* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubia sikkimensis* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubia tinctorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus biflorus* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus contennifer* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus ellipticus* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus fruticosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus idaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus lasiocarpus* SMITH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus lucens* FOCKE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus moluccanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus niveus* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus paniculata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus rugosus* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus saxatilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus strigosus* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rubus ulmifolicus* SCHOTT NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rudolphia frondosa* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruellia patula* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruellia prostrata* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruellia secundra* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruellia strepens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruellia suffruticosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruellia tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex dentatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex hastatus* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex hymenosepalus* TORR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex maritimus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex nepalensis* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex orientalis* BERNH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex paulsenianus* RECH. F. FEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex scutatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumex vesicarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rumphia amboinensis* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia parviflora* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia pectinata* (L.) NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rungia repens* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruscus aculeatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Russelia equisetiformis* SCHL. & CHAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruta angustifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruta chalepensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruta graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ruta tuberculata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rytidix granularis* (L.) SKEELS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sabia lanceolata* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sabia robusta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharomyces cerevisiae* MEYEN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum arundinaceum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum bengalense* RETZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum ciliare* ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum fuscum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum munja* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum officinarum* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum robustum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum sara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum sinense* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccharum spontaneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sacciolepis indica* CHASE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sacciolepis interrupta* (WILLD.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccolabium guttatum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccolabium papillosum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saccolabium praemorsum* HOOK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sageraea dalzelli* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sageraea laurifolia* (GRAHAM) BLATTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sagina saginoides* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sagittaria sagittifolia* L. *sagittifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saguerus rumphii* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia fruticosa* HEYNE EX LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia grandiflora* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia macrophylla* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia macrosperma* WT. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia oblonga* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salacia reticulata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salicornia brachiata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salicornia indica* DREGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix acmophylla* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix acutifolia* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix babylonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix caprea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix daphnoides* VILL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix elegans* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix pychnostachya* ANDERSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salix tetrasperma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salmalia malabarica* SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salomonium cantoniensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salsola baryosma* (R. & S.) DANDY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salsola foetida* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salsola kali* LINN. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvadora indica* ROYLE NULL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvadora oleoides* DECNE and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvadora persica* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvadora wightiana* PLANCH. EX THW. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia aegyptiaca* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia bengalensis* KOENIG and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia cabulica* BENTH. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia coccinea* BUCHOZ EX ETLINGA and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia glutinosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia haematodes* W. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia hians* ROYLE EX BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia lanata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia macrosiphon* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia moorcroftiana* WALL. EX BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia mukerjeea* BENNET & RAIZADA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia plebeia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia pumila* BENTH. NULL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia sclarea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvia spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Salvinia cucullata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalamdera indica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalamdera lucida* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Kalamnea Kalamn* (JACQ.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sambucus ebulus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sambucus hookeri* REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sambucus javanica* REINW. EX BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sambucus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sambucus wightiana* WALL. EX WGT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sandoricum indicum* CAV. DISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sandoricum koetjape* (BURM.F.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sanguinaria canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sanicula europaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria cylindrica* BOJ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria ebracteata* (CAV.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria hyacinthoides* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria lanuginosa* WILLD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria roxburghiana* SCHULT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria trifasciata* HORT. EX PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sansevieria zeylanica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Santaloides minus* SCHELLENB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Santalum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Santalum flonum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Santolina chamaecyparissus* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapindus emarginatus* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapindus laurifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapindus mukorossi* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapindus trifoliatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapium indicum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapium insigne* TRIMEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sapium sebiferum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saponaria vaccaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saraca asoca* (ROXB.) DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saraca indica* AUCT. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcandra glabra* (THUNB.) NAKAI and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcocephalus cordatus* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcocephalus missionis* HAVILAND REV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcolobus globosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma acidium* (ROXB.) VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma acidium* VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma brevistigma* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma brunonianum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma intermedium* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma secamone* (L.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostemma stocksii* HK. F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sarcostigma kleinii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sassafras albidum* (NUTT.) NESS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sassafras officinale* NEES. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Satureja hortensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Satureja montana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Satyrium nepalense* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saurauia armata* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saurauia macrotricha* KURZ and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saurauia napaulensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saurauia nepalensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saurauia robusta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saurauia roxburghii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sauromatum guttatum* (WALL.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sauromatum pedatum* (WILLD.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sauromatum venosum* (AIT.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sauropus androgynus* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sauropus quadrangularis* MUELL. ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea affinis* SPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea albescens* (DC.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea auriculata* (DC.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea bracteata* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea candicans* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea ceratocarpa* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea costus* (FALC.) LIPSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea gossypiphora* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea gracilis* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea heteromalla* (DON) HAND.-MAZZ. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea hypoleuca* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea lappa* C.B.CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea obvallata* (DC.) EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea sacra* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea schultzei* H.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saussurea taraxacifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saxifraga diversifolia* WALL. EX SER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saxifraga imbricata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saxifraga ligulata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scabiosa speciosa* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scaevola frutescens* KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scaevola koenigii* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scaevola sericea* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scaevola taccada* (GAERTN.) ROXB. N and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scaphium affine* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scaphium wallichii* SCHOTT & ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scapiflora species* (ROXB.) ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera elliptica* (BL.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera hypoleuca* (KURZ) HARMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera shypoleucoids* HARMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera stellata* (GAERTN.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera venulosa* (WIGHT & ARN.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schefflera venulosum* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schima wallichii* (DC.) KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schinus molle* HORT. EX ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schisandra chinensis* (TURCZ.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schisandra neglecta* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schizachyrium exile* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schizaea dichotoma* (L.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schizandra neglecta* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schizophyllum commune* FR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schleichera oleosa* (LOUR.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schleichera trijuga* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schlerichera trijuga* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schrebera swietenoides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schultzia benthami* C.B.CLARKE and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schumannianthus virgatus* (ROXB.) ROLFE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schweinfurthia papilionacea* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Schweinfurthia sphaerocarpa* A.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scilla coromandeliana* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scilla hohenackeri* FISCHET MAY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scilla hyacinthina* (ROTH.) MAC BRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scilla indica* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scindapsus officinalis* SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus barbatus* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus corymbosus* HEYNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus grossus* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus kysoor* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus lacustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scirpus tuberosus* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria hebecarpa* NEES and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria levis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria lithosperma* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria pergracilis* (NEES) KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria poaeformis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleria terrestris* (L.) FASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sclerocarya birrea* HOCHST and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scolopia aculeata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scopolia crenata* CLOS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scoparia dulcis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scopolia lurida* DUNAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scopolia stramonifolia* (WALL.) SHRESTHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scorzonera virgata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scrophularia koelzii* PENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scrophularia variegata* M.B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scurrula parasitica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scurrula philippensis* (CH. & SCH.) DON. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria angulosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria assamica* MUKHERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria discolor* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria galericulata* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria glandulosa* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria heydei* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutellaria indica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutia indica* BRONG.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scutia myrtina* (N.BURM.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scyphiphora hydrophyllacea* GAERTN.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sebastiania chamaelea* MUELL.ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Secamone emetica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sechium edule* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Securinega suffruticosa* (PALL.) REHDER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Securinega virosa* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum asiaticum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum crassipes* WALL. EX HOOK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum ewersii* LEDEB. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum multicaule* WALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum quadrifidum* PALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum tibeticum* HOOK.F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum tillacoides* DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum trifidum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sedum wallichianum* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella bryopteris* (L.) BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella chrysocaulos* (HOOK. & GREV.)SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella ciliaris* (RETZ.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella involvens* SPRENG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella krausiana* A.BR.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella monosperma* SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella plumosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella rupestris* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selaginella willdenowii* (POIR.) BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selinum candollei* DC. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selinum filicifolium* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selinum striatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selinum tenuifolium* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Selinum vaginatum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Semecarpus anacardium* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Semecarpus heterophylla* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Semecarpus kurzii* ENGLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Semecarpus travancorica* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sempervium sedoides* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senebiera didyma* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio aureus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio bhutanicus* BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio cappa* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio graciliflorus* . DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio hohenackeri* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio jacquemontianus* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio kraschennikovii* SCHICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio laetus* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio nudicaulis* HAM. EX D. DON NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio quinquelobus* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio scandens* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio tenuifolius* BURM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senecio vulgaris* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Senna prostrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Serenoa repens* (BARTR.) SMALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum laciniatum* KLEIN EX. WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesamum prostratum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania aculeata* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania aegyptiaca* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania cannabina* RETZ. POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania grandiflora* (L.) POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania paludosa* PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania sesban* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania sesban* (L.) MERR. *bicolor* and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania sesban* (L.) MERR. *picta* (CON.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania sesban* (L.) MERR. *typica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania sesban* (L.) MERR. *sesban sesban* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesbania speciosa* TAUB. EX ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Seseli diffusum* (ROXB. EX. SM.) SAMT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Seseli indicum* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Seseli sibiricum* BENTH. EX CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sesuvium portulacastrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria glauca* BEAUV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria italica* (L.) BEAUV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria planifolia* STAPP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria plicata* (LAM.) COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria verticillata* (L.) P. BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Setaria viridis* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Shorea robusta* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Shorea roxburghii* G.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Shorea tumbaggaia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida acuminata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida acuta* BURM. F. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida carpinifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida cordata* (BURM.F.) BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida humilis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida lanceolata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida mauritiana* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida orientalis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida ovata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida rhombifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida rhombifolia* L. *retusa* (L.) MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida rhombifolia* L. *rhombifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida rhomboidea* ROXB. EX FLEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sida veronicaefolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sideroxylon spinosum* WILLD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sideroxylon tomentosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Siegesbeckia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sigesbeckia orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silene apetala* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silene inflata* SM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silene laxantha* MAJUMDAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silene moorcroftiana* WALL. EX BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silene vulgaris* (MOENCH) GARCKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silybum marianum* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sinapis alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sinapis chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sinapis juncea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sinapis ramosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sison ammi* HERB. MADR. EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sisymbrium altissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sisymbrium irio* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sisymbrium loeselii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sisymbrium orientale* L. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sisymbrium sophia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sium latijugam* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Skimmia arborescens* T.ANDERS EX. GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Skimmia laureola* (DC.) ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax china* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax glabra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax glaucophylla* KLOTZSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax lanceifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax macrophylla* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax ocreata* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax ovalifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax parvifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax perfoliata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax proliferata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax pseudo-china* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax wightii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smilax zeylanica* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia conferta* J.E. SMITH and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia geminiflora* ROTH and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Smithia sensitiva* AIT. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum aculeatissimum* JACQ. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum albicaule* KOTSCHY EX DUNAL and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum americanum* MILL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum anguivi* LAM. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum aviculare* FORST. F. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum capsicoides* ALL. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum ciliatum* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum denticulatum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum dulcamara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum erianthum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum ferox* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum giganteum* JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum gracilipes* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum hirsutum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum incanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum indicum* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum insanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum jacquini* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum khasianum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum kurzii* PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum laciniatum* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum lasiocarpum* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum lycopersicum* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum mauritianum* SCORP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum melongena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum melongena* L. *incanum* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum myriacanthum* DUNAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum pseudocapsicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum pubescens* HEYNE. EX WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum sarmentosum* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum seforthianum* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum sisymbirifolium* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum spirale* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solanum surattense* BURM. F. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum torvum SWARTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum trilobatum L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum tuberosum L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum verbascifolium AUCTION NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum viarum DUNAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum villosum SCHUR. puniceum (KRISCHLEGER) EDMONDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum violaceum ORTEGA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum virginianum L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of Cymbidium mannii H. G. Reich., Solanum xanthocarpum SCHRAD & WENDL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solena amplexicaulis* (LAM.) GANDHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Solena heterophylla* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus arvensis* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus asper* (L.) HILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus brachytus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus maritimus* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonchus wightianus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila maculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila rheedei* WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonerila tenera* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonneratia acida* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonneratia apetala* BUCH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonneratia caseolaris* (L.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sonneratia griffithii* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sophora glauca* LESCH. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sophora griffithii* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sophora mollis* (GRAH. EX ROYLE) BAK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sophora tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sophora wightii* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sopubia delphinifolia* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorbaria tomentosa* (LINDL.) REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorbus aucuparia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorbus tianshanica* RUPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum bicolor* MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum halepense* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum saccharatum* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sorghum vulgare* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Soymida febrifuga* (ROXB.) A.JUSS. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sparganium stoloniferum* BUCH.- HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spathodea campanulata* P. BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spathoglottis plicata* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spatholobus parviflorus* (ROXB.) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spatholobus roxburghii* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spergula arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce articularis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermacoce hispida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spermadictyon suaveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus africanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus amaranthoides* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus hirtus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus indicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus microcephalus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaeranthus senegalensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphenoclea zeylanica* GAERTN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphenodesme pentandra* JACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphenomeris chinensis* (L.) MAXON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphenomeris chusana* COPELAND NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spilanthes acmella* MURR. olerace and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spilanthes calva* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spilanthes oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spilanthes paniculata* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spinacia oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spinifex littoreus* (N.BURM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea aruncus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea bella* SIMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea canescens* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spiraea lindleyana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spondias acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spondias mangifera* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spondias mombin* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spondias pinnata* (L.F.) KURZ. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachyphrynium spicatum* (ROXB.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachys floccosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachys officinalis* (L.) TREV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachys palustris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachys parviflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachys sylvatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachys tuberosa* LOUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachytarpheta indica* (L.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachytarpheta jamaicensis* (L.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachytarpheta mutabilis* (JACQ.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Statice aegyptica* DELILE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stauranthera grandifolia* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stauranthera umbrosa* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stellaria alsine* GRIMM. *undulata* (THUNB.) OHWI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stellaria aquatica* SCOP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stellaria media* WIGHT EX EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stellera chamaejasme* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stemodia viscosa* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stemona tuberosa* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenochlaena palustris* (N.BURM.) BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenolobium stans* SEE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenoloma chinensis* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania glabra* (THUNB.) MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania glandulifera* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania hernandifolia* (WILLD.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania japonica* (THUNB.) MIERS discolour (BLUME.) FORMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania japonica* (THUNB.) MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania japonica* (THUNB.) MIERS. *japonica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania rotunda* LOUR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania wightii* (A.) DUN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephegyne parvifolia* KORTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia alata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia balanghas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia guttata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia rubiginosa* VENT. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia scaphigera* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia urens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sterculia villosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum chelonoides* (L.F.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum colais* (DILLWYN) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum neuranthrum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum personatum* (HASSK.) CHATTERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum suaveolens* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum tetragonum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stereospermum xylocarpum* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Steudnera virosa* (KUNTH) PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stichoneuron caudatum* RIDLEY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stictocardia campanulata* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stipa capensis* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stipa capillata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stipa sibirica* (L.) LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stipa tortilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stranvaesia glaucescens* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Streblus asper* LOUR. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga asiatica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga gesnerioides* (WILLD.) VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga lutea* LOUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Striga orobanchoides* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthesacrocephalus* T. AND. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes auriculatus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes callosus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes ciliatus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes consanguineus* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes dalhousianus* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes flaccidifolius* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes heyneanus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes kunthiana* T. ANDERS. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes lupulinus* NEES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes nobilis* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes wallichii* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strobilanthes wightianus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stroemia tetrandra* VAHL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strophanthus dichotomus* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strophanthus wallichii* A. DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strophanthus wightianus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos aenea* A.W. HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos axillaris* COLEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos cinnamomifolia* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos colubrina* AUCTION. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos gaultheriana* PIER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos ignatia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos ignatii* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos maingayi* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos minor* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos nux-bl*Kalam A.W.Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos nux-vomica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos potatorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos rheedei* CL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Strychnos wallichiana* STEUD. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Styllocoryne lucens* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. &

HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stylosanthes fruticosa* (RETZ.) ALST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Styrax benzoin* DRYAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Styrax hookeri* CLARKE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Styrax officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Styrax serrulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Styrax tonkinensis* CRAIB EX. HARTWICH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suaeda fruticosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suaeda monoica* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Suregada multiflora* (JUSS.) BAILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia affinis* CLARKE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia alata* ROYLE EX. D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia angustifolia* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia ciliata* (G.DON) BURTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia cordata* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia decussata* NIMNO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia densiflora* (GRISEB.) KASHYAPPA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia densifolia* (GRISEB.) KASHYAPA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia lawii* BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia minor* (GRISEB.) KNOBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia paniculata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia perennis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia petiolata* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia pulchella* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia purpurascens* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swertia thomsonii* Cl. EX HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swietenia febrifuga* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swietenia macrophylla* KING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Swietenia mahagoni* (L.) JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symphorema involucreatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symphorema polyandrum* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symphytum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos beddomei* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos caudata* WALL. EX. G.DON and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos chinensis* (LOUR.) DRUCE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos cochinchinensis* S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos cochinchinensis* S.MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos crataegoides* BUCH.-HAM. EX.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos monantha* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos paniculata* (THUNB.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos racemosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos spicata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos sumuntia* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Symplocos theaefolia* BUCH.-HAM. EX DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Synadenium grantii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Synantherias sylvatica* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Synapis dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Synedrella nodiflora* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syringa emodi* WALL. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syringa persica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium alternifolium* (WT.) WALL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium aromaticum* (L.) MERRILL & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium caryophyllaeum* AUCTION GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium caryophyllatum* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium cerasoideum* (ROXB.) RAIZADA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium cumini* (L.) SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium hemisphericum* (WIGHT) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium heyneanum* WALL. EX DUTHIE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium jambolana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium jambolanum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium jambos* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium neyneanum* (DUTHIE) GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium operculatum* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium travancoricum* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Syzygium zeylanicum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana alternifolia* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana coronaria* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana crispa* ROBT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana heyneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana sphaerocarpa* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tabernaemontana wallichiana* STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tacca aspera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tacca integrifolia* KER-GAWL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tacca leontopetaloides* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tacca pinnatifida* J.R. & G. FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tagetes erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tagetes minuta* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tagetes patula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarindus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix aphylla* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix ariculata* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix dioica* ROXB. EX. ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix ericoides* ROTTL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix gallica* AUCT. NON.L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix indica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix troupii* HOLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum dolichophyllum* KITAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum fruticosum* LEDEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum gracile* HOOK. F. & TH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum longifolium* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum parthenium* (L.) SCHULTZ BIP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum tenuifolium* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum tibeticum* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum tomentosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tanacetum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taraktogenos kurzii* KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taraxacum officinale* WIGGERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taraxacum officinale* WIGG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tarenna asiatica* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taverniera cuneifolia* (ROTH) ARN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taverniera nummularia* BAKER NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxillus umbellifer* (SCHULTES) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxus baccata* L. *wallichiana* Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Taxus wallichiana* ZUCC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tecoma capensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tecoma grandiflora* LOISEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tecoma radicans* JUSS. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tecoma stans* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tecoma undulata* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tecomella undulata* (SM.)SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tectaria coadunata* (WALL.) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tectaria macrodonta* (FEE) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tectona grandis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Telosma minor* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Telosma pallida* (ROXB.) CRAIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teona ciliata* ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia candida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia hamiltonii* J.R.DRUMM NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia petrosa* BLATTER & HALBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia procumbens* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia purpurea* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia purpurea* PERS. *pumila* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia rheedei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia senticosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia spinosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia tinctoria* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia uniflora* PERS. petrosa (BLATT. & HALLB.) GILLET & ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia uniflora* PERS. petrosa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tephrosia villosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teramnus labialis* (L.F.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teramnus mollis* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia alata* HEYNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia bellerica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia bellerica* ROXB. laurinoide CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia bellirica* (GAERTN.) ROXB. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia bialata* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia catappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia chebula* RETZ. *typica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia chebula* RETZ. & WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia citrina* FLEMING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia crenulata* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia manii* KING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia oSkinii* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia pallida* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia paniculata* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia pyrifolia* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia reticulata* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Terminalia travancorensis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ternstroemia japonica* AUCT.NON THUNB) NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetracera akara* (N.BURM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetracera laevis* AUCT. NON VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetracera scandens* (L.) MERR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrameles nudiflora* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetranthera roxburghii* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrastigma lanceolarium* (ROXB.) PLANCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetrastigma serrulata* (ROXB.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teucrium chamaedrys* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teucrium polium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teucrium scordium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Teucrium stocksianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum alpinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum cultratum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum dalzelli* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum foetidum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum foliolosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum javanicum* BI. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum minus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum pauciflorum* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum pedunculatum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum reniforme* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thamnia vermicularis* (SWARTZ) ACH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thea assamica* J.W.MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thecagonium biflorum* (L.) BABU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thelypteris gracilescens* (BL.) CHING. glandulysis KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Themeda arguens* (L.) HACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Themeda arundinacea* (ROXB.) RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Themeda gigantea* HACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Themeda triandra* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Theobroma cacao* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Theriophonum infaustum* N.E. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Theriophonum minutum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thespesia populnea* (L.) SOL.EX. CORREA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thevetia neriifolia* JUSS. EX. STEUDEL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thevetia peruviana* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thlaspi arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thlaspi tetragona* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thomsonia nepalensis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thonningia axillaris* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thottea siliquosa* (LAM.) DING HOU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thuja orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia alata* BOJER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia fragrans* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia grandiflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia hawtayneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thunbergia laurifolia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thymus linearis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thymus serpyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thymus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thysanolaena acarifera* NEES. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thysanolaena agrostis* NEES. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thysanolaena maxima* (ROXB.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thysanolaena procera* MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tiaridium indicum* LEHM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tiliacora acuminata* MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tiliacora racemosa* COLEBR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tinospora crispa* (L.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tinospora sinensis* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tithonia diversifolia* (HEMSLEY) A. GRAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tithonia tagetiflora* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toddalia aculeata* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toddalia asiatica* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toddalia bilocularis* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tonningia axillaris* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toona ciliata* ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia bicolor* DALZ. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia parviflora* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia polygonoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia thouarsii* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia travancorica* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Torenia vagans* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tournefortia candollii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tournefortia montana* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tovara virginiana* (LINN.) RAFIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Toxocarpus villosus* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachelospermum fragrans* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachelospermum lucidum* (DON) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachycarpus martianus* H.WANDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachydium lehmanni* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachyspermum ammi* (L.) SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachyspermum khasianum* (CI.) WOLFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trachyspermum roxburghianum* (DC.) CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tradescantia axillaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia bicolor* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia cannabina* L.F. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia cordata* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia cordifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia involucrata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragia plukenetii* A.RADCLIFFE-SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragopogon gracilis* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragopogon porrifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tragopogon pratensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trapa bicornis* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trapa bispinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trapa natans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trema cannabina* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trema orientalis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trevesia palmata* (ROXB.) VIS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trewia nudiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trewia polycarpa* BTH. & HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema decandra* L. MANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema govindia* BUCH-HAM EX G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema monogyna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema pentandra* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema portulacastrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trianthema triquetra* ROTTL. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tribulus alatus* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tribulus lanuginosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tribulus terrestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricalysia singularis* (KORTH.) K. SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichilia spinosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichodesma africanum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichodesma indicum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichodesma zeylanicum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricholepis angustifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricholepis glaberrima* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricholepis montana* DLAZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tricholepis procumbens* WIGHT. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichomanes javanicum* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichopus zeylanicus* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes anaimalaiensis* BEDDOME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes anguina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes bracteata* (LAM.) VOIGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes cordata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes cucumerina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes dioica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes incisa* ROTTL. EX ROSENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes laciniata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes lobata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes nervifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes palmata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes tricuspidata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trichosanthes wallichiana* (SERINGE) WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tridax procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium alexandrinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium alexandrinum* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium fragiferum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium indicum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium officinalis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trifolium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triglochin maritima* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triglochin palustris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella emodi* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella foenum-graecum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella hamosa* (L.) WILLD. *uncata* (BOISS. & BOE) TOWNSEND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella incisa* BENTHA. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella occulta* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella polycerata* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonella uncata* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trigonostemon longifolius* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trillium govanianum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trimufetta rhomboidea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH

inodorum (LINN.) HYL. EX VAAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum aestivum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum amyleum* SER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum durum* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum pilosum* (DALZ. & GIBS) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum sativum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum spelta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triticum vulgare* WILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta bartramia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta rhomboidea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta rotundifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta semitriloba* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Triumfetta tomentosa* NORONHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tropaeolum minus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Trophis aspera* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tropidia curculigoides* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tuber cibarium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tulipa stellata* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turbina corymbosa* (L.) RAV. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turnera angustifolia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turnera diffusa* WILLD. *APHRODISIACA* (L.F. WARD)URB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turnera ulmifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turpinia nepalensis* WALL. EX WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turpinia pomifera* (ROXB.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Turraea villosa* BENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tussilago farfara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora asthmatica* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora dalzellii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora hirsuta* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora indica* (BURM.F.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora tenuis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tylophora tetrapetala* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typha angustata* BORY & CHAUB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typha angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typha australis* SCHUM. & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typha elephantina* GRAH, NON ROXB. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typha laxmannii* LEPECH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typhonium divaricatum* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typhonium flagelliforme* (LODD.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typhonium roxburghii* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Typhonium trilobatum* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ulmus campestris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ulmus wallichiana* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uncaria cordata* (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uncaria gambier* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uncaria sessilifructus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Unona narum* DUN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria alopecuroides* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria crinita* DESV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria hamosa* WALL. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria lagopodioides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria picta* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria prunellaefolia* GREH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria rufescens* (DC.) SCHINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uria lobata* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urena repKalam* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urena simiata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urena sinuata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urginea coromandeliana* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urginea indica* (ROXB) KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urginea maritima* (L.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urginea nagarjunae* Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urtica ardens* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urtica dioica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urtica hyperborea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urtica parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Urtica pilulifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Usnea sikkimensis* BISWAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Usnea flexilis* STIRT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Usnea florida* (L.) WIGG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Usnea hirta* (L.) WIGG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Usnea longissima* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Usnea rubicunda* STIRT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Usnea sikkimensis* BISPAS. SP. NOV. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Usnea venosa* MOT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uteleria sallicifolia* BEDD. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uteleria salicifolia* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia bifida* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia gibbosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia reticulata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Utricularia stellaris* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria dulcis* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria ebracteolata* PRESL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria hookeri* KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria narum* (DUNAL) WALL EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccaria pyramidata* MEDIC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccinium leschenaultii* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccinium macrocarpon* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana brunoniana* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana dubia* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana hardwickii* WALL. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana jatamansi* JONES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana pyrolaefolia* DENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Valeriana wallichii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vallaris heynei* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vallaris pergulanus* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vallaris solanacea* (ROTH.) KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vallisneria spiralis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam coerulea* GRIFF. EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam parviflora* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam roxburghii* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam spathulata* (L.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam teres* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam tessellata* (ROXB.) DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *VKalam testacea* (LINDL.) REICHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vandellia erecta* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vandellia pedunculata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vandellia pyxidaria* MAXIM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vangueria pubescens* KUNTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vangueria spinosa* SENSU HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vanilla planifolia* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vanilla wightiana* LINDL. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vateria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vateria macrocarpa* B.L.GUPTA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vateria malabarica* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vatica lancaefolia* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ventilago calycina* TUL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ventilago calyculata* TULASNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ventilago denticulata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ventilago madraspatana* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veratrum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veratrum viride* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbascum chinense* (L.) SANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbascum coromandelianum* (VAHL) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbascum thapsus* PLENK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbena nodiflora* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verbesina calendulacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Verchellia farnesiana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia albicans* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia anthelmintica* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia arborea* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia aspera* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia cinerea* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia patula* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia pyramidale* (D.DON) MITRA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia revoluta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia roxburghii* LESS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia squarrosa* (D.DON) LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vernonia teres* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica agrestis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica anagallis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica beccabunga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica biloba* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica hederaefolia* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Veronica serpyllifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vetiveria zizanioides* (L.) NASH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum acuminatum* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum colebrookianum* WALL. EX CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum coriaceum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum corylifolium* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum cotinifolium* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum cylindricum* BUCH.-HAM.EX D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum foetidum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum hebanthum* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum nervosum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum obovatum* WALT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viburnum punctatum* BUCH.- HAM, EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicia faba* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicia hirsuta* KOCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicia sativa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicoa auriculata* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vicoa indica* (L.) DC. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna aconitifolia* (JACQ.) MARECHAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna adenantha* (MEYER) MARECHAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna angularis* (WILLD.) OHWI. & OHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna catjang* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna cylindrica* SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna dalzelliana* (O.KTZE) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna grahmiana* (WT. & ARN.) VERD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna mungo* (L.) HEPPEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna pilosa* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna radiata* (L.) R. WILCZEK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna trilobata* (L.) VERDCOURT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna unguicula* (L.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vigna vexillata* (L.) A. RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vinca major* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vinca minor* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vinca parviflora* RETZ. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vinca pusilla* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vinca rosea* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vincetoxicum album* (MILL.)ASCHERS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola biflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola caespitosa* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola canescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola cinerea* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola diffusa* GING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola odorata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola patrinii* GING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola pilosa* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola serpens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola suffruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola sylvestris* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum articulatum* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum monoicum* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum nepalense* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viscum orientale* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex agnus-castus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex altissima* L.F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex glabrata* F. MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex leucoxydon* SCHAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex negundo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex negundo* L. *incisa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex negundo* L. *negundo* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex paniculata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex peduncularis* WALL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex pinnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex pubescens* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitex trifolia* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis adnata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis carnos*a (ROXB.) WALL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis hastata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis heyneana* ROEM. & SCULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis indica* W. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis lanata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis objecta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis pallida* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis parvifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis pedata* VAHL EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis planicaulis* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis polystachya* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis quadrangularis* WALT EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis repens* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis setosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis tomentosa* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis trifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis vinifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vitis vitifera* HAINES. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vittaria elongata* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vittaria zosterifolia* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viverra zibetha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Volkameria inermis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Volutarella divaricata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wagatea spicata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wahlenbergia marginata* (THUNB.) A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Waldheimia glabra* (DECNE) REGEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Waldheimia stoliczki* (CI.) OSTENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Walldheimia tomentosa* (DECNE) REGEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wallichia disticha* T. ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Walsura piscidia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Walsura trifoliata* (A.JUSS) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Waltheria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wattakaka volubilis* (L.F.) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Webera corymbosa* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Webera tetrandra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wedelia biflora* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wedelia calendulacea* LESS. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wedelia chinensis* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wedelia wallichii* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wendlandia exerta* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wendlandia heynei* (R. & S.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wendlandia notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wendlandia pendula* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wendlandia tinctoria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wikstroemia canescens* MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wikstroemia ridleyi* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wikstroemia viridiflora* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Willughbeia edulis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Withania coagulans* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Withania somnifera* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wolffia globosa* (ROXB.) HARTOG & PLAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wollastonia biflora* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Woodfordia floribunda* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Woodfordia fruticosa* (L.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia antidysenterica* GRAH. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia arborea* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia coccinea* SIMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia tinctoria* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia tomentosa* R.& S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Wrightia zeylanica* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthium indicum* KOEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthium strumarium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthophyllum arnottianum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthophyllum flavescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthoxylum fraxineum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xantolis tomentosa* (ROXB.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xeromphis spinosa* (THUNB.) KEAY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xeromphis uliginosa* (RETZ.) MAHESH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ximenia aegyptiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ximenia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylaria polymorpha* PERS. EX MERAT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylia dolabriformis* BENTH.& HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylia xylocarpa* (ROXB.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylocarpus granatum* KOEN. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylopiia parvifolia* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylosma longifolium* CLOS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xyris anceps* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xyris auceps* AUCT. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xyris complanata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xyris indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xyris pauciflora* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Youngia japonica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Yucca aloifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Yucca filamentosa* WOOD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Yucca gloriosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zaleya decandra* (L.) BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zaleya govindia* (DON) NAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zaleya pentandra* (L.) JEFFREY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zalia decandra* (L.) BURM. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zannichellia indica* ROTTL. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanonia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zantedeschia aethiopica* (L.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum acanthopodium* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum alatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum armatum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum budrunga* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum hamiltonianum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum hostile* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum limonella* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum nitidum* (ROXB.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum ovalifolium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum oxphyllum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum rhetsa* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum tetraspermum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zanthoxylum triphyllum* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zataria multiflora* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zea mays* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria hookeriana* ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria indica* (LOUR.) KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria maysorensis* (WT. & ARN.) ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria scabra* (L.F.) SOND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zehneria umbellata* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zephyranthes ajax* SPRENGER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zephyranthes grandiflora* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zephyranthes rosea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zeuxine strateumatica* (L.) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zeuxine sulcata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber capitatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber cassumunar* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber cernuum* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber chrysanthum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber mioga* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber officinale* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber officinalis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber purpureum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber roseum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber rubens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber squarrosum* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zingiber zerumbet* ROSC. EX SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zinnia elegans* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zizania caduciflora* HAND.-MAZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zizania latifolia* TURCZ. EX STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphora clinopodioides* M.BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphora tenuior* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus glaberrata* HEYNE, EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus glabrata* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus jujuba* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus mauritiana* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus napeca* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus nummularia* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus oenoplia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus oxyphylla* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus rugaosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus rugosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus sativa* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus sororia* ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus trinervia* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus trinervius* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anemone rivularis* Buch.- Ham.ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aquilegia vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis gouriana* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis munroiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis smilacifolia* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis theobromina* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Clematis wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Consolida ambigua* (L.) P. W. Ball and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Naravelia zeylanica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus diffusus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus muricatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus reniformis* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ranunculus wallichianus* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum foliolosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum javanicum* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thalictrum saniculaeforme* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Chimonanthus praecox*(L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Acrotrema arnottianum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia bracteata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia pentagyna* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia retusa* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dillenia suffruticosa* (Griffith) Martelli and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tetracera akara* (Burm. f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Magnolia campbellii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Magnolia grandiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Magnolia liliflora* Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Magnolia x alba* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Michelia champaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Michelia nilagirica* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alphonsea sclerocarpa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Alphonsea zeylanica* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Annona cherimola* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Annona muricata* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Annona reticulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Annona squamosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artabotrys hexapetalus* (L. f.) BhKalamri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Artabotrys zeylanicus* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cananga odorata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmos lawii* (Hook. f. & Thoms.) Safford and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Desmos viridiflorus* (Bedd.) Safford and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus rhynchantherus* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus salicina* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus thwaitesii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus wightii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Goniothalamus wynadensis* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meiogyne pannosa* (Dalz.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Meiogyne ramarowii* (Dunn) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Miliusa eriocarpa* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Miliusa montana* Gard. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Miliusa nilagirica* Bedd. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Miliusa tomentosa* (Roxb.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Miliusa wightiana* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orophea erythrocarpa* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orophea thomsonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Orophea uniflora* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia cerasoides* (Roxb.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia fragrans* (Diaz.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia korintii* (Dunal) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia longifolia* (Sonner.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia rufescens* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia suberosa* (Roxb.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polyalthia tirunelveli*ensis M. B. Viswan. & ManikKalamn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Popowia beddomeana* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sageraea dalzellii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria macropoda* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Uvaria zeylanica* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylopiia parvifolia* (Wight) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Anamirta cocculus* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus hirsutus* (L.) Diels and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus laurifolius* DC. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cocculus pendulus* (Forst.) Diels and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coscinium fenestratum* (Gaertn.) Coleb. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclea arnottii* Miers and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Diploclisia glaucescens* (Blume) Diels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania japonica* (Thunb.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stephania wightii* (Arn.) Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tinospora sinensis* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis lycium* Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis nilghiriensis* Ahrendt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis tinctoria* Lesch. and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Berberis wightiana* Schneid and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nelumbo nucifera* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea nouchali* Burm. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea pubescens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Nymphaea rubra* Roxb. ex Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Argemone mexicana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Eschscholzia californica* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Mecanopsis wallichii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver caucasicum* Bait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver fugax* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver rhoeas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Papaver somniferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Romneya coulteri* Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Corydalis lutea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dicentra scandens* (D. Don.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fumaria indica* (Hassk.) Pugsley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Fumaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barbarea intermedia* Boreau and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barbarea verna* (Miller) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Barbarea vulgaris* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica juncea* (L.) Czern. & Coss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica nigra* (L.) Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica oleracea* L. var. *botrytis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica oleracea* L. var. *capitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica oleracea* L. var. *gemmifera* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica oleracea* L. var. *gongylodes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Brassica rapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capsella bursa-pastoris* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardamine africana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardamine hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cardamine trichocarpa* Hochst. ex A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cheiranthus cheiri* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Coronopus didymus* (L.) Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iberis amara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Iberis umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium rudemale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium sativum* L. and 10 crop weeds based Green Spray on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lepidium virginicum* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lobularia maritima* (L.) Desv. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Matthiola incana* (L.) R. Br. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Raphanus sativus* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa indica* (L.) Hiern and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Rorippa nasturtium - aquaticum* (L.) Hayek and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sisymbrium volgense* Ledeb. ex Shmal. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Thlaspi arvense* L. and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cadaba fruticosa* (L.) Druce and 10 crop weeds based Green Spray on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cadaba trifoliata* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis brevispina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis decidua* (Forsk.) Edgew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis divaricata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis diversifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis fusifera* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis kollimalayana* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis moonii* Wight and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis rotundifolia* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis sepiaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis shevaroyensis* Sundararaghavan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Capparis zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome angustifolia* Forsk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome aspera* Koen ex. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome burmannii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome chelidonii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome felina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome hassleriana* Chod. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome monophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome rutidosperma* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome speciosa* Raf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cleome viscosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Crateva magna* (Lour.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gynandropsis gynandra* (L.) Briq and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maerua apetala* (Roth) Jacobs and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Maerua oblongifolia* (Forsk.) A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Steriphoma clemoides* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reseda alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Reseda luteola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hybanthus enneaspermus* (L.) F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hybanthus travancoricus* (Bedd.) Melch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola arcuata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola canescens* Wall. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola hamiltoniana* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Viola pilosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bixa orellana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cochlospermum religiosum* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Aphloia theiformis* (Vahl) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia championii* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia graveolens* Dalz. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia ovata* (Lam.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia rubescens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia thwaitesii* Briq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia tomentosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Casearia wynadensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia indica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia jangomas* (Lour.) Raeusch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Flacourtia montana* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homalium jainii* A. N. Henry & Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homalium travancoricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Homalium ceylanicum* (Gard.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus alpina* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus macrocarpa* (Bedd.) Warb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Oncoba spinosa* Forsk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylosma latifolium* Hoof. F. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xylosma longifolia* Clos and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Hymenosporum flavum* (Hook.) F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum anamallayense* Nayar & Giri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum bicolor* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum ceylanicum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum crassifolium* Soland.ex Putterl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum dasycaulon* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum eugenoides* A. Cunn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum napaulense* (DC.) Rehder & Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum neelgherrense* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum tetraspermum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum tobira* (Thunb.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum umbellatum* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum undulatum* Vent and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sollya heterophylla* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Muraltia juniperifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala arillata* Buch.-Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala arvensis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala bolbothrix* Dunn and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala elongata* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala eriopetra* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala jacobii* Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala javana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala longifolia* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala myrtifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala persicariifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala rosmarinifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala sibirica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala telephioides* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala virgata* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polygala wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Securidaca bracteata* Bennett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthophyllum flavescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Xanthophyllum manickamii* Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Arenaria neelgerrensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerastium glomeratum* Thuill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Cerastium indicum* Wight & Arn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Dianthus caryophyllus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Drymaria villosa* Cham. & Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Gypsophila elegans* M. Bieb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Lychnis coronaria* (L.) Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpaea aurea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpaea diffusa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpha spicata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Polycarpon tetraphyllum* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Sagina saginoides* (L.) Karsten, Deutsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Saponaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Scleranthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silene armeria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silene coeli - rosa* (L.) Godron and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Silene gallica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Spergula arvensis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stellaria media* (L.) Vill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Stellaria vestita* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Vaccaria pyramidata* Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca oleracea* L. var. *oleracea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca pilosa* L. subsp. *pilosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulaca wightiana* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Portulacaria afra* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Talinum triangulare* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix aphylla* (L.) Karsten and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix ericoides* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Tamarix indica* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergia ammannioides* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Bergia capensis* L. and 10 crop weeds based Green Spray on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatine ambigua* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Elatine triandra* Schkuhr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calophyllum apetalum* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Calophyllum austroindicum* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus vulgaris* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Ziziphus xylopyrus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zornia diphylla* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zornia gibbosa* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zosima absinthifolia* (VENT.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Cymbidium mannii* H. G. Reich., *Zosima orientalis* HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com